

AUTEL MAXITPMS

MX-SENSOR BLE-AU01

TESLA-READY, PRE-PROGRAMMED BLUETOOTH TPMS SENSOR

FIT & GO

- P/N: **300100** OE-Level Functionality
- · Tesla-Ready Pre-Programmed Bluetooth **TPMS Sensors**
- · Compatible with Tesla 3, Y, S, and X models with BLF TPMS Sensors

BUILT FOR DURABILITY AND LONG LIFE

- · Automotive-grade Bluetooth processor
- · 6 years of battery life

PROGRAMMABLE BLUETOOTH LOW ENERGY

- Programmable for new vehicles using Bluetooth TPMS for smarter, more connected tires
- Program with new Autel MaxiTPMS TS900 tablet and ITS600 tablet







TPMS DIAGNOSTICS & SERVICE

- Print/Email/Text TPMS Health Report
- OLS, BMS, SAS, EPB Service Resets
- FREE TPMS Updates for the Life of the Tool
- Wireless Touchscreen Android-based Tablet Tool
- Activates, Reads and Relearns All Known Sensors
- Two MX-Sensor Program Modes: Batch Program Up to 20 MX-Sensors
- 5.5 Inch Color Display; Android 9.0 OS
- Includes Wireless Bluetooth Vehicle Communication Interface (VCI)
- On-Tool DOT Tire Registration
- Enhanced, At-a-Glance Diagnostics Status Screen
- Rapid VIN Acquisition Via Optical VINscan Function



AUTEL ACADEMY TECHNICAL TRAINING

AUTEĽ

AUTEL MAXITPMS

MX-sensor 1 SENSOR



THE BEST SELLING AFTERMARKET (1) SENSOR

IN NORTH AMERICA

99% VEHICLE COVERAGE

ORIGINAL EQUIPMENT FIT FORM & FUNCTION





MAX SIGNAL STRENGTH



- ·PRE-PROGRAMMED
- ·TESLA-READY
- PROGRAMMABLE FOR BLE-EQUIPPED VEHICLES





MAXITPMS ITS600

HANDHELD TPMS SERVICE & DIAGNOSTIC TABLET

- · Wireless Touchscreen/Android 9.0
- · Activates, Reads and Relearns All Known Sensors
- Program AUTEL MX-Sensors to replace 99% of TPMS sensors on the vehicles on the road today
- · On-Tool DOT Tire Registration with CIMS Account
- Enhanced, At-a-Glance Diagnostics Status Screen + TPMS Health Report
- · Read/Erase All System Codes and Perform OLS, BMS, SAS & EPB
- Compatible with Autel's new Telsa-ready & programmable Bluetooth Low Energy TPMS Sensors

MAXITPMS TS900

3-IN-1 TPMS, ADVANCED DIAGNOSTICS, & SERVICE TABLET



Includes all features & functions of the ITS600 plus...

- · Android 11 OS
- Perform Bi-directional Active Tests
 Special Functions
- Extensive Service Menu with direct access to over 40 maintenance tasks
 Generate Detailed Pre- & Post-Scan Reports
- · Wi-Fi sharing and printing



AUTEL ACADEMY TECHNICAL TRAINING

Visit autel.com/us/academy and register today for hands on automotive diagnostic, repair, service, and ADAS instruction.

AUTEL



THE POWER YOU NEED. The Quality You Deserve.

VEHICLE REPAIR SOLUTIONS





DXS® DRIVE XCHANGE SYSTEM™ ACCESSORIES Available as Individual **ANVILS** or **SOCKETS & SETS**



©2024 Ingersoll Rand





TIRE PROFESSIONALS INSIST ON THE PROFESSIONALS



AUTOMOTIVE • COMMERCIAL • AG / CONSTRUCTION • OTR / MINING





TABLE OF CONTENTS

NEW PRODUCT HIGHLIGHTS	8
AIR SYSTEMS	
Filters, Regulators, Lubricators & Accessories	14
Air Hoses & Accessories	
AIR TOOLS	
Air Tools & Accessories	22
Air Tool Lubricants	
WHEEL SERVICE PRODUCTS	
Torque Wrenches & Accessories	39
Impact Socket Sets	48
Individual Impact Sockets	52
Miscellaneous Wheel & Rim Parts	54
LIFTING EQUIPMENT	
Lifting Equipment & Accessories	57
Portable Hydraulics & Jack Plates	71
TIRE & WHEEL SERVICE	
Miscellaneous Mechanic's Tools	73
Interior Protection Products	76
Wheel & Rim Dismounting Tools & Accessories	80
Bead Breakers & Bead Seating Devices	89
Tire Changers & Accessories	102
Brushes & Lubricants	106
Tire Branders & Regrooving Tools	113
Miscellaneous Tire Service Tools	115
Safety Inflation Cages	118

VALVE HARDWARE	
TPMS Transmitters & Accessories	121
Tire Valves	
Valve Hardware Tools & Accessories	139
Misc Tire Servicing Tools	145
Air Pressure Gauges & Inflator Gauges	149
Air Chucks & Accessories	158
WHEEL BALANCING SUPPLIES	
Lead, Zinc & Steel Wheel Weights	161
Adhesive Wheel Weights	165
Wheel Balancing Tools & Accessories	
AUTOMOTIVE/FLEET SERVICE EQUIPMENT	
Miscellaneous Auto & Fleet Service Products	180
Wrenches & Tools	190
Mechanic's Gloves	
TIRE REPAIR MATERIALS	
Tire Repair Tools & Accessories	193
Cements, Sealants & Patches	
Tire Repair Cabinet	210
Tire Spreaders	211
ALPHABETICAL INDEX	215
NUMERIC INDEX	218

Ascot Supply Corporation is not responsible for inadvertent typographical errors or omissions. Images included in this publication may appear different to the actual inventoried item.







▲WARNING: For more information go to www.P65Warnings.ca.gov.



PRODUCT



PG.

2025 NEW PRODUCT NEW LEW

Ascot Supply Corporation is committed to bringing you the newest and most advanced brand name equipment, tools and supplies for the tire industry. Please take a look at our listing below to see all the new items we have to offer in our 2023 Warehouse Catalog.

MFG. NO.

ASCOT NO.



	ASCOT NO.	MFG. NO.	PRODUCT					
	107-69102	91002ASC	5-Gallon Portable Air Tank	17				
	131-01750	1750BK	Quick Connect Female Coupler					
١	153-22360	IR2236TiMAX	TIMAX ½" DXS Quiet Ultra Duty Air Impact Wrench – Standard Anvil					
	153-22362 IR2236TiMAX-2 ½" DXS Quiet Ultra Duty Air Impact Wrench – 2" Extended Anvil							
	153-77412	153-77412 CP-7741-2 1/2" Drive Heavy Duty Air Impact Wrench						
	157-03254	A874	Conical Eraser Pads	31				
	158-11873	A873CK	Composite Low Speed Tire Buffer w/ Quick Change Slip Chuck	22				
	163-00440	STS4-4PC-MM	1/2" Drive 4 Pc. Metric Ultimate Torque Socket Set	47				
-	168-01224	NS-F4243RD	1/2" Drive 24" Breaker Bar	189				
	168-04994	SO4994	1" Drive 4 Pc. Heavy Duty Torque Socket Set	44				
	175-00041	A41H	1/2" Standard Anvil for IR2236QTiMAX Impact Wrench	29				
١	175-00042	AK42H	2 pc. Anvil Set for IR2236QTiMAX Impact Wrench - 1/2" x 2" Extended & 3/4" Standard	29				
175-00061 A61H			3/4" Standard Anvil for IR2236QTiMAX Impact Wrench	29				
	175-00062 AK62H 2 pc. Anvil Set for IR2236QTiMAX Impact Wrench -1/2" Standard & 3/4" Standard							
	175-00066	EA66H	3/4" x 6" Anvil for IR2236QTiMAX Impact Wrench	29				





ASCOT NO.	MFG. NO.	PRODUCT	PG.			
175-00142	EA42H	1/2" x 2" Extended Anvil for IR2236QTiMAX Impact Wrench				
175-00162	EAK62H	2 pc. Anvil Set for IR2236QTiMAX Impact Wrench -3/4" Standard & 3/4" x 6" Extended				
175-23104	JB-04Pink	Pink Protective Boot for Impact Wrenches				
302-02811	2811	1500 LB. High Reach Jack Stand	61			
302-02812	2812	2-Ton Underhoist Tripod Jack Stand	62			
302-28112	2811B	1500 LB. High Reach Jack Stand W/ Foot Pedal	61			
302-63030	63030	Ascot 3, 6 & 12-Ton Jack Stands	63			
302-63060	63060	Ascot 3, 6 & 12-Ton Jack Stands	63			
302-63120	63120	Ascot 3, 6 & 12-Ton Jack Stands	63			
309-00405	TJP4-Y	Rubber Jack Pads for Tesla Model Y Vehicles - Set of 4	180			
312-07179	CP-R179	LED Rechargeable Pen Light	193			
313-00385	NS-WE385	Universal Chrome Wrench Extender	189			
319-00012	TD12	12-Pc Tap & Die Set for Wheel Studs & Nuts	55			
319-00033	AS-3ALB	Lug Nut Cover Wrench	87			
319-00033	AS-3ALB	6 PC. Inflatable Air Wedge Bag Kit	88			
319-01337	A337	7" Diagonal Cutting Pliers	202			
319-01358	A358	8" Cutting Plier with End Cutter				
319-01447	A447	7.75" Curved Diagonal Cutting Pliers				
319-02080	AS2080	Gasket Scraper - Overall Length - 9-3/4"				
319-02081	AS2081	Long Gasket Scraper - Overall Length - 12"				
319-46464	AS-MHPS	Hook And Pick Set	142			
319-76403	AS-876404	Professional 4 Pc. Pry Bar Set	88			





www.ascotsupply.com

▲WARNING: For more information go to www.P65Warnings.ca.gov.









ASCOT NO.	MFG. NO.	PRODUCT	PG.
319-76403	AS-876404	Professional 4 Pc. Pry Bar Set	189
322-90045	FS9004-5L	Truck & Trailer Wheel Pan	184
371-03321	HJ3321	1/2-Ton Two-Stage Telescopic Transmission Jack	62
396-00003	3P-RETK	3-Piece Roadside Emergency Triangle Kit	75
396-00357	NS-KP480320	EVA Foam Kneeling Pad	78
396-95055	95055	Mag-Bear 25' Magnetic Retractable Barrier	192
402-46300	460 300	Multi-Cleaner Tool Kit	85
402-46340	460 340	40mm x 110mm Replacement Pads – 2-Pack	85
402-46350	460 350	50mm x 110mm Replacement Pads – 2-Pack	85
421-71750	71750	Portable Tire Press	93
427-01322	MBB	Martins Slide Hammer Bead Breaker	90
429-10005	AS-BBH5	5 lb. Bead Breaker Hammer	93
429-10010	AS-BBH10	10 lb. Bead Breaker Hammer	93
429-32344	AS-32FGH	32" Fiberglass Replacement Hammer Handle	94
432-02088	2088	Ascot White Tire Mounting Paste, 22 lb. Pail	109
432-12046	2046B	Bracket for Ascot White Tire Mounting Paste	109
432-12067	2067B	Bracket for Ascot Low Profile White Tire Mounting Paste	109
444-23614	TC181354	23.6" Bead Lifting Tool w/ Enhanced Grip	104
444-59408	AE5009408	Grip-Max Inserts	103
448-93500	93500	OTR EM Rim Flange Clamp	92
454-06763	676-3	PCD Wheel Bolt Measuring Tool	146
454-11410	ASN-1410	Aluminum OTR Tire Tread Depth Gauge	146



ASCOT NO.	MFG. NO.	PRODUCT	PG.				
468-00149	VC7						
468-00401	SMTV03	Tank Valve	138				
468-01765	AS-VC3	Metal Dome Valve Cap	129				
468-09002	Nickel Plated Valve Cores	130					
468-74920	A17-492T-1	Grey Plastic TPMS Valve Cap W/ Seal	129				
469-00024	VTC-018-24	Cable Type Valve Fishing Tool - 24"	141				
469-00123	Standard Bore valve cap installation/removal tool	144					
469-00443	AS-443	3-In-1 Valve Extractor & Inflator Tool	141				
469-01690	AS-690	Large Bore 4-Way Valve Core Tool					
469-08288	VCT-031	Valve Core Torque Tool	142				
469-11710	ASN-1710	Large Bore Core Tool 10" Length	140				
476-11250	AS-250	Large Bore High Pressure Air Gauge	152				
486-31283	WWRR-1	Single Roll Wheel Weight Wire Hanger	164				
486-31284	WWRR-2	Double Roll Wheel Weight Wire Hanger	164				
486-31285	WWR-2	4-Slot Wheel Weight Roll Stand Conversion Kit	164				
486-48301	GTF-01	GT Force Two-In-One Wheel Weight Application And Removal Tool	175				
486-71512	AS-002	Red Heavy Duty Adhesive Wheel Weight Scraper - 10.4" Length	175				
491-11001	LN-01	LN-01 14MM x 2' Big Bulge, Ford 13/16"Hex	46				
491-11002	491-11002 LN-02 LN-02 LN-02 12MM x 1.50" Bulge Acorn, Accura/Honda 3/4" Hex						
491-11003	LN-03	LN-03 14MM x 1.50" Duplex Bulge Acorn, Dodge/Jeep/Ram 7/8" Hex					
491-11004	LN-04	LN-04 14MM x 1.50" Duplex Bulge, GM 7/8" Hex	46				





396-95055











ASCOT NO.	MFG. NO.	PRODUCT	PG.
491-11005	LN-05	LN-05 9/16"-18 Duplex Bulge Acorn, Dodge/Jeep/Ram 7/8" Hex	46
491-11006	LN-06	LN-06 1/2"-20 Bulge Acorn, 13/16" Hex	46
491-11007	LN-07	LN-07 12MM x 1.25" Bulge Acorn, 13/16" Hex	46
491-11008	LN-08	LN-08 12MM x 1.50" Bulge Acorn, 13/16" Hex	46
491-11009	LN-09	LN-09 12MM x 1.25" Bulge Med Mag w/Washer, Nissan 13/16" Hex	46
491-11010	LN-10	LN-10 12MM x 1.50" Bulge Med Mag w/Washer, Toyota 13/16" Hex	46
491-11011	LN-11	LN-11 14MM x 1.50" Duplex Mag w/ Washer, Toyota 7/8" Hex	46
491-11012	LN-12	LN-12 12MM x 1.50" Chrysler Mag 3/4" Hex	46
491-11013	LN-13	LN-13 1/2"-20 Bulge Acorn, 3/4" Hex	46
491-11014	LN-14	LN-14 12MM x 1.50" Ford 13/16" Hex	46
491-11015	LN-15	LN-15 12MM x 1.50" Bulge Acorn, 3/4" Hex	46
491-11016	LN-16	LN-16 12MM x 1.25" Bulge Acorn, 3/4" Hex	46
491-11017	LN-17	LN-17 12MM x 1.25" Cone Lug Bolt, 19mm Hex	46
491-11018	LN-18	LN-18 14MM x 1.50", Ford 13/16" Hex	46
491-11020	LN-20	14mm x 1.50" Short Truck 7-Spline Lug Nut	46
491-11021	LN-21	12mm x 1.50" Spline 6-Sided Lug Nut	46
491-11022	LN-22	12mm x 1.25" Spline 6-Sided Lug Nut	46
491-11023	LN-23	1/2"-20 Spline 6-Sided Lug Nut - Black	46
491-11024	LN-24	14mm x 1.50" Bulge Acorn 2 Pc. Lug Nut - 3/4" Hex - Black	46
491-11025	LN-25	12mm x 1.50" Bulge Acorn 2 Pc. Lug Nut - 3/4" Hex - Black	46



ASCOT NO.	MFG. NO.	PRODUCT					
491-11026	LN-26	12mm x 1.50" Spline 6-Sided Lug Nut - Black					
491-11027	LN-27	12mm x 1.50" Spline 6-Sided 2-Pc. Lug Nut					
491-11028	LN-28	12mm x 1.50" Open End Bulge Acorn Lug Nut - 3/4" Hex - Zinc	46				
491-11029	LN-29	14mm x 1.50" Open End Bulge Acorn Lug Nut - 3/4" Hex - Zinc					
491-11030	LN-30	1/2"-20 Open End Bulge Acorn Lug Nut - 3/4" Hex - Zinc	46				
491-11031	LN-31	14mm x 1.50" Black Ford Heavy Duty Lug Nut	46				
491-11031	LN-31	14mm x 1.50" Black Ford Heavy Duty Lug Nut	46				
491-11032	SA-01	6-Spline Car Adapter - 3/4" & 13/16" Drive	46				
491-11033	SA-02	7-Spline Truck Adapter - 7/8" & 13/16" Drive	46				
491-11035	LN-35	12mm x 1.25" Subaru Nut 3/4" Hex	46				
491-11036	LN-36	12mm x 1.25" Acorn Seat Jeep Lug Bolt - 17mm Hex	46				
491-11038	LN-38	12mm x 1.50" Toyota (Long) - 13/16" Hex					
491-11039	LN-39	12mm x 1.50" Bulge Acorn 3/4" Hex					
491-11133	SN33B35.1	33mm Skirted Nut					
537-00083	PHT-083A	Color Coded Tire Injury Measuring Tool					
721-63001	TWB63001	1600 Lb. Capacity Heavy Duty Work Bench w/ Leveling Feet	211				









FILTERS, REGULATORS & LUBRICATORS



GENERAL PURPOSE FILTERS

- Prevents corrosive damage to compressed air equipment and finished products
- Protects components and air tools from premature failure
- Porous sintered bronze element
- Installed upstream of regulators to prevent valve failure
- Removes harmful water condensate, pipe scale, dirt and rust from your compressed air system
- Also used as pre-filters to oil removing and coalescing filters to ensure high efficiency and long element life in applications such as paint spraying, instrumentation and pharmaceuticals



Ascot No.	Mfg. No.	Pipe Size	Max. SCFM	Bowl Capacity	Bowl Type	Drain	Operating Temp.	Max. Flow	Filter Element
111-30002	F300-02	1/4"	27	1 oz.	Poly	Manual	40°-125°F	150 psig	20 micron
111-35201	F352W	1/4"	48	6 oz.	Metal	Manual	40°-160°F	250 psig	40 micron
111-35203	F352FW	1/4"	48	6 oz.	Metal	Float Auto	40°-120°F	175 psig	40 micron
111-35301	F353W	3/8"	75	5 oz.	Metal	Manual	40°-160°F	250 psig	40 micron
111-35401	F354W	1/2"	100	6 oz.	Metal	Manual	40°-160°F	250 psig	40 micron
111-35403	F354FW	1/2"	100	6 oz.	Metal	Float Auto	40°-120°F	175 psig	40 micron
111-37600	F376W	3/4"	230	10 oz.	Metal	Manual	40°-160°F	250 psig	40 micron

REGULATORS



- Specialized control valve reduces upstream supply pressure level to a specified constant downstream pressure
- Regulates air pressure of the air line
- Reinforced diaphragm for repeated accuracy
- · Self-relieving style units
- ADJUSTMENT KNOB FEATURES THREE POSITION NON-RISING KNOB: Push to lock, pull to adjust, detach to make tamper resistant
- Available in T-handle or adjustment knob

Ascot No.	Mfg. No.	Pipe Size	Max. Flow SCFM	Adjustment Type	Pressure Gauge Part No.	Gauge Port	Operating Temp.	Operating Pressure	
112-00162	R162	1/4"	25	Adjustment Knob	117-01681*	1/8" NPT	40°-120°F	5-125 psig	
112-00352	R352	1/4"	50	Adjustment Knob	117-01481*	(2) 1/4" NPT	40°-120°F	5-125 psig	
112-00376	R376T	3/4"	220	T-Handle	117-01481*	(2) 1/4" NPT	40°-120°F	5-125 psig	
112-01352	R352T		1/4" Regulator - T-Handle						
112-01354 R354GH 1/2" High Pressure Regulator - 10-250 Psi.									

^{*}NOTE: Gauge not included. Sold separately. Ascot part number indicated.

LUBRICATORS



- Injects a fine stream of oil into the air stream to automatically lubricate air operated tools and other devices
- Extends life of downstream components
- Precise control of oil feed with needle valve adjustment knob
- Adds minimal pressure drop to the air system

- FEATURES THREE POSITION NON-RISING KNOB: Push to lock, pull to adjust, detach to make tamper resistant
- · High air flow
- Precise visual adjustment control
- · Low flow to establish drip rate
- W is with sight glass and metal bowl

Ascot No.	Mfg. No.	Pipe Size	Max. Flow SCFM	Bowl Capacity	Bowl Type	Operating Temp.	Max. Pressure	Oil Delivery
113-01352	L352W	1/4"	16	5 oz.	Metal	40°-175°F	200 psig	2 scfm
113-01354	L354W	1/2"	142	5 oz.	Metal	40°-175°F	200 psig	2 scfm

15



FILTERS, REGULATORS & LUBRICATORS

MODULAR UNITS

- · Units include a filter, regulator and lubricator and or filter, regulator and oil removing filter
- · Units equipped with or without OSHA safety lock-out valves
- · Screwdriver is the only tool needed to connect or disconnect units
- Insert interlocking feature allows simple installation in any location
- Gauge included

Ascot No.	Mfg. No.	Pipe Size	Max. Flow SCFM	Bowl Capacity	Bowl Type	Drain	Lockout Valve	Operating Temp.	Max. Pressure
114-03352	C33352W	1/4"	100	6 oz.	Metal	Manual	Not Included	40-175° F	250 psi
114-03354	C33354W	1/2"	100	6 oz.	Metal	Manual	Not Included	40-175° F	250 psi
114-13354	VC33354W	1/2"	100	6 oz.	Metal	Manual	Included	40-175° F	250 psig



FILTER/REGULATOR COMBINATION UNITS

- Combines filter and pressure regulator into one space saving unit
- Output performance equal to an individual filter and regulator
- Reduced pressure outputs of 0-125 psig
- FEATURES THREE POSITION NON-RISING KNOB: Push to lock, pull to adjust, detach to make tamper resistant
- · Available in metal bowl or polycarbonate bowl with metal bowl guard

Ascot No.	Mfg. No.	Pipe Size	Adjustment Type	Max. Flow SCFM	Bowl Capacity	Bowl Type	Drain	Gauge Part No.	Operating Temp.	Max. Pressure
114-75400	B754T	1/2"	T-Handle	100	5 oz.	Poly	Manual	117-01481	40-125° F	150 psig
114-75202	B752FW	1/4"	Knob	50	6 oz.	Metal	Auto	117-01481	40-125° F	175 psig

^{*}NOTE: Gauge not included. Sold separately. Ascot part number indicated.

FILTER, REGULATOR & LUBRICATOR ACCESSORIES

Ascot No. Mfg. No.		Description
117-11481	1481B	1/4" Back Mount Gauge - 0-300 PSI

ELECTRIC AUTOMATIC COMPRESSOR DRAIN

- · Automatically drains filters, compressor tanks, drip legs, aftercoolers and receivers
- Opens and closes valve in 1 to 60 minute cycle times and 1 to 30 second blow down time
- 1/4" NPT connection
- · Includes Y-strainer

Ascot No. Mfg. No. Description 117-05702 5702S 1/4" Automatic Compressor Drain

PANEL MOUNT KIT

- For use with piggyback and regulators
- · Bracket can be securely to mounted to surface through holes on L shaped bracket
- · Includes threaded nut that holds piggyback to bracket

Mfg. No.

PMKR35

Ascot No.

117-00935

• For 1/4", 3/8" and 1/2" national pipe thread piggybacks









117-11481 1/4" Back Mount Kit







www.ascotsupply.com

▲WARNING: For more information go to www.P65Warnings.ca.gov.

FLEXIBLE &

REINFORCED

RESISTS

ABRASION,

HEAT & OZONE

137-11420 Red Handled Hose Cutter Aluminum



AIR HOSES & ACCESSORIES



AIR HOSE REELS

- Mounting base is slotted and roller arm has 5 positions for multiple mounting configurations.
- Heavy steel construction adds durability and longer life cycles
- Rubber air hose with heavyduty crimping and spring guard ensure longevity
- Automatic return via heavy-duty sealed spring with 8 locking stops, roller guide and ball stop
- 300 PSI maximum pressure
- · Ship weight 40 lbs



Ascot No.	Mfg. No.	Description	
125-00760	760	3/8" X 50 Air Hose Reel	
126-00761	761	1/2" X 50 Air Hose Reel	



121-14700

1/4" Bulk

Domestic

Air Hose

COUPLED AIR HOSES

- 325 PSI
- EPDM abrasion resistant cover
- Reinforced with heavy duty polyester cord
- Bend restrictors both ends
- Premium machined brass alloy fittings
- -40°F to +200°F
- MADE IN THE USA

Ascot No. Mfg. No.		Description
121-01225	98101646	Coupled 1/2" x 25' Reinforced Domestic Air Hose
121-01250	98101648	Coupled 1/2" x 50' Reinforced Domestic Air Hose
121-03825	98101640	Coupled 3/8" x 25' Reinforced Domestic Air Hose
121-03851	98101642	Coupled 3/8" x 50' Reinforced Domestic Air Hose

1/4" BULK DOMESTIC AIR HOSE

- 1/4" ID x 325 PSI
- TEMP RANGE: -40°F to +200°F
- Multi-spiral polyester yarn reinforcement makes hose easy to handle and very flexible
- Used in numerous industrial, agricultural and construction applications
- EPDM tube and cover resists abrasion, heat and ozone
- MADE IN THE USA

Ascot No.	Mfg. No.	Description
121-14700	91008400	1/4" x 700' Domestic Bulk Air Hose (325 PSI) Reel

RED HANDLED HOSE CUTTER

- · Powder coated aluminum body
- · Heat treated stainless steel cutting blade
- Ø3-36 mm rubber and reinforced hose cutter
- · Locking mechanism for safe storage

Ascot No.	Mfg. No.	Description
137-11420	A11-420	Red Handled Hose Cutter

www.ascotsupply.com

▲WARNING: For more information go to www.P65Warnings.ca.gov.

123-13825

3/8" Blue Coil Hose 17

AIR HOSES & ACCESSORIES

KINK

RESISTANT



3/8" BLUE COIL HOSE

- · 25' length
- 1/4" x 3/8" fittings
- 150 PSI
- · Polyurethane tubing
- Excellent abrasion resistance
- · Highly kink-resistant, withstands twisting or crushing
- EASY TO HANDLE: 25% lighter than rubber
- · Made in Taiwan

Ascot No. Mfg. No.		Description
123-13825	3/8x25	25' Blue Coil Hose - 1/4" x 3/8" Fittings - 150 PSI

BLUE RECOIL AIR HOSE

- · Highly kink-resistant, withstands twisting or crushing
- Swivel fittings
- 150 PSI

- Polyurethane tubing
- · Excellent abrasion resistance
- EASY TO HANDLE: 25% lighter than rubber

Ascot No.	Mfg. No.	Description
123-14012	1/4x1/4x1/4x12	1/4" Blue Recoil Air Hose - 1/4" x 1/4" Swivel Fittings (12' Length)
123-14025	1/4x1/4x1/4x25	1/4" Blue Recoil Air Hose - 1/4" x 1/4" Swivel Fittings (25' Length)
123-38050	3/8x1/4x1/4x50	3/8" Blue Recoil Air Hose - 1/4" x 1/4" Swivel Fittings (50' Length)
123-38125	3/8x3/8x3/8x25	3/8" Blue Recoil Air Hose - 3/8" x 3/8" Swivel Fittings (25' Length)

GAUGE VALVE SET FOR PORTABLE AIR TANKS

Ascot No.	Mfg. No.	Description
107-00125	NS125DM	Gauge & Valve Set for Portable Air Tank

5-GALLON PORTABLE AIR TANK

• Perfect for emergency tire inflation • 125 PSI maximum pressure with manifold provides plenty of usable air for inflation tasks • 4' hose and ball foot air chuck makes it easier to get to hard-to-reach areas • Drain port included for regular draining to help eliminate rust and to help stop compressor generated water from flowing down the air line • Heavy duty steel gauge construction • Easy to read steel pressure gauge • Powder coated finish • Made in China

Ascot No.	Mfg. No.	Description
107-69102	91002ASC	5-Gallon Portable Air Tank

RPG HIGH PERFORMANCE BLOW GUN KIT

- · Power to clean workshops, equipment and more
- · Comfortable pistol grip for maximum comfort and control
- Aluminum is lightweight and corrosion-resistant to guarantee long term use

Ascot No.

· Produces more air flow than standard blow guns, fits any hose with 1/4" NPT thread, variable flow trigger provides precise control

Mfg. No.

- Maximum working pressure 120PSI
- · Nozzles are OSHA standard with increased air delivery and the rubber tip protects delicate surfaces from damage
- Kit includes high performance blow gun, ultimate flow tip, rubber tip, quiet flow nozzle, 6" extension, 3" needle and reducer





128-00006

Performance Blow Gun Kit

RPG High

128-00006 HPBGK-7 RPG 7-Piece High Performance Blow Gun Kit



AIR HOSES & ACCESSORIES

131-61523

131-61573



131-61526

133-61563



1/4" 5-IN-1 UNIVERSAL SAFETY EXHAUST QUICK CONNECT FEMALE COUPLER

- Designed to safely bleed off air pressure before releasing the connector
- Allows for safe disconnection, eliminating potentially dangerous hose whip
- Coupler remains connected to the plug while pressurized air is safely bled off
- Constructed of heavy-duty steel which is ideal for applications requiring a durable and long lasting pneumatic coupler
- Connects to all major interchanges: Industrial (M-style), High flow (v-style), automotive (t-style), Aro (A-style), and Lincoln (L-Style).

Ascot No.	Mfg. No.	Description
131-01750	1750BK	¼" 5-In-1 Universal Safety Exhaust Quick Connect Female Coupler





COUPLERS

- All ¼" couplers are constructed out of solid brass bar and 1/2" coupler is out of steel bar
- Proven ball locking mechanism with stainless steel ball bearings evenly distribute the load to resist wear and provide positive connections
- High flow steel valves

- Integral sleeve guard protects the sleeve and resists accidental disconnects
- Knurling and/or grooves on the sleeve provide a gripping surface for ease of operation



131-62523

Ascot No.	Mfg. No.	Description
131-61523 785		Auto Type C Female Coupler: 1/4" Body 1/4" NPT
131-61526	775	Aro Style Female Coupler: 1/4" Body 1/4" NPT
131-61573	715	Ind. Type D Female Coupler: 1/4" Body 1/4" NPT
131-62523	D-13R	Ring-Type Auto Type C Female Coupler: 1/4" Body 1/4" NPT
133-61563	1815	Auto Type F Female Coupler: 1/2" Body 1/2" NPT
133-61471	D-17R	Ring-Type Auto Type F Female Coupler: 1/2" Body 1/2" NPT

PLUGS

- · All plugs are machined out of steel bar
- Precision machined surfaces and hardened load bearing areas resist
- the efforts of mechanical shock in the most rugged applications
- Hardened wear points provide long service life

131-61578	131-61579	133-01855	133-61568	133-61569

Ascot No.	Mfg. No.	Description
131-61527	777	Aro Style Male Plug: 1/4" Body 1/4" NPT
131-61529	778	Aro Style Female Plug: 1/4" Body 1/4" NPT
131-61538	783	Auto Type C Male Plug: 1/4" Body 1/4" NPT
131-61539	784	Auto Type C Female Plug: 1/4" Body 1/4" NPT
131-61578	727	Ind Type D Male Plug: 1/4" Body 1/4" NPT
131-61579	728	Ind Type D Female Plug: 1/4" Body 1/4" NPT
133-01855	1855	G-Style Male Plug: 1/2" Body 1/4" NPT
133-61568	1817	Auto Type F Male Plug: 1/2" Body 1/2" NPT
133-61569	1818	Auto Type F Female Plugs: 1/2" Body 1/2" NPT

19



AIR HOSES & ACCESSORIES

FEMALE RECAP PLUG

• Case hardened steel, plated to resist rust

MAXIMUM INLET PRESSURE: 300 PSI

MAXIMUM TEMPERATURE: 250° F

• AIR FLOW: 40 SCFM

Ascot No.	Mfg. No.	Description
131-61531	731	M-Style Female Recap Plug: .305-32

HYDRAULIC COUPLERS

• High-flow hydraulic coupler, 10,000 PSI working pressure

· Made in Italy

Ascot No.	Mfg. No.	Description
135-10605	PVV-38-M	3/8" Male Hose Half Coupler - For Hydraulic Rams
135-10606	PVV-38-F	3/8" Female Ram Half Coupler - For Hydraulic Rams
135-10607	N/A	Hydraulic Coupler Set - (1) Male & (1) Female

HYDRAULIC QUICK CONNECT COUPLER/PLUG

- · 10,000 PSI maximum operating pressure
- Safety sleeve lock prevents accidental disconnection
- Heavy duty back-up ring prevents o-ring extrusion
- Heat treated and plated steel for greater wear and corrosion resistance
- Self-sealing poppet valves provide excellent high and low pressure seating
- Coupler equivalent to Parker TC-371, AME TC-371 & ESCO 10626
- Plug equivalent to Parker TC-372, AME TC-372 & ESCO 10625
- · Made in Italy

Ascot No. Mfg. No.		Description
135-11606	FD35-1001-0606	Hydraulic Quick Connect Coupler
135-12606	FD35-1002-0606	Hydraulic Quick Connect Plug

RUBBER DUST COVER FOR HYDRAULIC COUPLERS

- Hydraulic coupler dust cap
- Used to keep dirt and debris from your hydraulic coupler when not connected
- · Made of a durable rubber material
- Equipped with a pre-slit ring to allow coupler to slide easily over the counter
- · Comes standard with 8' and 10' hydraulic hoses

Ascot No.	Mfg. No.	Description
319-03732	03-RDC	Rubber Dust Cover for Hydraulic Couplers









135-12606 Hydraulic Quick Connect Plug





AIR HOSES & ACCESSORIES



BRASS HOSE SPLICERS

- Brass multipurpose rigid barbed hose menders repair and connect damaged hoses
- They provide good strength, ductility, and corrosion resistance

Ascot No.	Mfg. No.	Description
136-71406	07014-06	3/8" Hose Splicer
136-71408	07014-08	1/2" Hose Splicer
136-71440	07014-04	1/4" Hose Splicer

STANDARD MALE HOSE BARB FITTINGS

- Select fitting to match hose ID
- Fittings must be secured to hose with either a hose clamp or crimped-on ferrule

Ascot No.	Mfg. No.	Description
136-71404	07001-0404	1/4" x 1/4" Hose Barb
136-71604	07001-0604	3/8" x 1/4" Hose Barb
136-71606	07001-0606	3/8" x 3/8" Hose Barb
136-71806	07001-0806	1/2" x 3/8" Hose Barb
136-71808	07001-0808	1/2" x 1/2" Hose Barb

136-71606 Standard Male Hose Barb Fitting



136-72404 Standard Female Hose Barb Fitting



STANDARD FEMALE HOSE BARB FITTING

Ascot No.	Mfg. No.	Description
136-72404	07002-0404	1/4" x 1/4" Female Hose Barb

21



AIR HOSES & ACCESSORIES

2-EAR CLAMPS

- · Specially suited for industrial or heavy vibrating equipment
- Medium pressure clamp that is used for maintenance and OEM applications

· Rubber hose, plastic tubing, coaxial and electrical cable, rope are easily clamped

• APPLICATIONS: For air, fluid, gas, steam line

Deformation of ears provides visual indication that clamp is closed


> Robust design for reliable and good, permanent sealing

De-burred edges prevent damage to clamped parts

Fast, simple and secure installation







Ascot No.	Mfg. No.	Nominal Size	Inches Closed-Open	MM Closed-Open	Inner Inches	Width of Ear
316-00911	911	7/16"	.355433"	9-11 mm	.276"	7.0 mm
316-01113	1113	1/2"	.433512"	11-13 mm	.276"	7.0 mm
316-01315	1315	9/16"	.512591"	13-15 mm	.295"	7.5 mm
316-01518	1518	5/8"	.591708"	15-18 mm	.315'	8.0 mm
316-01720	1720	3/4"	.669787"	17-20 mm	.335"	8.5 mm
316-01922	1922	13/16"	.748866"	19-22 mm	.354"	9.0 mm
316-02023	2023	7/8"	.787905"	20-23 mm	.354	9.0 mm



2-EAR CLAMP SERVICE KIT

• SERVICE KIT CONTAINS THE FOLLOWING SIZES: (15) 5/16"; (15) 7/16"; (15) 1/2"; (15) 9/16"; (12) 5/8"; (12) 3/4"; (12) 7/8"; (12) 15/16"; (12) 1"; and (1) pair straight jaw pincers

Ascot No.	Mfg. No.	Description
316-91098	SK1098	Service Kit
316-01098	1098	Straight Jaw Pincer

PINCH CLAMPS

- · Made from stainless steel
- · Feature a specialized tonguein-groove design to provide a tight, secure seal
- Tamper evident design
- · Ideal for both flexible and inflexible thin-walled hoses
- Smooth-edged bandsteel design prevents damage to hoses

Ascot No.	Mfg. No.	Description
316-00058	PEC58	5/8" Pinch Clamp
316-00102	CSC-102	Handheld Pinch Clamp Crimper



158-11873 Composite Low Speed Tire Buffer w/ Quick Change

Slip Chuck





COMPOSITE LOW SPEED TIRE BUFFER W/ QUICK CHANGE SLIP CHUCK

- Composite body
- Brass bushings provide performance and durability in tough working conditions
- Quick change slip chuck for fast and easy change of buffing wheel
- Lock-off throttle to prevent accidental start ups
- Rear exhaust directs air away from the work area

- · Built-in regulator
- Ideal for patchwork, roughing areas for recapping and cleaning tire moldings
- Includes whip hose and exhaust hose
- Overhose Kit also Available Separately (175-00873)
- FREE SPEED: 2800 RPM
- Similar to CP873CK
- Made in Taiwan



Ascot No.	Mfg. No.	Description
158-11873	A873CK	Composite Low Speed Tire Buffer w/ Quick Change Slip Chuck

LOW SPEED TIRE BUFFER WITH QUICK CHANGE SLIP CHUCK

- Brass bushings provide performance and durability
- Quick change slip chuck for fast and easy change of buffing wheel
- Lock-off throttle to prevent accidental start ups
- Rear exhaust directs air away from the work area
- Built-in regulator

- Ideal for patchwork, roughing areas for recapping and cleaning tire moldings
- Includes whip hose and exhaust hose
- Overhose Kit also Available Separately (175-00873)
- FREE SPEED: 2800 RPM
- · Made in Taiwan
- · Similar to CP873K





ASCOT No. Mfg. No. Description

58-10873 A873K Low Speed Tire Buffer with Quick Change Slip Chuck



HIGH SPEED TIRE BUFFER WITH OVERHOSE KIT

- Jacobs chuck for holding buffing accessories
- Lock-off throttle
- FREE SPEED: 22,000 RPM
- APPLICATIONS: Tire patchwork, roughing areas for recapping and cleaning tire moldings
- · Includes overhose kit



Ascot No.	Mfg. No.	Description
158-10871	A871K	High Speed Tire Buffer with Overhose Kit

HIGH SPEED BUFFER KIT WITH QUICK-CHANGE CHUCK

- Quick-change chuck for holdin
- · Lock-c

Ascot No. 158-11871

- FREE
- · APPLI

roughing areas for recapping

-off E SF	buffing access f throttle PEED: 22,000 ATIONS: Tire p	Includes overhose kit Made in Taiwan	158-11871 High Speed Tire Buffer Kit with Quick-
).	Mfg. No.	Description High Speed Buffer Kit with Quick Change Chuck	Change Chuck

PARTS FOR AIR BUFFERS

Ascot No.	Mfg. No.	Description
175-00873 A-873K-OH Overhose Kit for Tire Buffers		Overhose Kit for Tire Buffers
175-18713	A8713-TA	Trigger Assembly for Tire Buffers
175-28713	SQC01 Replacement 7/16" Quick Change Slip Chuck	







1" HEAVY DUTY AIR IMPACT WRENCH

- 2140 ft./lb. / 2900 Nm of maximum torque in reverse
- · Pinless closed reinforced rocking dog impact mechanism
- · Socket retainer ring combined with hole retainer
- Ergonomic side handle
- Full teasing trigger
- Regulator with integrated forward/reverse with 3-position power settings in both directions

Ascot No.	Mfg. No.	Description
155-77826	CP7782-6	1" Heavy Duty Air Impact Wrench
155-17782 CP7782SP-6		#5 Spline Drive Air Impact Wrench with 6" Extended Anvil

1" DRIVE HEAVY DUTY AIR IMPACT WRENCH

- · Perfect for the demanding world of truck tire and service work
- Combines exceptional power, durability and operator convenience
- 360 degree swivel inlet
- 6" extended anvil
- Delivers 1450 ft./lb. of maximum torque with a 5000 RPM free speed and four-position power regulator

Ascot No.	Mfg. No.	Description
155-02856 IR285B-6		1" Drive Heavy Duty Air Impact Wrench
156-28566	IR285B-S6	#5 Spline Drive Super Duty Air Impact Wrench - 6" Anvil





1" DRIVE SUPER DUTY IMPACT WRENCH

- 6" extended anvil
- 3-position forward and reverse
- High efficiency 6-vane motor
- Swoop-back side handle for maneuverability and balance
- Pinless clutch mechanism
- WORKING TORQUE RANGE: 1,800-2,000 ft./lb.
- FREE SPEED: 5,000 RPM
- MAXIMUM TORQUE: 2,000 ft./lb.
- Made in Taiwan
- · Similar to IR285B-6

Ascot No. Mfg. No.		Description
155-12856	A2856	1" Drive Super Duty Impact Wrench

1" DRIVE MINI PLUS IMPACT WRENCH

- 6" extended anvil
- 3-position power setting
- Rubber-coated side handle for added comfort
- Powered by the twin hammer clutch
- FREE SPEED: 5,000 RPM
- MAXIMUM TORQUE: 2,000 ft./lb.
- · Made in Taiwan

Ascot No.	Mfg. No.	Description
155-26464	A26464	1" Drive Mini Plus Impact Wrench

1" DRIVE SUPER DUTY AIR IMPACT WRENCH

- 6" extended anvil
- Steel end plates
- WORKING TORQUE RANGE: 1,600-1,800 ft./lb.
- FREE SPEED: 4,500 RPM
- MAXIMUM TORQUE: 1,800 ft./lb.
- Similar to CP7786-2
- · Made in Taiwan

Ascot No.	Mfg. No.	Description
155-17786	A778-6	1" Drive Super Duty Air Impact Wrench

PARTS FOR A778-6 IMPACT WRENCH

Ascot No.		Mfg. No.	Description
	176-18406	A778-6TK	Tune-Up Kit for A778-6 1" Drive Impact Wrench







155-26464

157-00875

Mini Angle

Die Grinder

158-01871

High Speed Tire Buffer -

Tool Only

157-00874

High Speed

Cutter



AIR TOOLS & ACCESSORIES





- · Adjustable speed regulator for precise control
- Lock-off throttle to prevent accidental start-up
- · Rear exhaust directs air away from work area

Ascot No.	Mfg. No.	Free Speed (RPM)	Air Con. Avg (CFM)	Air Inlet (NPT)	Hose Size	Length	Wgt. (lb.)
157-00874	CP-874	22,000	1.4	1/4"	3/8"	7.25"	1.8

MINI ANGLE DIE GRINDER

- Compact, lightweight design for easy maneuverability
- 90° angle head allows flexibility in confined areas
- · Complete with 1/4"

and 6mm collet

 Applications: High speed blending, smoothing, porting and deburring in confined areas

Ascot No.	Mfg. No.	Free Speed (RPM)	Air Con. Avg (CFM)	Air Inlet (NPT)	Hose Size	Length	Wgt. (lb.)
157-00875	CP-875	22,500	4	1/4"	3/8"	7.5"	1.1

HIGH SPEED TIRE BUFFER

- Jacobs chuck for holding buffing accessories
- · Lock-off throttle

 Applications: Tire patchwork, roughing areas for recapping and cleaning tire moldings

Ascot No.	Mfg. No.	Free Speed (RPM)	Air Con. Avg (CFM)	Air Inlet (NPT)	Hose Size	Length	Wgt. (lb.)
158-01871	CP-871	22,000	3.2	1/4"	3/8"	8"	1.8

COMPOSITE LOW SPEED TIRE BUFFER

- Quick Change slip chuck for fast and easy change of buffing wheel
- Adjustable speed regulator for precise control
- Lock off throttle to prevent

accide	ental	start	ups
_			

- Rear exhaust directs air away from work area
- 3,000 RPM

	Milli	つ
(6)	1	
	Will have	TOP SELLER
100	158-02873	

Low Speed Composite Tire Buffer Kit

158-03873

Low Speed

Tire Buffer

Tool Only

Ascot No. Mfg. No. Description 158-03873 CP873C Low Speed Tire Buffer

COMPOSITE LOW SPEED TIRE BUFFER KIT

- Perfect for every tire shop doing patchwork, roughing areas for recapping, and cleaning tire moldings
- · Chuck Size: 7/16"
- Avg. Air Consumption: 4 CFM
- Air Inlet NPTF: 1/4"
- Min. Hose Size: 3/8"

- · Free Speed: 2500 RPM
- Lock off throttle to prevent accidental start up
- Rear exhaust directs air away from work piece
- Built-in regulator matches speed to job

Ascot No.	Mfg. No.	Description
158-02873	CP873CK	CP Composite Low Speed Tire Buffer Kit

27



AIR TOOLS & ACCESSORIES



1/2" SUPER DUTY AIR IMPACT WRENCH WITH 2" EXTENDED ANVIL

- Most popular tool in its class
- Offers the sheer power and performance features to tackle the toughest of jobs
- · Durable and economical
- WORKING TORQUE RANGE: 25-350 ft./lb.
- Made in Taiwan



Ascot No.	Mfg. No.	Square Drive	Free Speed (RPM)	Max Torque (ft./lb.)	Air Press. (PSI)	Air Con. Avg (CFM)	Air Inlet (NPT)	Hose Size	Length	Wgt. (lb.)
153-02312	IR231HA-2	1/2"	8000	590	90	4.2	1/4"	3/8"	7.3"	5.8



1/2" DRIVE SUPER DUTY AIR IMPACT WRENCH

- 2" extended anvil
- FREE SPEED: 8.000 RPM
- MAXIMUM TORQUE: 600 ft./lb.
- Powered by the durable and high performing twin hammer mechanism
- Proven design and the most popular configuration in the tire service industry
- · Handle exhaust
- · Made in Taiwan



Ascot No.	Mfg. No.	Square Drive	Free Speed (RPM)	Max Torque (ft./lb.)	Air Press. (PSI)	Air Con. Avg (CFM)	Air Inlet (NPT)	Hose Size	Length	Wgt. (lb.)
153-23120	A2312	1/2"	8000	600	90	4	1/4"	3/8"	8-1/8"	5.6













1/2" DRIVE COMPOSITE IMPACT WRENCH W/ EXTENDED ANVIL

- Convenient one-hand operated forward/reverse push button
- Four-setting torque adjustment switch
- Compact with a total length of only 7.2"
- Twin hammer mechanism provides smooth balance
- Feather trigger for precise speed control
- Energy efficient motor for maximum performance & long life
- Swivel air inlet prevents hose from twisting

Ascot No.	Mfg. No.	Description
153-12260	A2131-2COM	1/2" Drive Composite Impact Wrench w/ Ext. Anvil



1/2" ULTRA DUTY TITANIUM IMPACT WRENCH

- Titanium hammer case is designed to be strong and durable to protect the interior components
- Impact and chemicalresistant housing protects against drops and exposure to shop fluids
- Optimized for the vehicle repair industry, heavy trucks, tire lanes, fleet maintenance, body shops, general use, MRO, rail, heavy machinery, oil and gas, ship building and construction

Ascot No.	Mfg. No.	Description
153-02235	IR-2235TIMAX	1/2" Drive Ultra Duty Impact Wrench - Standard Anvil
153-22235	IR-2235QTiMAX-2	1/2" Drive QUIET Ultra Duty Impact Wrench - 2" Extended Anvil
153-42235	IR-2235TiMAX-2	1/2" Drive Ultra Duty Impact Wrench - 2" Extended Anvil

PROTECTIVE BOOTS FOR IMPACT WRENCH

Ascot No.	Mfg. No.	Description
175-23104	JB-04Pink	Pink Protective Boot for Impact Wrenches





1/2" ULTRA DUTY TITANIUM AIR IMPACT WRENCH

• Patented Drive Xchange System™: Helps you get more versatility, torque, and control out of your impact wrench. With 3/8," 1/2", and 3/4" drive options and 5 different anvil lengths, you can do more work with less equipment • Powerful Versatility: 1,500 ft.-lbs. of breakaway torque from a unique patented motor design • Quiet: 4 decibels quieter running from a patented motor design • Patented Direct Greasing System: Greasing your tool has never been easier. Directly grease the tool's hammer for more efficient operation and increased run time • Reliable Performance: Stay working, and at peak power by quickly replacing worn or broken anvils • Ergonomic: Smaller, lighter and better balanced design under 4.5 lbs. and 7.4" overall length





ASCOT NO.	MFG. NO.	DESCRIPTION
153-22360	IR2236TiMAX	½" DXS Quiet Ultra Duty Air Impact Wrench – Standard Anvil
153-22362	IR2236TiMAX-2	½" DXS Quiet Ultra Duty Air Impact Wrench – 2" Extended Anvil
175-00041	A41H	1/2" Standard Anvil for IR2236QTiMAX Impact Wrench
175-00042	AK42H	2 pc. Anvil Set for IR2236QTiMAX Impact Wrench - 1/2" x 2" Extended & 3/4" Standard
175-00061	A61H	3/4" Standard Anvil for IR2236QTiMAX Impact Wrench
175-00062	AK62H	2 pc. Anvil Set for IR2236QTiMAX Impact Wrench -1/2" Standard & 3/4" Standard
175-00066	EA66H	3/4" x 6" Anvil for IR2236QTiMAX Impact Wrench
175-00142	EA42H	1/2" x 2" Extended Anvil for IR2236QTiMAX Impact Wrench
175-00162	EAK62H	2 pc. Anvil Set for IR2236QTiMAX Impact Wrench -3/4" Standard & 3/4" x 6" Extended



175-00062



1/2" SUPER DUTY AIR IMPACT WRENCH

• **LIGHTWEIGHT:** Composite motor housing

• **DURABLE:** Twin hammer mechanism

• ERGONOMIC: NEW one-hand forward/reverse ring system

- · Curved handle with rubber material
- Resistant to most chemicals used in workshops

Square

Free Speed

8200

(RPM)

· Does not slip in operator's hand

Mfg. No.

CP-7748-2

Ascot No.

153-77482



1/2" DRIVE HEAVY DUTY AIR IMPACT WRENCH

Max Torque | Air Press.

(PSI)

(ft./lb.)

960

- 3 power settings in forward providing more control over different applications
- Less heat transfer between the motor and the handle is provided thanks to its composite handle
- Lightweight & compact at 5.18 lbs. and 9.65 inches thanks to its aluminum clutch housing and composite handle

Free Speed

10,000

Square

1/2

Max Torque

509

90

- 715 Ft./Lbs. of max torque in reverse
- 509 Ft./Lbs. of max torque in forward
- 10.000 RPM free speed

Mfg. No.

CP-7741-2

Ascot No.

153-77412



31



AIR TOOLS & ACCESSORIES

WHEEL WEIGHT ADHESIVE REMOVAL TOOL

- · High torque motor to cut through stubborn wheel weight adhesive, body pinstripes, etc
- High RPM to prevent pad from bogging down
- Pad made of a tough and long-lasting material
- Rubber-insulated motor housing for hand comfort
- · Lock-off trigger for added safety
- Includes eraser pad
- SPINDLE THREAD: 5/16"-24
- · Made in Taiwan



Ascot No.	Mfg. No.	Description
157-03252	A143252	Wheel Weight Adhesive Removal Tool
157-03253	A143252-6	Replacement Eraser Pads for Wheel Weight Adhesive Removal Tool - 6 per package

CONICAL ERASER PADS

- · 6 pads per box
- · Adapter included
- Pad is made from a tough and long-lasting material
- Conical shape to remove wheel weight adhesive when used with our A143252 wheel weight adhesive removal tool as well as standard drills
- For best performance, use at 500 RPM's
- · Similar to Matco MUCEKIT
- Made in Taiwan



Ascot No.	Mfg. No.	Description
157-03254	A874	Conical Eraser Pads







157-01035

1/2" Air Drill

Change Chuck &

with Quick

Exhaust

Hose



3" CUT-OFF TOOL

- Adjustable speed regulator for precise control
- Lock-off throttle to prevent accidental start-up
- **FREE SPEED:** 22,000 RPM
- Rear exhaust directs air away from work area

•	Durable gears for
	top performance
	and long life

· Made in Taiwan

Ascot No.	Mfg. No.	Description
157-10874	A874	3" Cut-Off Tool (2-7/8" Wheel Size)

1/4" MINI ANGLE DIE GRINDER

- Compact, lightweight design for easy use
- FREE SPEED: 22.000 RPM
- Right angle for easy maneuvering
- APPLICATIONS:
 High speed blending, smoothing, porting and deburring in confined areas
- Made in Taiwan

Ascot No.	Mfg. No.	Description
157-10875	A875	1/4" Mini Angle Die Grinder

LOW SPEED TIRE BUFFER W/ OVERHOSE KIT

- Lever-style tease trigger with lock-off for easy operation and protection against accidental start-up
- Jacobs chuck
- Convenient hanger keeps tool within easy reach
- FREE SPEED: 3,000 RPM
- Piped-away exhaust (included) blows air away from work area and operator
- APPLICATIONS: Ideal for patchwork, roughing for recapping and cleaning tire moldings
- Made in Taiwan

Ascot No.	Mfg. No.	Free Speed (RPM)	Air Con. Avg (CFM)	Air Inlet (NPT)	Hose Size	Length	Wgt. (lb.)
157-01327	IR327-LSA	3,000	14	1/4"	3/8"	8.5"	1.13
_							

1/2" AIR DRILL

- Quick change chuck retainer
- FREE SPEED: 500 RPM
- CHUCK SIZE: 1/2"
- Exhaust hose
- Side handle
- Swivel air inlet for ease of use
- **NET WEIGHT:** 2.86 lb.
- · Made in Taiwan

Ascot No.	Mfg. No.	Description
157-01035	A1035	1/2" Air Drill w/ Quick Change Chuck and Exhaust Hose
175-11035	H025	Air Hose Exhaust Kit for A1035 Air Drill

175-11035 Air Hose Exhaust Kit

33



AIR TOOLS & ACCESSORIES

CORDLESS LOW SPEED BUFFER KIT

- · Dedicated buffing and drilling
- 2-Mode Drive Control™
- DRILLING MODE: 1,200 RPM
- BUFFING MODE: 2.500 RPM
- · Runtime to complete up to 30 flat repairs on a single XC4.0Ah battery
- Premium rubber overmold withstands corrosive materials and provides increased comfort when in use
- Compatible with all M12[™] batteries & chargers

- POWERSTATE™ **Brushless Motor**
- REDLINK PLUS™ Electronic Intelligence:
- REDLITHIUM™ batteries:
- KIT INCLUDES: Low Speed Tire Buffer, M12™ REDLITHIUM™ CP2.0 Battery, M12™ REDLITHIUM™ XC 4.0 Extended Capacity Battery Pack, M12™ Lithium-ion Battery Charger, Quick Change Adapter, Carrying Case

Cordless Low Speed Buffer Kit	
This said	Milwaukee M2 FUEL
TOP SELLE	R C

158-40922

Ascot No.	Mfg. No.	Description
158-40922	2409-22	Cordless Low Speed Buffer Kit

CORDLESS 1/4" RIGHT ANGLE DIE GRINDER

- First cordless right angle die grinder that delivers the performance and size demanded by professional service mechanics
- POWERFUL: Delivers 20% more power than pneumatic competition
- Features POWERSTATE™ Brushless Motor Technology
- Provides up to .3 HP performance
- BEST-IN-CLASS SIZE: Fits in tight places with greater mobility and access

- UNMATCHED CONTROL:
- 4-Mode speed control and responsive variablespeed trigger
- Part of the M12[™] System
- KIT (ASCOT# 157-48522) INCLUDES: Tool, (2) REDLITHIUM™ CP2.0 batteries, Lithiumion Battery Charger, (2)

Wrenches & Carrying Case

Ascot No.	Mfg. No.	Description
157-48520	2485-20	Cordless 1/4" Right Angle Die Grinder (Bare Tool)
157-48522	2485-22	Cordless 1/4" Right Angle Die Grinder (Kit)



www.ascotsupply.com

△WARNING: For more information go to www.P65Warnings.ca.gov.

///



AIR TOOLS & ACCESSORIES



CORDLESS 1/2" DRIVE IMPACT WRENCH

- 4 CUSTOMIZABLE **MODES:** Provides multiple fastening torque outputs designed for sedans, light trucks and box trucks
- POWERSTATE™ **BRUSHLESS MOTOR:** Delivers up to 750 ft./lb. of fastening torque and 1,100 ft./lb. of nut-busting torque
- PART OF THE M18™ **SYSTEM:** Featuring over 175+ Tools

Ascot No.

153-76920 153-76922

 LONG MOTOR LIFE: POWERSTATE™ Brushless Motor delivers maximum power and long motor life

> Mfg. No. 2769-20

> > 2769-22



CORDLESS 1" DRIVE IMPACT WRENCH

- POWERSTATE™ BRUSHLESS MOTOR: Delivers up to 1,800 ft./ lb. nut-busting torque, making it the world's most powerful cordless impact wrench
- · Up to 7 lb. lighter weight allowing for less user fatigue
- ONE-KEY™ COMPATIBLE: Ability to customize, track and manage tools for increased productivity and investment protection
- 4-MODE DRIVE CONTROL™: Provides greater control over output speed and power

Mfg. No.

2867-22

Description

· Includes the ability to set a repeatable torque output for maximum control

Cordless 1/2" Drive Impact Wrench - 2" Extended Anvil (Kit)

> LOWER OWNERSHIP COST: Eliminates compressors and generators, providing greater portability and lower cost of ownership



155-86722

Cordless 1" Drive Impact

- Standard Anvil (Kit)

CIBO TO COLLEGE

Ascot No.

155-86722



AIR TOOLS & ACCESSORIES



M12 FUEL COMMERCIAL TIRE FLAT REPAIR KIT

- Designed to deliver increased productivity for high-volume commercial flat repairs that commercial tire technicians demand
- Includes the M12 FUEL™ low-speed tire buffer, the world's first cordless tire buffer
- With the runtime to perform up to 30 flat repairs on a single XC4.0Ah battery, increasing your productivity with less downtime
- Also included is the M12 FUEL™ 1/2" Drill/ Driver, the most powerful, most compact, and fastest tool in its class

MILWAUKEE 1" DRIVE EXTENDED ANVIL **D-HANDLE IMPACT WRENCH**

- POWERSTATE™ Brushless Motor delivers up to 2,000 ft-lbs of nut-busting torque and 1,900 ft-lbs of fastening torque
- Install up to 200 1-1/4" bolts on a single HIGH OUTPUT™ HD12.0Ah battery
- M18[™] REDLITHIUM[™] Battery Packs are compatible with all M18[™] tools
- The 4-Mode DRIVE CONTROL™ provides you with greater control over the output speed and power of the MILWAUKEE® High Torque Impact Wrench
- The ONE-KEY™ Technology allows you to customize, track, and manage the impact wrench with the ability to set a repeatable torque output for maximum control



Ascot No.	Mfg. No.	Description	Ascot No.	Mfg. No.	Description
158-45922	3459-22	M12 Fuel Commercial Flat Repair Kit Kit Includes: - (1) M12 FUEL™ Low Speed Tire Buffer(2409-20) - (1) M12 FUEL™ 1/2" Drill/Driver(3403-20) - (1) Quick Change Adapter - (1) M12™ REDLITHIUM™ CP2.0 Battery(48-11-2420) - (1) M12™ REDLITHIUM™ XC 4.0 Extended Capacity Battery Pack(48-11-2440) - (1) M12™ Lithium-ion Battery	155-86922	2869-22	1" Drive Extended Anvil D-Handle Impact Wrench - Kit Kit Includes: (1) M18 FUEL™ 1" D-Handle High Torque Impact Wrench w/ ONE-KEY™ (2868-20) (2) M18 REDLITHIUM™ HIGH OUTPUT™ HD12.0 Battery Pack (48-11-1812) (1) M18™ & M12™ Rapid Charger (48-59-1808) (1) Adjustable Handle (1) Lanyard Loop (1) Contractor Bag
		Charger (48-59-2401) - (1) Carrying Case I	155-86920	2869-20	1" Drive Extended Anvil D-Handle Impact Wrench - Bare Tool Only



AIR TOOLS & ACCESSORIES





345-11835

M18 Lithium High Output Battery

345-11850

M18 Lithium 5.0AH Battery Pack



TO CONTRACT!

345-11812

M18 RedLithium High Output HD 12.0 Battery Pack

CORDLESS 3/8" RATCHET TOOL KIT

- **MOST POWERFUL:** Delivers industry leading torque output of up to 40 ft./lb.
- MOST DURABLE: Worlds 1st brushless ratchet provides 2x longer motor life
- MOST COMPACT: Up to 20% smaller head size
- Best-in class torque to head size ratio
- Premium metal components for longer durability

Ascot No.	Mfg. No.	Description
172-55721	2557-21	Cordless 3/8" Ratchet Tool Kit

M18 LITHIUM HIGH OUTPUT BATTERY

REDLINK™ INTELLIGENCE:

- Our battery circuitry provides optimized performance and overload protection using total system communication between tool, battery and charger
- VERSATILITY: Powers all 175+ M18[™] cordless solutions
- FUEL GAUGE ONBOARD:

Displays remaining run-time

- BEST-IN-CLASS CONSTRUCTION:
 Offers long-lasting performance and the best protection against jobsite, weather and environmental conditions
- Compatible with all M18™ tools
- · 2 year battery warranty

Ascot No.	Mfg. No.	Description
345-11835	48-11-1835	M18 Lithium High Output Battery

M18 LITHIUM 5.0AH BATTERY PACK

- REDLINK™ INTELLIGENCE:
 - Provides optimized performance and overload protection using total system communication between tool, battery and charger
- **BEST-IN-CLASS CONSTRUCTION:** Offers long-lasting performance and durability
- VERSATILITY: Powers more than 175+ Milwaukee® M18™ cordless power tools
- FUEL GAUGE ONBOARD:
 Displays remaining runtime for less downtime on the job
- ALL-WEATHER PERFORMANCE: Delivers fade free power in
- extreme jobsite conditions
- Ground transport only

Ascot No.	Mfg. No.	Description
345-11850	48-11-1850	M18 Lithium 5.0AH Battery Pack

M18 REDLITHIUM HIGH OUTPUT HD 12.0 BATTERY PACK

- Provides 50% more power and runs 50% cooler vs M18™ REDLITHIUM™ HD battery packs
- Delivers fade free power and runs substantially cooler through heavy applications
- Fully compatible with 150+ M18™ solutions
- Provides increased power in extreme cold weather conditions (below OF / -18C)

Ascot No.	Mfg. No.	Description
345-11812	48-11-1812	M18 RedLithium High Output HD 12.0 Battery Pack

37



AIR TOOLS & ACCESSORIES

173-00024

Quick Chuck Adapter,

Extra Long

QUICK CHUCK ADAPTER, EXTRA LONG

- Quick change extra-long adapter 3/8"-24 thread
- Two flat washers, two nuts included
- 1-3/4" (45mm) thread length
- For rasps, buffing wheels and brushes where extra length is required

Ascot No. Mfg. No.		Description
173-00024	AS-1047XL	Quick Chuck Adapter, Extra Long

QUICK CHUCK ADAPTER, LONG

- Quick change long adapter 3/8"
- · One flat washer, one nut included
- 1" (25mm) thread length

Ascot No.	Mfg. No.	Description
173-00025	AS-1047	Quick Chuck Adapter, Long

DUAL HEAD QUICK CHUCK ADAPTER

- Quick change extra-long adapter 3/8"-24 thread
- Two flat washers, two adapters included
- 1-3/4" (45mm) thread length
- For rasps, buffing wheels and brushes where extra length is required

Ascot No.	Mfg. No.	Description		
173-00026	AS-1046D	Dual Head Quick Chuck Adapter		

QUICK CHANGE ADAPTER FOR 3/8" BURRS

- Quick release adapter for 3/8" shank
- For use with 10mm carbide cutters and quick release couplers
- · Two allen screws to ensure tight fit
- · Allen wrench included

Ascot No.	Mfg. No.	Description
173-00027	AS-1041-3/8	Quick Change Adapter For 3/8" Burrs

MISC. IMPACT WRENCH ACCESSORIES

Ascot No.	Mfg. No.	Description
173-00018	QC18	Quick Chuck Adapter W/ Collar
173-00019	QC19	Quick Chuck Adapter W/ Spacer 1" x 3/8" Thread
173-00020	QC20	Quick Chuck Adapter for 1/8" Shank
173-00022	QC22	Quick Chuck Adapter for 1/4" Shank
173-00023	QC23	Quick Chuck Adapter for 5/16" Shank
175-82651	H-082651	1" Impact Wrench Retainer Clip O-Ring
175-83071	P-08371	O-Ring for 1/2" Impact Wrench Retainer Clips
175-94791	CA-094791	1" Impact Wrench Retainer Clip
175-52122	-	1/2" Retainer Clip



173-00018 Quick Chuck Adapter w/ Collar



3/8" Thread



173-00025 Quick Chuck Adapter, Long

173-00019 Quick Chuck Adapter w/ Spacer 1" x



173-00027 Quick Change Adapter for 3/8" Burrs

173-00020 Quick Chuck Adapter for 1/8" Shank



173-00026 Dual Head Quick Chuck Adapter

173-00022 1/4" Shank



Quick Chuck Adapter for



173-00023 Quick Chuck Adapter for 5/16" Shank





AIR TOOL LUBRICANTS



181-00016 B'laster Air Tool Oil/Lube, 16 oz.

Air Tool Conditioner, 11 07



• Provides lubrication & prolongs tool life

with in-line oilers Improves tool performance

• QUANTITY: 12 per case

· Formulated for use

Ascot No.	Mfg. No.	Description
181-00016	16-ATL	B'laster Air Tool Oil/Lube, 16 oz. (12 per case)

B'LASTER AIR TOOL CONDITIONER

• Cleans & restores pneumatic tools

· Reduces friction

· Protects tools from freezing down to -25°F • **QUANTITY:** 12 per case

Ascot No.	Mfg. No.	Description
181-00404	16-ATC	B'laster Air Tool Conditioner, 11 oz. (12 per case)



181-00085 Marvel Air Tool Oil

MARVEL AIR TOOL OIL - QUART

- Specially formulated for use in all piston type and rotary air tools as well as in-line air lubricators
- Prevents rust formation while providing positive lubrication for smooth starting and longer tool life
- Assures maximum performance by dissolving gum and sludge that cut down tool speed and reduce power output
- **QUANTITY:** 6 bottles per case Equivalent to Marvel MM85R

Ascot No.	Mfg. No.	Description
181-00085	MM85R	Marvel Air Tool Oil, Quart Size (6 per case)



181-00080 Marvel Air Tool Oil



MARVEL AIR TOOL OIL - 4 OZ.

- 12 Bottles per case
- 4 oz. bottles
- Specifically formulated for use in all air tools or in-line lubricators
- · Prevents rust
- · Assures maxium tool performance
- · Made in the U.S.A

Ascot No.	Mfg. No.	Description
181-00080	MM80R	Marvel Air Tool O

SUPER RED PNEUMATIC AIR TOOL LUBRICANT

- Dissolves gum & varnish formation
- Prevents gum & varnish formation
- Ensures smoother starts
- · Special rust & oxidation inhibitor
- · Clean and free running
- QUANTITY: 12 quarts per case

Ascot No.	Mfg. No.	Description
181-00406	0406	Super Red Pneumatic Air Tool Oil, Quart (12 per case)



181-00406 Super Red Pneumatic Air Tool Oil



PRESET TORQUE WRENCHES

- One-way, not bi-directional
- · Cushioned ratchet heads
- · Color-coded presets
- ± 4% accuracy

4-PIECE WHEEL TORQUE WRENCH SET

- WRENCHES INCLUDED: Blue, Grey, White and Agua
- 1/2" DRIVE SOCKETS INCLUDED: 17mm, 19mm, 21mm, 3/4", 13/16", 7/8", and a 6" extension
- Includes color-coded wall board for easy access
- Color coded presets
- · Made in USA (Snap On)

Ascot No.	Mfg. No.	Description
168-13000	PTWS-1	4-Wrench Preset Torque Wrench Set

1000 torris

168-13000 4-Wrench Wheel Torque Wrench Set

6-PIECE WHEEL TORQUE WRENCH SET

- WRENCHES INCLUDED: Yellow, Blue, Grey, White, Agua and the adjustable torque wrench
- 1/2" DRIVE SOCKETS INCLUDED: 17mm, 19mm, 21mm, 3/4", 13/16", 7/8", and a 6" extension
- Includes color-coded wall board for easy access
- Made in USA (Snap On)

Ascot No.	Mfg. No.	Description
168-16000	PTWS-2	6-Wrench Preset Torque Wrench Set

INDIVIDUAL PRESET TORQUE WRENCHES

 One-way, not bi-directional

• ± 4% accuracy

- Cushioned ratchet heads
- · Color-coded presets
- Made in USA

Ascot No.	Mfg. No.	Description	
168-12065	65TP-3R	65 ft./lb. Preset Torque Wrench (Yellow)	
168-12080	80TP-3R	80 ft./lb. Preset Torque Wrench (Blue)	
168-12100	100TP-3R	100 ft./lb. Preset Torque Wrench (Grey)	
168-12120	120TP-3R	OTP-3R 120 ft./lb. Preset Torque Wrench (White)	
168-12140	140TP-3R	140 ft./lb. Preset Torque Wrench (Aqua)	
168-12250	2503MFRRH	250 ft./lb. Micro-Adjustable Torque Wrench	
168-96509	96-500-9RK	Preset Torque Wrench Ratchet Head Repair Kit	







△WARNING: For more information go to www.P65Warnings.ca.gov.

168-00425



TORQUE WRENCHES & ACCESSORIES

1/2" DRIVE TORQUE WRENCH

- Dual direction
- Locking collar prevents accidental setting adjustment
- Easy to read laser marked scale
- · Blow molded case with

calibration certificate

- Range: 25-250 ft./lb.
- Overall length: 25"
- Certified & Calibrated
- · Made in Taiwan

Ascot No.	Mfg. No.	Description	
168-00425	AS-425	1/2" Drive Torque Wrench	

1/4" DRIVE TORQUE WRENCH

- Easy-to-read and set for error-free adjustments
- Automatic locking torque adjustment
- Ideal for TPMS applications
- Blow molded case
- · Range: 10-150 in./lb.
- · Certified & Calibrated
- · Made in Taiwan

Ascot No.	Mfg. No.	Description
168-00652	AS-652H	1/4" Drive Torque Wrench

1/2" DRIVE MICRO-ADJUSTABLE TORQUE WRENCH

- Dual scale, Calibrated dual direction
- Positive Lock with spring loaded pull down lock ring
- · Fast, accurate and easy to set
- Easy-to-read Laser marked scale
- Ergonomic comfort-grip
- Range: 50-250 ft./lb.
- · Most feature Quick Release

buttons which provide good socket retention as well as easy socket removal

- Accuracy: ± 4% clockwise ± 6% CCW of indicated value, CW, from 20% to 100% of full scale
- · Certified & Calibrated
- Made in Taiwan

Ascot No.	Mfg. No.	Description
168-12250	2503MFRRH	1/2" Drive Micro-Adjustable Torque Wrench

5-IN-1 INTERCHANGEABLE PRESET TORQUE WRENCH 1/2" DRIVE

- Single direction
- Torque preset: 80, 100, 120, 140 to 160 Ft-Lb
- Product in matte Finish
- Protective cover for the ratcheting head
- Angled head attachment
- Tolerance of torque ± 4%
- · Certified & Calibrated
- Made in Taiwan
- Similar to AME 67170

Ascot No.	Mfg. No.	Description
168-80246	NS-51PTW	5-In 1 Interchangeable Preset Torque Wrench 1/2" Drive

168-80246 In Case











FLEX HINGE STYLE TORQUE WRENCH

- Robust construction
- ACCURATE RESULTS: ±4%
- Adjustable torque settings
- **DUAL SCALED:** Ft./lb. and N.m.
- The large break angle improves accuracy by reducing the possibility of over torquing
- Cam control of the mechanism gives a

controlled break

- Every wrench supplied with a calibration certificate
- Durable storage case
- 2 ADAPTERS INCLUDED: 3/4" to 1", 3/4" to 3/4"
- · Certified & Calibrated
- Made in Taiwan
- Similar to Norbar 4AR

		168-60011 600 ft./lb. Flex Style Torque W	k Hinge Vrench	ided
	168-60012 2-Pc. 600 ft./lb. Flex Hinge Style			
	Torque Wrench	Included		
	168-61019 1" Square Drive		169-1341	7
	168-60025 3/4" Square Drive		Torque W Extension	rench 'rench
ngs				168-00916 9/16" Preset Torque Wrench
re Hex Nuts ex Nuts	168-00058 5/8" Preset Torque Wrench			

Ascot No.	Mfg. No.	Description
168-6001	60011	600 ft./lb. Flex Hinge Style Torque Wrench
168-6001	60012	2-Piece 600 ft./lb. Flex Hinge Style Torque Wrench



168-60012

in case

TORQUE WRENCH SQUARE DRIVES

Made in Taiwan

Ascot No.	Mfg. No.	Description
168-61019	12299	1" Square Drive for Flex Hinge Torque Wrench
168-60025	12297	3/4" Square Drive for Flex Hinge Torque Wrench

3/4" X 1" X 13" TORQUE WRENCH EXTENSION

· Made in Taiwan

Ascot No.	Mfg. No.	Description
169-13413	13413E	³ / ₄ " Dr. x 1" Dr. x 13" Impact Extension

PRESET VALVE NUT TORQUE WRENCHES

- Wrench flexes when proper torque setting is reached
- Prevents overtightening of the valve grommet
- Cushioned handle

- Sizes and preset torque settings laser etched on shaft
- +/- 4% accuracy
- · Made in Taiwan

	Ascot No. Mfg. No.		Description	
168-00058 NSPTW58 5/8" Preset Torque Wrench for TR540-550 Series Val		5/8" Preset Torque Wrench for TR540-550 Series Valve Hex Nuts		
168-00916 NSPTW916 9/16" Preset Torqu		NSPTW916	9/16" Preset Torque Wrench for TR570 Series Valve Hex Nuts	





5-PIECE 1/2" DRIVE TORQUE LIMITING EXTENSION SET

Set includes all 5 extension sockets listed below

- Provides the ability to torque wheel nuts on passenger cars to the correct specification
- Set comes in a durable plastic blow molded case
- Individual extensions sold separately
- · Made in Taiwan

Ascot No.	Mfg. No.	Description
168-12450 2450 5		5-Piece 1/2" Drive Torque Limiting Extension Set

5-PIECE TORQUE LIMITING SET CONTENTS:

Ascot No.	Mfg. No.	Description	
168-12410	24100	1/2" Drive 100 ft./lb. Torque Limiting Extension (Gray)	
168-12412	24120	1/2" Drive 120 ft./lb. Torque Limiting Extension (White)	
168-12414	24140	1/2" Drive 140 ft./lb. Torque Limiting Extension (Aqua)	
168-12465 2465 1/2" Drive 65 ft./lb. Torque Limiting Extension (Yell		1/2" Drive 65 ft./lb. Torque Limiting Extension (Yellow)	
168-12480 2480 1/2" Drive 80 ft./lb. Torque Limiting Extens		1/2" Drive 80 ft./lb. Torque Limiting Extension (Blue)	

10-PIECE 1/2" DRIVE TORQUE LIMITING SOCKET SET

- Contains the most popular torque sockets to service the majority of passenger cars and light trucks
- Heavy duty blow molded case
- Set includes all 10 torque sockets listed below
- LIFETIME WARRANTY
- · Made in Taiwan

Ascot No.	Mfg. No.	Description	
168-02880	12880	10-Piece 1/2" Drive Torque Limiting Socket Set	

10-PIECE TORQUE LIMITING SET CONTENTS:

Ascot No. Mfg. No.		Description	
168-21780	121780M	1/2" Drive 17mm (11/16"): 80 ft./lb. Torque Socket (Red)	
168-21910	121910M 1/2" Drive 19mm (3/4"): 100 ft./lb. Torque Socket (Gray)		
168-21980 121980M 1/2" Drive 19mm (3/4"): 80 ft./lb. Torque Socket (Blue)		1/2" Drive 19mm (3/4"): 80 ft./lb. Torque Socket (Blue)	
168-22212 122212M 1/2" Drive 22mm (7/8"): 120 ft./lb. Torque Socket (White)		1/2" Drive 22mm (7/8"): 120 ft./lb. Torque Socket (White)	
168-22214 122214M 1/2" Drive 22mm (7/8"): 140 ft./lb. Torque Socket (Turquoise		1/2" Drive 22mm (7/8"): 140 ft./lb. Torque Socket (Turquoise)	
168-22610 122610 1/2" Drive 21mm (13/16"): 100 ft./lb. Torque Socke		1/2" Drive 21mm (13/16"): 100 ft./lb. Torque Socket (Brown)	

1" DRIVE 4 PC. HEAVY DUTY TORQUE SOCKET SET

- Contents: Red 1-¼" x 250 ft./ lb., Brown - 33mm x 475 ft./ lb., Black - 1-1/2" x 475 ft./lb., Yellow - 13/16" x 475 ft./lb.
- Sockets properly torque wheel nuts to exact factory specs
- Prevents warping of rotors, which causes brake pulsation
- Eliminates broken studs and nuts
- Avoids damage to aluminum alloy wheels
- Stops customer complaints about overtightened lug nuts
- Sockets stop turning at the CORRECT torque
- · Includes blow mold case
- · Made in Taiwan

COMING SOON! Fall 2024

Ascot No. Mfg. No.		Description
168-04994	SO4994	1" Drive 4 Pc. Heavy Duty Torque Socket Set

www.ascotsupply.com

▲WARNING: For more information go to www.P65Warnings.ca.gov.



1/2" DRIVE 65 FT./LBS. TORQUE EXTENSION

- Provides the ability to torque wheel nuts on passenger cars to the correct specification
- Bright yellow in color for quick and easy identification
- 65. ft./lbs. torque
- Made in Taiwan

Ascot No.	Mfg. No.	Description
168-12465	TMRTI1406	1/2" Drive 65 Ft./Lbs. Torque Extension

1" DRIVE 33MM TORQUE SOCKET

- Brown Torq stick
- 1" in. drive torque socket hex 33mm
- · 475 ft/lbs.

• 1/2" drive

- Solid one-piece construction
- Covered by a lifetime warranty
- · Made in Taiwan

Ascot No. Mfg. No.		Description	
168-01475	334031L7	1" Drive 33mm Torque Socket Hex 475ft/lb Brown	

3/4 DRIVE 33MM TORQUE SOCKET

- Brown Torq stick
- 3/4 in. drive torque socket hex 33mm
- 475 ft/lbs.

- Solid one-piece construction
- Covered by a lifetime warranty
- · Made in Taiwan

Ascot No.	Mfg. No.	Description
168-00475	334030L7	3/4" Drive 33mm Torque Socket Hex 475ft/lb Brown

1" DRIVE TRUCK TORQUE EXTENSIONS

- 1" drive square ends
- Once the proper torque is
- reached the extension will
- absorb any excess torque
- Made in Taiwan

Ascot No.	Item	Mfg. No.	Description
495-16004	A	1600-P	1" Drive 475 ft./lb. Torque Limiting Extension
495-16005	В	1600-R	1" Drive 250 ft./lb. Torque Limiting Extension
495-16006	С	1600-S	1" Drive 350 ft./lb. Torque Limiting Extension
495-16007	D	1600-T	1" Drive 175 ft./lb. Torque Limiting Extension
495-16008	E	1600-W	1" Drive 650 ft./lb. Torque Limiting Extension
495-16009	F	1600-Y	1" Drive 550 ft./lb. Torque Limiting Extension

2024 LUG NUT TORQUE CHART

- Wall chart measuring 26-7/8" x 39"
- Provides lug nut specifications for cars and light trucks to Model Year 2023
- Laminated for durability
- For use with Original Equipment wheels
- Shipped in a protective mailing tube

Ascot No.	Mfg. No.	Description
168-02024	TC2024	2024 Lug Nut Torque Chart







LUG NUTS



Ascot No.	Ascot Mfg. No.	Mfg. No.	Description	Box QTY.	Case QTY.
491-11001	LN-01	27587	LN-01 14MM x 2' Big Bulge, Ford 13/16"Hex	20	100
491-11002	LN-02	13760	LN-02 12MM x 1.50" Bulge Acorn, Accura/Honda 3/4" Hex	20	100
491-11003	LN-03	13438-09	LN-03 14MM x 1.50" Duplex Bulge Acorn, Dodge/Jeep/Ram 7/8" Hex	20	100
491-11004	LN-04	13439	LN-04 14MM x 1.50" Duplex Bulge, GM 7/8" Hex	20	100
491-11005	LN-05	13438-10	LN-05 9/16"-18 Duplex Bulge Acorn, Dodge/Jeep/Ram 7/8" Hex	20	100
491-11006	LN-06	15900-04	LN-06 1/2"-20 Bulge Acorn, 13/16" Hex	20	100
491-11007	LN-07	15900-06	LN-07 12MM x 1.25" Bulge Acorn, 13/16" Hex	20	100
491-11008	LN-08	15900-07	LN-08 12MM x 1.50" Bulge Acorn, 13/16" Hex	20	100
491-11009	LN-09	17201-06	LN-09 12MM x 1.25" Bulge Med Mag w/Washer, Nissan 13/16" Hex	20	100
491-11010	LN-10	17201-07	LN-10 12MM x 1.50" Bulge Med Mag w/Washer, Toyota 13/16" Hex	20	100
491-11011	LN-11	17244	LN-11 14MM x 1.50" Duplex Mag w/Washer, Toyota 7/8" Hex	20	100
491-11012	LN-12	17430	LN-12 12MM x 1.50" Chrysler Mag 3/4" Hex	20	100
491-11013	LN-13	15735-04	LN-13 1/2"-20 Bulge Acorn, 3/4" Hex	20	100
491-11014	LN-14	13968	LN-14 12MM x 1.50" Ford 13/16" Hex	20	100
491-11015	LN-15	15735-07	LN-15 12MM x 1.50" Bulge Acorn, 3/4" Hex	20	100
491-11016	LN-16	13735	LN-16 12MM x 1.25" Bulge Acorn, 3/4" Hex	20	100
491-11017	LN-17	93928	LN-17 12MM x 1.25" Cone Lug Bolt, 19mm Hex	20	100
491-11018	LN-18	13503	LN-18 14MM x 1.50", Ford 13/16" Hex	20	100
491-11020	LN-20	49334-09	14mm x 1.50" Short Truck 7-Spline Lug Nut	20	100
491-11021	LN-21	49034-07	12mm x 1.50" Spline 6-Sided Lug Nut	20	100
491-11022	LN-22	49034-06	12mm x 1.25" Spline 6-Sided Lug Nut	20	100
491-11023	LN-23	49034BKC-04	1/2"-20 Spline 6-Sided Lug Nut - Black	20	100
491-11024	LN-24	15735BKC-09	14mm x 1.50" Bulge Acorn 2 Pc. Lug Nut - 3/4" Hex - Black	20	100
491-11025	LN-25	15735BKC-07	12mm x 1.50" Bulge Acorn 2 Pc. Lug Nut - 3/4" Hex - Black	20	100
491-11026	LN-26	49033BKC-2PC-07	12mm x 1.50" Spline 6-Sided Lug Nut - Black	20	100
491-11027	LN-27	49033-2PC-07	12mm x 1.50" Spline 6-Sided 2-Pc. Lug Nut	20	100
491-11028	LN-28	11300-07	12mm x 1.50" Open End Bulge Acorn Lug Nut - 3/4" Hex - Zinc	20	100
491-11029	LN-29	11300-09	14mm x 1.50" Open End Bulge Acorn Lug Nut - 3/4" Hex - Zinc	20	100
491-11030	LN-30	11300-04	1/2"-20 Open End Bulge Acorn Lug Nut - 3/4" Hex - Zinc	20	100
491-11031	LN-31	11353BK-09	14mm x 1.50" Black Ford Heavy Duty Lug Nut	20	100
491-11032	SA-01	K569BKE	6-Spline Car Adapter - 3/4" & 13/16" Drive	1	144
491-11033	SA-02	K569LBKE	7-Spline Truck Adapter - 7/8" & 13/16" Drive	1	144
491-11035	LN-35	12409	12mm x 1.25" Subaru Nut 3/4" Hex	20	100
491-11036	LN-36	USDK93724	12mm x 1.25" Acorn Seat Jeep Lug Bolt - 17mm Hex	20	100
491-11038	LN-38	17207	12mm x 1.50" Toyota (Long) - 13/16" Hex	20	100
491-11039	LN-39	13735	12mm x 1.50" Bulge Acorn 3/4" Hex	20	100












BLACK FORD HEAVY DUTY LUG NUT

- Direct replacement for Ford BK3Z-1012A Washer is attached to
- For newer Ford Transit, F-250, F-350 vehicles with 19.5" wheels
- ¾" hex



• 100 per case





Ascot No.	Mfg. No.	Description
491-11031	LN-31	14mm x 1.50" Black Ford Heavy Duty Lug Nut











の

TO DESTRUCT

18-DRAWER METAL STORAGE CABINET

- Cabinet size: 33-3/4" (W) x 11-3/4" (D) x 10-3/4" (H)
- DRAWER SIZE: 4-7/8" (W) x 11-1/4" (D) x 2-3/4" (H)
- Modular drawer design for efficiency and organization
- Heavy-duty, welded steel construction provides strength and stability
- Drawers feature stoppers to prevent accidental pulling or spilling
- · Full-width handles and easy glide runners
- · Shipped fully assembled and ready to use
- · Weight: 45 lbs.



TOP SELLER

TOP SELLER
-

Ascot No.	Mfg. No.	Description
719-00018	18D	18-Drawer Metal Storage Cabinet

32-BIN METAL STORAGE CABINET

- Cabinet size: 33-3/4" (W) x 8-1/2" (D) x 19-1/4" (H)
- DRAWER SIZE: 4" (W) x 8-3/8" (D) x 4-1/2" (H)
- Keeps your tools and accessories organized and accessible
- · Heavy-duty, welded steel construction provides strength and stability
- · Hemmed bin fronts for retaining parts
- · Mounting holes located in the top and bottom
- · Shipped fully assembled and ready to use
- · Weight: 37 lbs.



Paris.

719-00032

Bund

\$ 15.5cm

Target.

Same we

Ascot No.	Mfg. No.	Description
719-00032	32B	32-Bin Metal Storage Cabinet

6-SPLINE CAR LUG NUT ADAPTER -19MM X 21MM HEX KEY

- · Manufactured from cold forged carbon steel for durability
- · Used with spline drive wheel nuts
- Easy to use
- · Special black oxide coating
- provides exceptional appearance and corrosion resistance
- This spline tool only works for lug nuts with 6 splines/points
- · Made in China

Ascot No.	Mfg. No.	Description
491-11034	K569BKE	6-Spline Car Lug Nut Adapter 19mm x 21mm Hex Key

1/2" DRIVE 4 PC. METRIC ULTIMATE **TORQUE SOCKET SET**

- 17mm, 19mm, 21mm sockets & interchangeable disc included in a blow molded case
- 40% increase in removal of nuts and bolts
- · Non-slip socket design
- Will remove up to 70% rounded nuts and bolts
- Use as an impact socket or with the Ultimate Torque disc for added power













1/2" DRIVE 13-PIECE SAE SET

- Contains the following sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"
- · Made in Taiwan

Ascot No.	Mfg. No.	Description
163-01150	1150	1/2" Drive 13-Piece SAE Set

1/2" DRIVE 13-PIECE SAE DEEP SET

- Contains the following sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"
- Made in Taiwan

Ascot No.	Mfg. No.	Description
163-01151	1151D	1/2" Drive 13-Piece Deep Set



1/2" DRIVE 14-PIECE METRIC STANDARD SET

- Contains the following sizes: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 26mm, 27mm
- · Made in Taiwan

Ascot No.	Mfg. No.	Description
163-01152	1151M	1/2" Drive 14-Piece Metric Standard Set

1/2" DRIVE MASTER 39-PIECE **SAE IMPACT SOCKET SET**

- Heavy duty blow mold case
- 19 Standard Sockets: 3/8", 7/16", 1/2",9 /16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16" and 1-1/2"
- CR-MO alloy steel for long life 19 Deep Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16" and 1-1/2" Universal
 - · Made in Taiwan

Ascot No.	Mfg. No.	Description
163-02668	2668	1/2" Drive Master 39-Piece SAE Impact Socket Set

1/2" DRIVE MASTER 39-PIECE METRIC IMPACT SOCKET SET

- CR-MO alloy steel for long life
- Heavy duty blow mold case
- 19 Standard Sockets: 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 26mm, 27mm and 30mm
- 19 Deep Sockets: 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 26mm, 27mm and 30mm Universal Joint
- · Made in Taiwan

Ascot No.	Mfg. No.	Description
163-02669	2669	1/2" Drive Master 39-Piece Metric Impact Socket Set

3/4" DRIVE 10-PIECE TRUCK SET

- Contains the following sizes: 13/16" Square Socket, 1-1/16", 1-1/8", 1-1/4" Thin Wall Deep Sockets, 1-1/2" Budd Wheel Socket, 17mm & 21mm Square Socket, 33mm, 35mm & 41mm Deep Sockets
- · Made in Taiwan

Ascot No.	Mfg. No.	Description
164-02110	2110	3/4" Drive 10-Piece Truck Set

www.ascotsupply.com ▲WARNING: For more information go to www.P65Warnings.ca.gov.



1/2" DRIVE 14-PIECE METRIC DEEP SET

• Contains the following sizes: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 26mm, 27mm

Made in Taiwan

Ascot No.	Mfg. No.	Description
163-01153	1153MD	1/2" Drive 14-Piece Metric Deep Set

1/2" DRIVE 29-PIECE METRIC & SAE 6 POINT DEEP IMPACT SOCKET SET

- Contains the following sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4" deep sockets
- 10, 11, 12, 13, 14, 15, 16,
- 17, 18, 19, 21, 22, 26 and 27mm deep sockets
- 3/4" x 13/16" deep and 19mm x 21mm deep flip sockets
- Made in Taiwan

Ascot No.	Mfg. No.	Description
163-05153	1153DD	1/2" Drive 29-Piece Metric & SAE 6 Point Deep Impact Socket Set

1/2" DRIVE 4-PIECE FLANK BITE DAMAGED NUT REMOVER SOCKET SET

- New Flank Bite design works on up to an industry leading 90% rounded lug nut
- Also safe for forward tightening of lug nuts without damage
- Contains the following sizes:
- 17mm, 19mm, 21mm, 22mm
- Individual sockets also available seperately: 17mm (163-22017), 19mm (163-22019), 21mm (163-22021), 22mm (163-22022)
- · Made in Taiwan

Ascot No.	Mfg. No.	Description
163-22219	122019K2	1/2" Drive 4-Piece Flank Bite Damaged Nut Remover Socket Set

3/4" DRIVE 8-PIECE SAE DEEP SET

- Contains the following sizes: 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"
- Made in Taiwan

Ascot No.	Mfg. No.	Description
164-02181	2181D	3/4" Drive 8-Piece SAE Deep Set

1" DRIVE 10-PIECE TRUCK SET

- Contains the following sizes: 13/16" square, 1-1/16", 1-1/8", 1-1/4" thin wall deep, 1-1/2" deep with inside lip, 17mm & 21mm square with inside lip, 33mm, 35mm & 41mm deep
- Made in Taiwan

Ascot No.	Mfg. No.	Description
165-03110	3110	1" Drive 10-Piece Truck Set





1" DRIVE 9-PIECE LARGE TRUCK SOCKET SET

- Contains the following sizes: 13/16" & 15/16" square, 33mm, 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2" & 2-1/2" deep sockets
- Made in Taiwan

Ascot No.	Mfg. No.	Description
165-03119	3119	1" Drive 9-Piece Large Truck Socket Set

1" DRIVE 9-PIECE SAE TRUCK SET

- Contains the following sizes: 13/16", 4 points budd wheel standard length, 7/8", 15/16", 1", 1-3/16", 1-1/2" deep with inside lip, 1-1/16", 1-1/8", 1-1/4" thin wall deep
- Made in Taiwan

Ascot No.	Mfg. No.	Description
165-03190	3190	1" Drive 9-Piece SAE Truck Set

#5 SPLINE DRIVE 9-PIECE SAE TRUCK SET

- Contains the following sizes: 13/16", 4 points budd wheel standard length, 7/8", 15/16", 1", 1-3/16", 1-1/2" deep with inside lip, 1-1/16", 1-1/8", 1-1/4" thin wall deep
- Made in Taiwan

Ascot No.	Mfg. No.	Description
166-04191	4191	#5 Spline Drive 9-Piece SAE Truck Set

1/2" DRIVE 5-PIECE DEEP THIN WALL FLIP SET

- Contains the following sizes: 3/4" x 13/16", 19mm x 21mm, 7/8" x 15/16", 17mm x 19mm, 3" extension
- Made in Taiwan

Ascot No.	Mfg. No.	Description
167-12050	1205D	1/2" Drive 5-Piece Deep Thin Wall Flip Set

4-PIECE IMPACT ADAPTER SET

- CR-MO steel for long life
- Heavy duty blow molded case
- Contains the following: 1/2" (F) x 3/4" (M) adapter,

3/4" (F) x 1" (M) adapter, 3/4" (F) x 1/2" (M) adapter, 1" (F) x 3/4" (M) adapter

· Made in Taiwan

Ascot No.	Mfg. No.	Description
169-01234	1234A	4-Piece Impact Adapter Socket Set

169-01234



16-PIECE LOCKING LUG KEY SET

- Heat treated chrome vanadium steel construction
- Easily removes locking lug nuts
- Thin wall sockets prevent damage to wheels
- Extra long lug keys keep your wrench away from the wheel preventing nicks and scratches
- Double hex head design fits most lug wrenches
- · Packed in blow molded case with color sleeve

· Made in Taiwan

Ascot No.	Mfg. No.	Description
402-01283	CHT1283	16-Piece Locking Lug Key Set

1" DRIVE 7-PIECE METRIC TRUCK SET

 Contains the following Sizes: 17mm, 21mm, 4 pts. budd wheel standard length, 27mm, 33mm, 36mm, 41 mm deep

· Made in Taiwan

Ascot No.	Mfg. No.	Description
165-03197	3197M	1" Drive 7-Piece Metric Truck Set

1/2" DRIVE 5-PIECE 1/2 SIZE FLIP SOCKET SET

- Made from durable chromoly steel
- Coated with a rust and corrosion resistant black oxide finish.
- Contains the following sizes: 18.5mm x 19.5mm, 21mm x 21.5mm, 21.5mm x 22.5mm, 22mm x 22.5mm, Extractor punch
- Individual sockets also available seperately

· Made in Taiwan

Ascot No.	Mfg. No.	Description
167-12051	000524	1/2" Drive 5-Piece 1/2 Size Flip Socket Set

5-PIECE 1/2" DRIVE TWIST SOCKET SET

- Designed to easily remove damaged, rounded nuts
- Use with 1/2" drive impact wrench or breaker bar
- · CR-MO steel for long life
- · Heavy duty blow molded case
- Includes: 17mm, 19mm, 21mm & 22mm twist sockets plus a 50mm extractor punch

Made in Taiwan

Ascot No.	Mfg. No.	Description
492-00502	TSS5	5-Piece 1/2" Drive Twist Socket Set

TESLA WHEEL BOLT LOCK SOCKET SET

- Applicable for installing and removing locks of Tesla series.
- Contents: #76, #77, #78, #79, #80, #81, #82, #83, #84, #85
- This tool enables you to permit servicing of customer vehicles, even customer has lost the key.
- Hand Tool use only, don't use impact wrench and air tool

· Made in Taiwan

Ascot No.	Mfg. No.	Description
402-02312	10202312	Tesla Wheel Bolt Lock Socket Set



402-02312



INDIVIDUAL IMPACT SOCKETS

- CR-MO alloy steel for long life
- Radius corner design assists socket in grabbing the flat side of the fastener
- Standard and deep lengths available
- Made in Taiwan

	Ascot No.	Mfg. No.	Description
Ŋ	METRIC		
. ♥ <u>~</u>	163-10170	1017M	1/2" Drive x 17mm Std.
A A S	163-10190	1019M	1/2" Drive x 19mm Std.
TAN S	163-10210	1021M	1/2" Drive x 21mm Std.
L ST	SAE		
	163-10280	1028	1/2" Drive x 7/8" Std.

	Ascot No.	Mfg. No.	Description
	METRIC		
S	163-10172	1017MEDT	1/2" Drive x 17mm Extra Thin Wall
XEX	163-10174	1017MEDTM	1/2" Drive x 17mm Extra Thin Wall Mercedes
SO	163-10183	1018MEDT	1/2" Drive x 18mm Extra Thin Wall
Ϋ́	163-10191	1019MEDT	1/2" Drive x 19mm Extra Thin Wall
A P	163-10211	1021MEDT	1/2" Drive x 21mm Extra Thin Wall
2"[163-10223	1022MEDT	1/2" Drive x 22mm Extra Thin Wall
1/2" DR EXTRA T WALL IMPACT SOC	SAE		
	163-10241	1024EDT	1/2" Drive x 3/4" Extra Thin Wall
	163-10282	1028FDT	1/2" Drive x 7/8" Extra Thin Wall

Ascot No.	Mfg. No.	Description	
METRIC			
163-10143	1014MD	1/2" Drive x 14mm Deep	
163-10171	1017MD	1/2" Drive x 17mm Deep	
163-01018	1018MD	1/2" Drive x 18mm Deep	
163-01019	1019MD	1/2" Drive x 19mm Deep	
163-01021	1021MD	1/2" Drive x 21mm Deep	
163-10222	1022MD	1/2" Drive x 22mm Deep	-
163-10271	1027MD	1/2" Drive x 27mm Deep	1/2" DR DEEP
163-01032	1032MD	1/2" Drive x 32mm Deep	묾
163-01033	1033MD	1/2" Drive x 33mm Deep	H
SAE			P =
163-01022	1022D	1/2" Drive x 11/16" Deep	IMPACT SOCKETS
163-01024	1024D	1/2" Drive x 3/4" Deep	9
163-01026	1026D	1/2" Drive x 13/16" Deep	Soc
163-10281	1028D	1/2" Drive x 7/8" Deep	盃
163-10300	1030D	1/2" Drive x 15/16" Deep	S
163-11032	1032D	1/2" Drive x 1" Deep	
163-01034	1034D	1/2" Drive x 1-1/16" Deep	
163-01036	1036D	1/2" Drive x 1-1/8" Deep	
163-10401	1040D	1/2" Drive x 1-1/4" Deep	
163-01048	1048D	1/2" Drive x 1-1/2" Deep	
163-15260	1526SD	1/2" Drive x 13/16" Square 8-Point	

	Ascot No.	Mfg. No.	Description
	METRIC		
	167-12110	1211D	1/2" Dr. x 11mm x 12mm Chrome Deep Flip
	167-12179	1271DT	1/2" Dr. x 17mm x 19mm Deep Thin Flip
	167-12910	1291	1/2" Dr. x 19mm x 21mm Std. Flip
	167-12911	1291D	1/2" Dr. x 19mm x 21mm Deep Flip
FLIP	167-12912	1291DT	1/2" Dr. x 19mm x 21mm Deep Extra Thin Flip
'2" DR FLIP ACT SOCKE	167-18195	1A7535	1/2" Dr. x 18.5mm x 19.5mm Deep Flip
~ S	167-21215	1A7538	1/2" Dr/ x 21mm x 21.5mm Deep Flip
72" ACT	167-21225	1A7542	1/2" Dr. x 21.5mm x 22.5mm Deep Flip
⊢ €	167-22225	1A7540	1/2" Dr. x 22mm x 22.5mm Deep Flip
_	SAE		
	167-12460	1246D	1/2" Dr. x 3/4" x 13/16" Deep Flip
	167-12461	1246DT	1/2" Dr. x 3/4" x 13/16" Deep Extra Thin Flip
	167-12490	1249D	1/2" Dr. x 7/8" x 15/16" Deep Flip

Ascot No.	Mfg. No.	Description	
METRIC			
164-20301	2030M	3/4" Drive x 30mm Std.	MPA
164-02033	2033MD	3/4" Drive x 33mm Deep	ACT
SAE			SOO!"
164-02038	2038D	3/4" Drive x 1-3/16" Deep	DR OCKETS
164-02024	2024D	3/4" Drive x 3/4" Deep	S
164-02026	2026S	3/4" Drive x 13/16" Square	



	Ascot No.	Mfg. No.	Description
	SAE		
	165-03026	3026S	1" Drive x 13/16" Square
	165-03030	3030S	1" Drive x 15/16" Square
	165-03042	3042D	1" Drive x 1-5/16" Deep
2	165-03046	3046D	1" Drive x 1-7/16" Deep
Ä	165-03052	3052D	1" Drive x 1-5/8" Deep
IMPACT SOCKETS	165-03056	3056D	1" Drive x 1-3/4" Deep
ACT	165-03060	3060D	1" Drive x 1-7/8" Deep
Ε	165-03323	3323C	1" Drive 1-1/2" Hex x 13/16" Square
SAE	165-30361	3036D	1" Drive x 1-1/8" Deep
DRS	165-30380	3038D	1" Drive x 1-3/16" Deep
E	165-30401	3040D	1" Drive x 1-1/4" Deep
	165-30402	3040DT	1" Drive x 1-1/4" Deep Thin Wall
	165-30420	3042DT	1" Drive x 1-5/16" Deep Thin Wall
	165-30481	3048D	1" Drive x 1-1/2" Deep w/ Inside Lip
	165-30482	2 3048DR 1" Drive x 1-1/2" Deep - Standard	

Ascot No.	Mfg. No.	Description
169-01003	1003E	1/2" Drive x 3" Extension
169-01005	1005E	1/2" Drive x 5" Extension
169-01020	1020A	1/2" Drive Female x 3/4" Male Adapt.
169-02006	2006E	3/4" Drive x 6" Extension
169-02010	2010A	3/4" Drive Female x 1/2" Male Adapt.
169-02030	2030A	1/2" Drive Female x 3/4" Male Adapt. 3/4" Drive x 6" Extension 3/4" Drive Female x 1/2" Male Adapt. 3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension
169-20100	2010E	3/4" Drive x 10" Extension
169-02013	2013E	3/4" Drive x 13" Extension
169-03006	3006E	
169-03010	3010E	1" Drive x 6" Extension 1" Drive x 10" Extension 1" Drive x 13" Extension
169-03013	3013E	1" Drive x 13" Extension
169-03020	3020A	1" Drive Female x 3/4" Male Adapt.
169-01002	1002E	1/4" Drive x 2" Chrome Extension

	Ascot No.	Mfg. No.	Description
	METRIC		
	165-03021	3021MS	1" Drive x 21mm Square
يا ر يا	165-30302	3030MD	1" Drive x 30mm Deep
골꽁	165-03033	3033MD	1" Drive x 33mm Deep
SOR	165-03035	3035MD	1" Drive x 35mm Deep
AC P	165-30381	3038MD	1" Drive x 38mm Deep
T" IMP,	165-30410	3041MDT	1" Drive x 41mm Deep Thin Wall
	165-03041	3041MD	1" Drive x 41mm Deep
	165-03321	3321MC	1" Drive 41mm x 21mm Square

Ascot No.	Mfg. No.	Description	
METRIC			
166-04033	4033MD	#5 Spline x 33mm Deep	#5
SAE		유통	芦
166-04026	4026S	#5 Spline x 13/16" Square	M
166-04323	4323C	#5 Spline x 13/16" Square x 1-1/2" Hex	

3/4" DRIVE X 35MM X 17MM METRIC **COMBINATION SOCKET**

- Removes and installs Budd-type wheel fasteners
- Two openings eliminate the need for two separate sockets
- CR-MO alloy steel for long life
- · Fully guaranteed
- Made in Taiwan



Ascot No.	Mfg. No.	Description
164-02235	2235MC	3/4" Drive x 35mm x 17mm Metric Combination Socket

3/4" DRIVE X 41MM X 21MM METRIC **COMBINATION SOCKET**

- Removes and installs Budd-type wheel fasteners
- Two openings eliminate the need for two separate sockets
- CR-MO alloy steel for long life
- · Fully guaranteed
- Made in Taiwan



Ascot No.	Mfg. No.	Description
164-02241	2241MC	3/4" Drive x 41mm x 21mm Metric Combination Socket



WHEEL & RIM PARTS



Centering Nut

491-01133 33mm Skirt Nut



491-11133 33mm Skirted Nut



- Metric 2-piece hub centering nut: 33mm hex x 1.5mm thread
- Designed to eliminate imbalance in truck wheels
- Stamped 450-500 ft./lb.
- · Elongated neck for centering the wheel to the hub
- QUANTITY: Packaged 50 per master carton
- MADE IN THE USA

Ascot No.	Mfg. No.	Description
491-00133	N/A	Metric 2-Piece Hub Centering Nut

26mm

22mm

stud

stud hole

33MM SKIRT NUT

- · Original Skirt Nut
- Replaces standard M22 flange nuts on 11.25" hub-piloted wheels
- · Partially penetrates the stud hole and prevents clocking and vibration
- QUANTITY: 100 per case

Extended threading allowing Skirt Nut to go down into **Hub-Piloted Disc** Wheel an extra 3/16" (5mm) into stud hole





There is a fairly large tolerance between the diameter of each stud hole and the diameter of the stud itself.

Ascot No. Mfg. No.		Description	
491-01133	SN-M22	33mm Skirt Nut	

33MM SKIRTED NUT

- Replaces standard M22 flange nuts on 11.25" hub-piloted wheels
- 22mm x 1.5 thread
- Partially penetrates the
- stud hole and prevents clocking and vibration
- QUANTITY: 100 per case
- · Made in China

Ascot No.	Mfg. No.	Description
491-11133	SN33B35.1	33mm Skirted Nut

HALTEC WHEEL ATTACHING HARDWARE

- Stops wheel/hub vibrations and many tire wearing problems
- · Stops wheel movement (clocking) on the face of the hub
- Eliminates wasted fuel caused by rolling resistance or "drag"
- Special graphite coating prevents nut from rusting onto the hub
- **QUANTITY:** 25 per box

Ascot No.	Mfg. No.	Description
491-02301	GL-2301	Haltec 33mm 2-Piece Flange Nut Inner Thread M22-1.5 For Uni-Mount 10-Hole Systems
491-02906	GL-2906	• Steel Steers
491-02919	GL-2919	Haltec 19mm Sleeve Nut • Aluminum Steers • Steel/Steel Drives • Steel Outer/Aluminum Inner Drives
491-02928	GL-2928	Haltec 28mm Sleeve Nut HD Aluminum Super Single Wide Base Aluminum Outer/Steel Inner Drives
491-02939	GL-2939	Haltec 39mm Sleeve Nut • Dual Aluminum Drive Axle





491-02906 6mm Sleeve



491-02919 19mm Sleeve



491-02928 28mm Sleeve

491-02939 39mm Sleeve



WHEEL & RIM PARTS

10 PC. WHEEL STUD ALIGNMENT SET

 CONTAINS (2) OF EACH OF THE FOLLOWING SIZES:

M12 x 1.25, M12 x 1.5, M12 x 1.75, M14 x 1.25, M14 x 1.5

• Each stud is marked with the thread size

- Color coded
- Knurled edges provide secure grip
- Sturdy blow molded case
- Made in Taiwan

Ascot No.	Mfg. No.	Description
491-19010	OT-190F	10-Piece Wheel Stud Alignment Set

COUNTERACT WHEEL CENTERING SLEEVES

- Patent pending wheel centering system works with your OEM style two-piece flange nuts
- Self-sizing & non-corrosive design made to take-up the gap between the 22mm stud and the 26mm wheel opening, realigning the wheel to the TRUE CENTER of the hub bearing
- BENEFITS INCLUDE: increased

fuel mileage, increased tire life, decreased tire vibration, stops irregular tire wear, decreased tire maintenance, reduced tire cupping, reduced "wheel off" conditions

- Designed to ensure your wheel is centered on wheel assembly
- Made from a high temperature resistant polyamide

Ascot No.	Mfg. No.	Description	
491-02006 WCS-B Counteract Wheel Centering Sleeves (Pack		Counteract Wheel Centering Sleeves (Pack of 6)	
491-02100 WCS-C Counteract Wheel Centering Sleeves (Bucket of 100)			
		Counteract Wheel Centering Sleeves (Bucket of 1000 w/ Installation Tool)	

COUNTERACT INSTALLATION/REMOVAL TOOL

 Specifically designed to install and remove Counteract Centering Sleeves

Ascot No.	Mfg. No.	Description
491-02111	WCS-IT	Counteract Installation/Removal Tool

NUT BUDDY LUG NUT REMOVER

- · Loosens stubborn wheel nuts
- Use on commercial or agricultural wheels
- **GEAR RATIO:** 58:1
- RATED OUTPUT TORQUE: 2950 ft/lb.
- TWO SOCKETS INCLUDED: 1-1/2" (38mm) and 1-5/16" (33mm)

Ascot No.	Mfg. No.	Description
404-67300	67300	Nut Buddy Lug Nut Remover

12 PC. TAP AND DIE SET FOR WHEEL STUDS AND WHEEL NUTS

- Re-cutting and cleaning the threads is very simple
- Set includes all essential tools and adapters and comes in a blow mold case
- 4PC. DIE: m12x1.25,m12x1.5m14x1.25,m14x1.5
- 4PC. TAP: m12x1.25,m12x1.5,m14x1.25,m14x1.5
- 1PC. tap holder (M12-M18)
- 1PC. die socket (Ø38 HEX, Ø36.5 ROUND)
- 1PC. screw pitch gauge
- 1PC. 1/2" sr. 25mm with C-ring socket
- Made in Taiwan

Ascot No.	Mfg. No.	Description
319-00012	TD12	12-Pc Tap & Die Set for Wheel Studs & Nuts





WHEEL & RIM PARTS





Truck Wheel Stud Installer

492-14916Passenger Wheel Stud Installer



WHEEL STUD SERVICE KIT

- Works on most hubs for installation and removal.
- · All sizes of studs.
- Installation done by pushing on the head, eliminating the need for threaded adapters.
- Reduces number of adapters required
- Reduces damage to studs
- Increases ease of use
- Remove and install 10 studs in only 10-15 minutes (compare to 20-30 minutes for more expensive competitive products).

- Can be powered with an impact wrench, no hydraulic power source required.
- No need to remove hub from vehicle.
- Reduces risk of damage to hubs, studs, and bearings when using tool.
- Weighs only 12 lbs., assembled to remove studs and 14 lbs., assembled to install studs.
- Made in Taiwan
- · Similar to OTC 4295

Ascot No. Mfg. No.		Description
493-91420	NS-9142	Wheel Stud Service Kit

STUD INSTALLERS AND REMOVERS

Ascot No. Mfg. No. Description		Description
492-10134 X10-SI34Z 3/4" - 10 Stud Installer		3/4" - 10 Stud Installer
492-10158 X10-SI58Z 5/8"- 11 Stud Installer		5/8"- 11 Stud Installer
492-10180	X10-SR18B	1-1/8" (13/16") Stud Remover
492-10340 X10-SR34B 3/4" Stud Remover		3/4" Stud Remover
492-15000 X10-NR15B 1-1/2" Hex Nut Remover Kit - 3-Piece Kit		1-1/2" Hex Nut Remover Kit - 3-Piece Kit

WHEEL STUD INSTALLERS

- Prevents damage to your lug nuts or new stud by reducing friction during stud installation
- Two sizes available: Vehicle Wheel Stud Installer & Truck Wheel Stud Installer
- Works with hubs, rotors, axles
- · Made in Taiwan
- Similar to Lisle 28950 & 22800

Ascot No.	Mfg. No.	Description
492-02278 TWS-22 Truck Wheel Stud Installer - Fits studs up to 7/8" (22)		Truck Wheel Stud Installer - Fits studs up to 7/8" (22mm)
492-14916	TWS-14	Vehicle Wheel Stud Installer - Fits studs up to 9/16" (14mm)

REPLACEMENT RIB NUTS

Ascot No.	Mfg. No.	Description
499-10180	X10-LN18B	1-1/8" (13/16") Rib Nut
499-10341	X10-LN34B	3/4" Rib Nut

HEAVY DUTY DRIVE-ON RIB-GRIP LUG-OFF KITS

	Ascot No.	Mfg. No.	Description
	499-10200	X10-LT20B	For Removing Damaged Inner Cap Nuts (1- 1/8" Diam., 13/16" Square Head). Consists of 1 Drive-On Tool And 1 Rib Nut
	499-10660 X10-LT66B Triple D Wheel I		For Removing Damaged 3/4" Lug Studs. Consists of 1 Drive-On Tool And 1 Rib Nut
			Triple Duty Tool For Removing Damaged Budd Wheel Inner Cap Nuts, 3/4" And 5/8" Lug Studs. Consists of 1 Drive-On Tool And 3 Rib Nuts





3-1/2-TON FLOOR JACK

- · Low profile
- Double pump design for quick lifting and improved efficiency
- · Heavy steel construction for maximum durability
- Equipped with a foot pedal to allow for hands free positioning



302-05605

3-1/2-Ton Floor Jack

4-TON FLOOR JACK

- · Low profile
- Double pump design for quick lifting and improved efficiency
- · Heavy steel construction for maximum durability
- Equipped with a foot pedal to allow for hands free positioning

Ascot No.	Mfg. No.	Description	Min. Hgt.	Max Hgt.	Hyd. Lift Range	Exten. Screw	Chassis Size/Ht.	Saddle Size	Handle Length	Ship Wt. (Lbs)
302-05605	AS5605	Ascot 3-1/2-Ton Floor Jack	3-3/4"	20-1/2"	16-3/4"	N/A	27.2" x 14.25"	4-1/4"	47-7/8"	100
302-05614	AS5614	Ascot 4-Ton Floor Jack	4-3/8"	20-1/4"	16"	N/A	27.7" x 14.4"	4-1/4"	47-7/8"	102.5





Ascot No.	Mfg. No.	Description	Min. Hgt.	Max Hgt.	Hyd. Lift Range	Exten. Screw	Chassis Size/Ht.	Saddle Size	Handle Length	Ship Wt. (Lbs)
302-05601	AS5601	Ascot 2-Ton Low Profile Floor Jack	2-3/4"	24"	21-1/4"	N/A	31.9" x 14"	3-7/8"	47-7/8"	102.3
302-05602	AS5602	Ascot 2-1/2-Ton Low Profile Floor Jack	3-1/8"	19-3/4"	16-5/8"	N/A	26.3" x 13.5"	4-3/8"	47-7/8"	73.7
302-05613	AS5613	Ascot 3-Ton Floor Jack	3-3/8"	24-1/4"	20-7/8"	N/A	31.4" x 14.4"	3-7/8"	47-7/8"	105.4

LOW PROFILE FLOOR JACK REPLACEMENT PARTS

			•
Ascot No.	Mfg. No.	Description	Applicable Models
302-60129	AS5601-29-a-FH	Spring	2-Ton/3-Ton/4-Ton
302-61301	AS5613-01	Fixed Wheel Assy.	3-Ton
302-61401	AS5614-01	Seal Kit for Pump	3-Ton/4-Ton
302-61402	AS5614-02	Fixed Wheel Assy.	4-Ton
302-61403	AS5614-03	Pump	3-Ton/4-Ton
302-61404	AS5614-04	Caster	4-Ton
302-61301 302-61401 302-61402 302-61403	AS5613-01 AS5614-01 AS5614-02 AS5614-03	Fixed Wheel Assy. Seal Kit for Pump Fixed Wheel Assy. Pump	3-Ton 3-Ton/4-Ton 4-Ton 3-Ton/4-Ton



302-61301

Fixed Wheel Assy.

302-61403 Pump





302-60129

Spring



302-61404

301-61402 Fixed Wheel Assy.

302-61401 Seal Kit for Pump

301-20220

20-Ton Air/Hydraulic Bottle Jack



PROFESSIONAL BOTTLE JACKS

20-TON AIR/HYDRAULIC **BOTTLE JACK**

- Thick jack base provides exceptional support and stability in severe conditions
- Quick-connect feature on air valve allows easy disconnect and connection of air hose & more compact storage

SPECIFICATIONS

Mfg. No.

Ascot No.

301-20220 AS20		2022	20-Ton A	Air/Hydraul	lic Bottle .	lack	
Min. Hgt.	Max Hgt.	Hyd. Lift Range	Exten. Screw	Chassis Size/Ht.	Saddle Size	Handle Length	Ship Wt. (Lbs)
10-1/8"	19-7/8"	6-1/2"	3-1/8"	N/A	N/A	9-3/8"	35.1

Description

20-TON SHORT AIR/HYDRAULIC BOTTLE JACK

- Thick jack base provides exceptional support and stability in severe conditions
- Quick-connect feature on air valve allows easy disconnect and connection of air hose & more compact storage

SPECIFICATIONS Ascot No. Mfg. No.

301-20221 AS2022S			20-Ton Short Air/Hydraulic Bottle Jack					
Min. Hgt.	Max Hgt.	Hyd. Lift Range	Exten. Screw	Chassis Size/ Ht.	Saddle Size	Handle Length	Ship Wt. (Lbs)	
7"	12-5/8"	3-3/8"	2-3/9"	N/A	N/A	9-3/8"	30.6	

Description









301-20222

301-20224 Release Valve Oil Fill Plug



301-20228 Limit Ring Assy.



301-20225 Pump Core Assy.



301-20226 Oil Valve



301-20227 Seal Kit for Piston Rod



301-20229

20-TON BOTTLE JACK REPLACEMENT PARTS

As	cot No.	Mfg. No.	Description	Applicable Models
30	1-20222	AS2002-02	Release Valve	20-Ton/20-Ton Short
30	1-20224	AS2022-04	Oil Fill Plug	20-Ton/20-Ton Short
30	1-20225	AS2022-05	Pump Core Assy.	20-Ton/20-Ton Short
30	1-20226	AS2022-06	Oil Valve	20-Ton/20-Ton Short
30	1-20227	AS2022-07	Seal Kit for Piston Rod	20-Ton/20-Ton Short
30	1-20228	AS2022-08	Limit Ring Assy.	20-Ton/20-Ton Short
30	1-20229	AS2022-09	Air Motor	20-Ton/20-Ton Short
30	1-20255	AS2022-10	Air Hose Assy.	20-Ton/20-Ton Short




ASCOT

PROFESSIONAL SERVICE JACKS

22-TON JACK STANDS

- Sturdy, welded steel construction for exceptional safety and strength
- Heavy gauge steel helps prevent distortion or twisting
- Multi-position column bar for convenient height adjustment
- · Sold in pairs of two
- NOW FEATURING A DOUBLE LOCK SAFETY PIN FOR ADDED SECURITY



3190 22-Ton Jack Stands

22-TON AIR/HYDRAULIC TRUCK JACK

- Large air motor provides an exceptional quick lifting experience
- · Narrow chassis fits between tandem truck wheels
- Comes with three adapters in different sizes that cater to different working requirements

Ascot No.	Mfg. No.	Description
302-19150	AS1915	22-Ton Air/Hydraulic Truck Jack

Min. Hgt.	Max Hgt.	Hyd. Lift Range	Exten. Screw	Chassis Size/Ht.	Saddle Size	Handle Length	Ship Wt. (Lbs)
10-1/2"	21-1/8"	6-1/8"	4-1/2"	N/A	N/A	45-1/4"	101 9

22-TON AIR/HYDRAULIC TRUCK JACK REPLACEMENT PARTS

Ascot No.	Mfg. No.	Description	Applicable Models
302-20147	2014-07	Air Motor	22-Ton Truck Jack
302-19156	1915-06	Replacement Handle	22-Ton Truck Jack
302-91503	1915-03	Seal Kit	22-Ton Truck Jack
302-91504	1915-04	Limit Ring Assy.	22-Ton Truck Jack
302-91505	1915-05	Release Valve	22-Ton Truck Jack
301-20255	2022-05	Air Hose Assy.	22-Ton Truck Jack















1500 LB. HIGH REACH JACK STAND W/ FOOT PEDAL

- Capacity: 1500 LB
- Underhoist stand is perfect for use with 2 or 4-post lifts, prevents tipping or rocking of the vehicle
- Heavy gauge steel frame prevents distortion or twisting
- · Comes with a 12"

base for stability

- Saddle comes with a removable saddle rubber cover to protect vehicle components
- Equipped with a foot pedal that allows easy load movement

SPECIFICATIONS

Ascot No.	Mfg. No.	Description
302-28112	2811B	1500 LB. High Reach Jack Stand W/ Foot Pedal

Ascot No.	Min. Hgt.	Max Hgt.	Base Size	Saddle Size	Ship Wt. (Lbs)
302-28112	54-3/4"	81-1/8"	12"	5-3/4" x 2-3/4"	30.8lbs

1500 LB. HIGH REACH JACK STAND

- Capacity: 1500 LB
- Underhoist stand is perfect for use with 2 or 4-post lifts, prevents tipping or rocking of the vehicle
- Heavy gauge steel frame prevents distortion or twisting
- Comes with a 12" base for stability
- Saddle comes with a removable saddle rubber cover to protect vehicle components

SPECIFICATIONS

Ascot No.	Mfg. No.	Description
302-02811	2811	1500 LB. High Reach Jack Stand

Ascot No.	Min. Hgt.	Max Hgt.	Base Size	Saddle Size	Ship Wt. (Lbs)
302-02811	54-3/4"	81-1/8"	12"	5-3/4" x 2-3/4"	28.6 lbs

302-28112 1500 lb. High Reach Jack Stand W/ Foot Pedal 302-02811 1500 lb. High Reach Jack Stand







2-TON UNDERHOIST TRIPOD JACK STAND

- Capacity: 2-Ton
- Underhoist stand is perfect for use with 2 or 4-post lifts, prevents tipping or rocking of the vehicle
- Heavy gauge steel frame prevents distortion or twisting
- Saddle comes with a removable rubber cover to protect load

SPECIFICATIONS

Ascot No.	Mfg. No.	Description
302-02812	2812	2-Ton Underhoist Tripod Jack Stand

Min. Hgt.	. Max Hgt. Base Size		Saddle Size	Ship Wt. (Lbs)
48-7/16"	83-1/16"	24-7/16" x 21-1/4"	5-7/16 x 1-9/16"	35.5 lbs

1/2-TON TWO STAGE TELESCOPIC TRANSMISSION JACK

- Foot pedals allow hands free operation
- Overload valve prevents jack from being used beyond its rated capacity
- Speed limiting valve ensures an automatic safe speed descent not greater than 1" per second.
- "Hidden" hydraulic double pump system provides FAST lifting under no load the jack can reach maximum height in 35 pumps
- The cover on the pump system helps keep dust and dirt out of the hydraulics for longer life

- Deluxe saddle with 2 angle adjustments - fore/ aft and side to side - for maximum user flexibility.
- Includes a 59" tie down chain to secure the load.
- Chrome plated piston rod and pump core for longer service life.
- The grease fitting at the ram nut allows easy lubrication of the shafts.
- 4" steel swivel casters provide effortless maneuvering through the shop, 2 standard and 2 with locking mechanisms

SPECIFICATIONS

Ascot No.	Mfg. No.	Description
371-03321	HJ3321	1/2-Ton Two-Stage Telescopic Transmission Jack

Min. Hgt.	Max Hgt.	Saddle Tilt Forward/ Backward	Saddle Tilt Left/Right	Ship Wt. (Lbs)
37"	76-3/8"	29°/10°	27.2°/46.8°	158.4 lbs

www.ascotsupply.com

▲ WARNING: For more information go to www.P65Warnings.ca.gov.





JACK STAND SPECIFICATIONS

Ascot No.	Mfg. No.	Capacity (Tons)	Base Size	Min. Height / Max. Height	Shipping Weight
302-63030	63030	3-Ton	7-5/8" x 6-7/8"	11" / 16-3/8"	14.9 lb.
302-63060	63060	6-Ton	11" x 9-3/4"	15-3/4" / 24-3/8"	32 lb.
302-63120	63120	12-Ton	11-3/4" x 10-5/8"	17-1/2" / 27-1/2"	56 lb.







302-55200 20-Ton Air/Hydraulic Bottle Jack



2-TON LOW PROFILE FLOOR JACK

- Super low pickup height of 2-3/4"
- Equipped with a double pump design to increase speed without compromising performance
- Universal joint technology and precision release valve for a more controlled release
- · Safety valve prevents overload
- Tough UV powder coated frame for greater protection and durability
- Pinned steel saddle (1" stud) with rubber pad for added vehicle protection and durability
- One-piece foam covered 50" handle for ease of positioning, pumping and storage.

Ascot No.	Mfg. No.	Description
302-00200	200T	2-Ton Low Profile Floor Jack

3.5-TON HEAVY DUTY FLOOR JACK WITH DOUBLE PUMPER

- Lifts from 4" to 19-1/2"
- Pinned steel saddle (1-1/8" stud) with rubber pad for added vehicle protection
- Rear-mounted 2-3/4" swivel casters for ease of maneuverability
- One piece 50-1/4" padded handle parks upright
- Handle ships separately
- Equipped with a double pump design to increase speed without compromising overall performance of the jack
- Second volume pump assists in getting the saddle to load much quicker than most other single pump designs on the market today

Ascot No.	Mfg. No.	Description
302-35002	350SS	3.5 Ton Heavy Duty Floor Jack with Double Pumper

20-TON AIR/HYDRAULIC BOTTLE JACK

- 90-180 PSI
- Factory pre-tested to 150% of rated capacity
- · Safety bypass system
- Dual ram return springs
- Saddles are machine-hardened steel

Ascot No.	Mfg. No.	Capacity	Base Size	Min. Height	Max. Height	Lift	Ext. Screw	Shipping Weight
302-55200	5520B	20-Ton	9-1/2" x 6-1/2"	10-1/2"	20"	6-1/4"	3-7/8"	39 lb.





20 AND 30-TON CAPACITY SUPER DUTY AIR/HYDRAULIC **BOTTLE JACKS**

- WELDED TANK AND **FRAME:** For superior strength, leak-free operation and stronger performance in rough service conditions and in the case of off-center loading
- THICK BASE: 1-1/8" Thick base design offers the most stable lifting platform even on poor surfaces
- **HEAVY DUTY:** Highstrength steel ram and cylinder supported by a longer ram guide for improved safety in offcenter load conditions
- DUAL RETURN SPRINGS: Dual return springs help provide controlled and easy descent
- SHIELDED RELEASE

SCREW: Heavy duty shielded internal release screw is protected by base design to prevent accidental release/damage

- PROVEN AIR MOTOR: Quality tested and field tested to ensure consistent, reliable operation
- Can be operated either manually or by air or manually
- · Handle included
- · Hose swivels for ease of operation
- ASME 2009 compliant







301-05621

20-Ton Super Duty Air/ Bottle Jack



Ascot No.	Mfg. No.	Cap.	Base Size	Min. Height	Max. Height	Lift	Air Pressure	Air Inlet Fitting	Ship Wt.
301-05620	5620SD	20-Ton	5-3/4" x 9"	10-37/100"	20-63/100"	6-19/50"	110-120 PSI	1/4" NPT	45 lb.
301-05621	5621SD	20-Ton	5-7/10" x 8-27/100"	7"	12-3/4"	3-7/20"	110-120 PSI	1/4" NPT	36 lb.
301-05630	5630SD	30-Ton	9-13/20" x 7-9/100"	10-47/50"	20-59/100"	5-91/100"	110-120 PSI	1/4" NPT	65 lb.





HEAVY DUTY LIFTING

302-56502

Axle Jack

22-Ton Air/Hydraulic



4-TON HEAVY DUTY FLOOR JACK

- Twin hydraulic system for fast and efficient lifting
- Heavy duty pump, ram, and cylinders are precision machined and inspected to ensure long service life
- High grade U-cup seals and high pressure plunger for maximum performance
- Rear mounted swivel casters for easy maneuverability
- Universal joint technology provides a more controlled descent
- Pinned and padded saddle for extra vehicle protection
- Flanged side plates for increased stability
- Integrated parts tray keeps small components from getting lost
- Meets ASME 2014 standards

Ascot No.	Mfg. No.	Description
302-40000	400SS	4-Ton Heavy Duty Floor Jack

22-TON AIR/HYDRAULIC AXLE JACK

- Heat-treated cylinder wall & chromed piston give added stability & longer jack life
- Alloy steel lifting mechanism for added durability and operator safety
- Precision engineered tolerances for maximum performance
- In-line filter to protect air motor from contaminants
- Corrosion-resistant aluminum and nylon composite air motor
- Ram extension kit included with 3/4", 2-3/4" and 4" extensions
- Large 7-3/4" rear wheels for easy positioning
- · Automatic in-line oiler to lubricate air motor
- Grommet retainers no need for clevis pin

Ascot No.	Mfg. No.	Description
302-56502	565F1	22-Ton Air/Hydraulic Axle Jack

DOUBLE LOCK PIN

302-63060 6-Ton Jack Stands



LIFTING EQUIPMENT & ACCESSORIES

302-63120

12-Ton Jack Stands



3, 6 & 12-TON JACK STANDS

- · Ratchet height adjustment built within column
- Wide base for added stability
- Multi-leveled ductile iron ratchet bar adds strength and durability
- · Sold in pairs of two
- NOW FEATURING A DOUBLE LOCK SAFETY PIN FOR ADDED SECURITY

Ascot No.	Mfg. No.	Capacity	Base Size	Min. Height	Max. Height	Shipping Weight
302-63030	63030	3-Ton	7-5/8" x 6-7/8"	11"	16-3/8"	14.9 lb.
302-63060	63060	6-Ton	11" x 9-3/4"	15-3/4"	24-3/8"	32 lb.
302-63120	63120	12-Ton	11-3/4" x 10-5/8"	17-1/2"	27-1/2"	56 lb.



- Pin-style stands with supporting range from 27.95" to 47.56" suitable for high-height applications
- Heavy-duty tubular steel design provides stability and rigidity
- Multiple pin holes to allow easy adjustment to desired height
- Saddle with lugs for easy positioning of the load
- · Sold and to be used only in pairs

Ascot No.	Mfg. No.	Capacity	Base Size	Min. Height	Max. Height	Shipping Weight			
302-51005	510005	10	16-7/32" x 16-7/32"	27-61/64"	47-9/16"	123.2 lb.		1	302-51005 10-Ton High Jack Stands (Pair)
							•		

LIFTING EQUIPMENT & ACCESSORIES



301-14460 20-Ton Titan Air/ Hydraulic Bottle Jack

TITAN 20-TON AIR/HYDRAULIC BOTTLE JACK

- Chromed ram and aluminum air motor for long life
- Heavy duty return springs
- Each unit factory tested at 150% overload
- CAPACITY: 20-Ton
- MIN. HEIGHT: 9.7" (24.5 cm)
 MAX. HEIGHT: 18.5" (46 cm)
 WEIGHT: 38 lb. (17.5 kg)



Ascot No.	Mfg. No.	Description
301-14460	14460	Titan 20-Ton Air/Hydraulic Bottle Jack



301-14461 20-Ton Short Titan Air/ Hydraulic Bottle Jack

TITAN 20-TON SHORT AIR/ HYDRAULIC BOTTLE JACK

- Cylinder is welded to the base, assuring strength and eliminating leaks
- Chromed pump piston and ram for added rust resistance
- Extension screw gives added height when necessary
- Super low minimum height for easy access
- Meets ANS/ASME PALD & CE/GS standards
- MEASUREMENTS (L X W X H): $13" \times 5" \times 6"$
- MIN. HEIGHT: 5.8" (148 mm) MAX. HEIGHT: 10" (256 mm)
- **WEIGHT:** 9.5 kg/21 lb.

Ascot No.	Mfg. No.	Description
301-14461	14461	Titan 20-Ton Short Air/Hydraulic Bottle Jack

WINNTEC 3.5-TON FAST LOCK JACK BLOCK

- · Ultimate solution for transforming your floor jack quickly into a secure jack stand
- Extends 217mm (8.54") to 342mm (13.88") and is equipped with a spring release for easy positioning
- · Works with most floor jacks
- · Quick install spring release

· Safety pin for double safety

ASCOT SUPPLY WAREHOUSE CATALOG | 2025

- · A must have for quickly and safely supporting all kinds of vehicles, especially those that don't show multiple lift/support points
- · Highly recommended for those workshops and mobile operators that service EV's

Ascot No.	Mfg. No.	Description
302-45035	Y450350	Winntec 3.5-Ton Fast Lock Jack Block

ROLLER PLATE FOR GAITHER TRAC TIRE JACK

- When used with the Gaither TRAC tire jack, the roller plate allows for an easier alignment of the holes of the wheels to the studs of the hub
- Dimensions: 8" x 5" x 1.25"
- · Weight: 2 lbs.
- · Heavy duty welded steel construction offers extreme durability
- · Steel base roller offers tire support and rolling convenience

Ascot No.	Mfg. No.	Description
309-48511	GTRP-01	Roller Plate for Gaither Trac Tire Jack

GAITHER TRAC TIRE JACK

- Tool helps technicians when mounting and demounting heavy wheel assemblies to and from a vehicle's hub
- The TRAC Tire Jack slides under the tire and wheel and allows the technician to roll the wheel into place
- Through the use of leverage. the TRAC Tire Jack saves users time and their backs
- Heavy-duty welded steel construction offers extreme durability
- · Steel base roller

Ascot No.	Mfg. No.	Description
309-48501	GTJ-01	Gaither TRAC Tire Jack

HEAVY DUTY TIRE DOLLY

- · Reduce back injuries
- Perfect stud alignment
- · Perfect for 8 to 10-hole Budd-type wheels
- · Removes truck wheels and tires quickly and easily
- · Increases productivity
- Reduces manpower needs
- · Saves time and money, maintenance free
- Works with tires 19.5" 24.5"

Ascot No.	Mfg. No.	Description
407-03000	BJ-T300A	Heavy Duty Tire Dolly













Rubber Dust Cover for Hydraulic Couplers

O-LINE-ER STUD ALIGNMENT TOOL

- Slides over the stud and acts as a guide for the technician to line up the studs on the truck with the holes on the wheel
- · Minimizes installation time
- Reduces injury risk when dealing with heavy tires and wheels when combined with the tire dolly

Ascot No.	Mfg. No.	Description
491-00101	GTO-01B	O-LINE-ER Stud Alignment Tool

3/8" HYDRAULIC HOSES

- 10,000 PSI Working Pressure, 20,000 PSI Burst Pressure
- · High flow valve for fast inflation
- · Includes half coupler and plastic dust cover

Ascot No.	Mfg. No.	Description
318-04960	9010-08	8' Hydraulic Hose Assembly
318-04120	9010-10	10' Hydraulic Hose Assembly

HYDRAULIC COUPLERS

- · High-flow hydraulic coupler, 10,000 PSI working pressure
- · Made in Italy

Ascot No.	Mfg. No.	Description
135-10605	PVV-38-M	3/8" Male Hose Half Coupler (For Hydraulic Rams)
135-10606	PVV-38-F	3/8" Female Ram Half Coupler (For Hydraulic Rams)

HYDRAULIC COUPLER SET

- **SET CONTAINS:** Male (Hose Half) Coupler, Female (Ram Half) Coupler, Plastic Dust Cover
- Made in Italy

Ascot No.	Mfg. No.	Description
135-10607	10607	Hydraulic Coupler Set

HYDRAULIC QUICK CONNECT COUPLER/PLUG

- 10,000 PSI maximum operating pressure
- Safety sleeve lock prevents accidental disconnection
- · Heavy duty back-up ring
- provide excellent high and low pressure seating
- Heat treated and plated steel
- Self-sealing poppet valves
- Coupler equivalent to Parker TC-371
- Plug equivalent to Parker TC-372
- · Made in Italy

Ascot No.	Mfg. No.	Description
135-11606	FD35-1001-0606	Hydraulic Quick Connect Coupler
135-12606	FD35-1002-0606	Hydraulic Quick Connect Plug

RUBBER DUST COVER FOR HYDRAULIC COUPLERS

- Hydraulic coupler dust cap
- Used to keep dirt and debris from your hydraulic coupler when not connected
- Made of a durable rubber material
- Equipped with a pre-slit ring to allow coupler to slide easily over the counter
- Comes standard with 8' and 10' hydraulic hoses

Ascot No.	Mfg. No.	Description
319-03732	03-RDC	Rubber Dust Cover for Hydraulic Couplers



PORTABLE HYDRAULICS & JACK PLATES

55-TON ALUMINUM RAM

• 6" stroke

Ascot No.

318-13120

- Lightweight aluminum for ease of handling
- · Includes "Shut-Off-Valve" which allows the pump to be removed while the ram is extended
- · Aluminum base plate for a larger footprint and added stability

Mfg. No.

N/A

CAPACITY: 55 tons

•	HEIGHT (COLLAPSED):
	12.25" (31cm)

- EXTENDED HEIGHT: 18.25" (46 cm)
- SADDLE DIAMETER: 3" (7.5 cm)
- **NET WEIGHT:** 29 lb. (13.15 kg)



318-13154

Aluminum

Locking Collar

318-13155

Aluminum Ram

W/ Locking Collar

100-Ton

Ram W/

55-Ton



318-13120 55-Ton Aluminum Ram

AME International

55-TON ALUMINUM RAM W/ LOCKING COLLAR

55-Ton Aluminum Ram

Description

- · Aluminum lock nut provides mechanical load holding for extended periods
- Composite bearings increase cylinder life and side load resistance
- · Equipped with bolt-on hardened steel saddle
- · Hard coat finish resists damage and extends cylinder life
- Stroke: 6" (15 cm)
- Retracted Height: 13.2" (33.5 cm)
- Max. Height: 19.1" (48.5 cm)
- Weight: 26.2 lbs (11.9 kg)

Ascot No.	Mfg. No.	Description
318-13154	13154	55-Ton Aluminum Ram W/ Locking Collar

100-TON ALUMINUM RAM W/LOCKING COLLAR

- Aluminum lock nut provides mechanical load holding for extended periods.
- Composite bearings increase cylinder life and side load resistance
- Equipped with bolt-on hardened steel saddle
- Hard coat finish resists damage and extends cylinder life
- Stroke: 6" (15 cm)
- Retracted Height: 15.6" (39.6 cm)
- Max. Height: 21.5" (54 cm)
- Weight: 58 lbs (26 kg)

Ascot No.	Mfg. No.	Description
318-13155	13155	100-Ton Aluminum Ram W/ Locking Collar

100-TON ALUMINUM RAM

- Lightweight aluminum for ease of handling
- · Includes "Shut-Off-Valve" which allows the pump to be removed while the ram is extended
- CAPACITY: 100 tons

Ascot No.

- HEIGHT (COLLAPSED): 12" (30.5 cm)
- EXTENDED HEIGHT: 18" (48 cm)

The 100-Ton Aluminum Ram in use.

Mfg. No.

- **SADDLE DIAMETER:** 3" (7.5 cm)
- **NET WEIGHT:** 53 lb. (24 kg)





AME International

100-Ton

AME

318-13000 100-Ton Aluminum Ram



318-13000 13000 100-Ton Aluminum Ram (Jack) - 6" Stroke

Description

www.ascotsupply.com

309-14465

12" x 12" x 1.5" Jack Plate

309-12121

12" x 12" x 1"

Jack Plate



PORTABLE HYDRAULICS & JACK PLATES















LIGHT AND **EASY TO HANDLE**

309-18181

18" x 18" x 1"

Jack Plate

50-TON CAPACITY JACK PLATE

14464

100-TON CAPACITY JACK PLATE

• Each unit has non-skid surface to prevent the jack from sliding under wet or oily conditions

• The base of the jack can be blocked or cribbed for additional stability

309-14464

· Lightweight and easy to handle

• **DIMENSIONS:** 12" × 12" × 1" • CAPACITY: 50-ton • WEIGHT: 5 lb.

12" x 12" x 1" 50-Ton Capacity Jack Plate

Ascot No. Mfg. No. Description

- Each unit has non-skid surface to prevent the jack from sliding under wet or oily conditions
- The base of the jack can be blocked or cribbed for additional stability
- · Lightweight and easy to handle
- · DIMENSIONS: 12" x 12" x 1.5"
- CAPACITY: 100-ton • WEIGHT: 8 lb.

Ascot No.	Mfg. No.	Description
309-14465	14465	12" x 12" x 1.5" 100-Ton Capacity Jack Plate

50-TON CAPACITY JACK PLATE

- Each unit has non-skid surface to prevent the jack from sliding under wet or oily conditions
- The base of the jack can be blocked or cribbed for additional stability
- · Lightweight and easy to handle
- **DIMENSIONS:** 18" x 18" x 1"
- CAPACITY: 50-ton • **WEIGHT:** 14 lb.

18" x 18" x 1" 50-Ton Capacity Jack Plate

Ascot No. Mfg. No. Description



100-TON CAPACITY JACK PLATES

14472

- Sizes avaiable: 12" x 12" x 1" and 18" x 18" x 1"
- 100-ton capacity for both sizes

309-14472

- · Constructed of engineered thermoplastic material
- · Provides stability to bottle jacks, hydraulic rams, jack stands and cribbing
- · Non-skid surface
- MADE IN THE USA

Ascot No.	Mfg. No.	Description
309-18181	D1818	18" x 18" x 1" Jack Plate
309-12121	D1212	12" x 12" x 1" Jack Plate



MISCELLANEOUS MECHANIC'S TOOLS

TPMS CHROME FLIP SOCKET/EXTENSION KIT

- 1/4" drive 11mm x 12mm chrome flip socket
- Unique flip socket design is the key to the easy installation and removal of TPMS sensors
- · Both pieces made of chrome vanadium
- 1/4" drive x 2" chrome extension

Ascot No.	Mfg. No.	Description
167-01012	TMRTR1012	TPMS Chrome Flip Socket/ Extension Kit

TPMS CHROME FLIP SOCKET/SOCKET DRIVER KIT

- 1/4" drive 11mm x 12mm chrome flip socket
- 1/4" drive screwdriver handle socket driver - 6" overall length - 2-1/2" shank length
- Unique flip socket design is the key to the easy installation and removal of TPMS sensors
- · Socket is made of chrome vanadium
- · Socket driver is Made IN THE USA

Ascot No.	Mfg. No.	Description
167-01015	TMRTR1015	TPMS Chrome Flip Socket/Socket Driver Kit

1/4" SOCKET DRIVER

- · Ideal for use with the TPMS 11mm x 12mm flip socket
- Screwdriver handle, made from durable plastic-like material
- Shank made from chrome vanadium
- 6" overall length
- 2-1/2" shank length
- MADE IN THE USA

Ascot No.	Mfg. No.	Description
319-72521	7252100	1/4" Socket Driver (Screwdriver Handle)

HOLD-A-ROTOR BRAKE ROTOR SECURING TOOL - 2 PACK

- · Effortless Installation: The Hold-A-Rotor™ eliminates the need for finding and screwing on a nut, allowing fast and hassle-free rotor securing. This saves time and simplifies brake repairs.
- · Versatile Fit: Available in 12mm (Green) and 14mm (Red), the Hold-A-Rotor™ fits the most common stud sizes for passenger vehicles and light trucks, covering a wide range of applications.
- · Hands-Free Operation: Once the tool is slipped onto the stud, it locks the rotor securely in place, freeing up your hands to focus on completing brake repairs more efficiently.
- Protects Wheel Studs: The durable ABS material of the Hold-A-Rotor™ prevents damage to wheel studs, reducing the risk of needing replacements and prolonging the life of the components.
- Durable Construction: Made from oil and grease-resistant ABS, the Hold-A-Rotor™ withstands tough working conditions, ensuring long-lasting performance for technicians and DIYers alike.



Ascot No.	Mfg. No.	Description
411-71000	STC1000	Hold-A-Rotor Brake Rotor Securing Tool - 2 Pack

▲WARNING: For more information go to www.P65Warnings.ca.gov.



MISCELLANEOUS MECHANIC'S TOOLS

SPARE TIRE TOOL SET

- No more digging through the customer's vehicle to locate the spare tire removal kit
- Applications include many trucks & SUVs where the spare tire is located under the vehicle
- Color-coded wall bracket allows user to quickly identify the correct removal tool
- Allows anyone to quickly remove difficult to reach spare tires

Ascot No.	Mfg. No.	Description
319-96090	96090A	Spare Tire Tool Set





INDIVIDUAL SPARE TIRE TOOLS

Ascot No.	Mfg. No.	Description
319-96091	96091	Spare Tire Tool - Flat Head - Red: For use on late model S10 trucks, Explorers, Blazers, Jimmys, F150s, Expeditions, older Dakota 2 wheel drives and McGuard lock systems
319-96092	96092	Spare Tire Tool - Pin Head - Blue: For use on import trucks
319-96093	96093	Spare Tire Tool - Hex Head - Yellow: For use on Dodge full size and stake bodies, '98- '01 dodge full-size 4-wheel drive
319-96094	96094	Spare Tire Tool - 12mm Square Head - Green: For use on all late model GMs, remaining '98-'03 Dodge trucks
319-96095	96095	Spare Tire Tool - Std. Square Head - Orange: For use on older Ford Trucks





MISCELLANEOUS MECHANIC'S TOOLS

396-00102 OTR Wheel Chock

OTR WHEEL CHOCK

- **DIMENSIONS:** 12" × 10" × 12"
- Designed for heavy duty truck and mining equipment
- 20" rope attached for convenience
- **NET WEIGHT:** 27.5 lb.
- Durable rubber construction
- Features an eye bolt for chain or rope attachment
- · Ribbed pyramid design
- Either side of wheel chock can be positioned

	l	
Ascot No.	Mfg. No.	Description
396-00102	TS102	OTR Wheel Chock

RUBBER WHEEL CHOCK

- Durable rubber construction
- Features an eye bolt for chain or rope attachment
- · Ribbed pyramid design
- Either side of wheel chock can be positioned against the tire
- Sold individually
- **NET WEIGHT:** 10 lb. (4.5 kg)



The Rubber Wheel Chock in use.

Ascot No.	Mfg. No.	Description
396-15300	15300	Rubber Wheel Chock

3-PIECE ROADSIDE EMERGENCY TRIANGLE KIT

- Set of 3 includes carrying case
- · High visibility during daytime and nighttime
- · Reinforced cross base
- Foldable for easy storage
- Large 17" x 17" triangle
- · Made in China







396-15300 Rubber Wheel Chock



COMING SOON! Fall 2024





PLASTIC FLOOR MAT

- Slip-N-Grip" two-layer construction ensures plastic floor mat stays in place
- Impervious to water, oil, grease and most shop chemicals

Ascot No.	Mfg. No.	Description
399-99432	M-FG-P9943-02	Plastic Floor Mat (500 per roll)



PRIME HEAVY DUTY PAPER FLOOR MATS

- Treated/coated mats, made from premium prime/virgin paper
- Keeps dirt, grease, oil, spills, leaks and other shop fluids out of your customer's vehicle during service
- Prime paper is suitable for all weather climates and heavy foot traffic
- Prime paper directly

- from paper mill provides same consistent quality every time
- Printed with UV ink
- Bright white paper produces vibrant, full color prints
- Recyclable
- **QUANTITY:** 500 per box
- **SIZE:** 17" x 19"

Ascot No.	Mfg. No.	Description
399-74980	M3273PP2280A	Prime Heavy Duty Paper Floor Mats



PLASTIC KEY TAG

- Self-locking design holds keys secure
- Perfect for quickly tagging keys in a busy service area
- · Large writing surface
- Holes are fully punched out eliminating "chads"

Ascot No.	Mfg. No.	Description
399-99323	M-FB-P9933-23	Plastic Key Tag (1000 per package)



PAPER KEY TAG

- Cost-effective, convenient solution for key control
- Metal ring
- **QUANTITY:** 1,000 per box
- **SIZE:** 1.5" x 2.75"





Ascot No.	Mfg. No.	Description
399-98313	M-FB-P9833-13	Paper Key Tag with Metal Ring (1000 per box)

399-98313

Paper

Key Tag

GENERIC ADHESIVE TIRE LABEL

- Features sure-grip adhesive
- Proper used tire labeling sells tires
- **QUANTITY:** 500 per roll
- These labels will catch your customer's eye and promote sales
- Ascot No. Mfg. No. Description

 399-99479 M-FB-P9943-79 Generic Print Adhesive Tire Label (500 per roll)







WORK TICKET HOLDER

- Heavy-duty sewn nylon fabric handle ensures durability even in harsh conditions
- Durable brass grommet increases strength
- **QUANTITY:** 25 per box
- **SIZE:** 10.5" x 14.5" with handle, top open







Ascot No.	Mfg. No.	Description
399-99302	M-FB-P9933-02	Clear Front & Back Work Ticket Holder (25 per box)



STEERING WHEEL COVER

- Keeps grease, dirt and other shop chemicals off of one of the most noticeable and expensive parts of the car
- Reusable/disposable steering wheel covers are made of clear polyethylene with stretch elastic grip feature
- Elastic design is easier to apply and remove than stretch wrap covers
- Unique double-band steering wheel covers stays in place while allowing access to airbags



ASCOT NO.	Mrg. No.	Description
399-99433	M-FB-P9943-33	Standard Size Double Band Steering Wheel Cover: Size: 5" wide Fits up to 24" Steering Wheel up to 15.2" in diameter Covers virtually all passenger cars and light trucks Quantity: 500 per box



EVA FOAM KNEELING PAD

- 3-layer foam material
- · Built-in Handle
- · Extremely durable
- · Works on any surface
- · Chemical resistant
- Can be used as seat protection as well
- · Made in Taiwan

Ascot No.	Mfg. No.	Description
396-00357	NS-KP480320	EVA Foam Kneeling Pad

www.ascotsupply.com

▲WARNING: For more information go to www.P65Warnings.ca.gov.



PLASTIC SEAT COVER

- SLIP-N-GRIP SEAT COVERS HAVE TWO DISTINCT LAYERS: the bottom layer grips the seat to stay in place and the top layer is smooth to allow easy entry and exit from the vehicle
- Protects bucket, bench and split seats
- Made In USA

Ascot No.	Mfg. No.	Description
399-99415	M-FG-P9943-15C	Plastic Seat Cover (500 per roll)

PLASTIC TIRE BAG

- 40% post-consumer recycled resin
- · White film hides dirty tire
- · Ideal for returning old tires or snow tires for storage
- Made In USA



The Plastic Tire Bag in use.

Ascot No.	Mfg. No.	Description
399-99391	M-FG-P9933-91	Extra Large Tire Bag 47" x 48" x 1.25 Mil (125 per roll)
399-99392	M-FG-P9933-92	SNG SUV Tire Bag 39" x 44" (250 per roll)
399-99429	M-FG-P9943-29C	Plastic Tire Bag 36" x 40" (250 per roll)

FLOOR DISPENSER RACK

- Industry-leading dispenser system keeps products organized and within reach
- Retention straps prevent free-rolling and locking casters keep dispenser in place
- Top tray holds paper floor mats and other service items while lower tray provides extra storage
- Presents "We Care" image and promotes cleanliness

Ascot No.	Mfg. No.	Description
399-98893	M-FB-P9833-89B	Floor Dispenser Rack













1/2" DR EXTRA THIN WALL 9-PIECE SAE & METRIC WHEEL PROTECTOR SOCKET SET

- Durable outer sleeve and insert protects high polished wheels and lug nuts from damage
- CR-MO alloy steel for long life
- Fully guaranteed
- Heavy duty blow mold case
- 6 SAE SOCKETS: 3/4" (light green), 13/16" (purple), 7/8" (green), 15/16" (brown), 1" (silver) and 1-1/16" (black)
- 3 METRIC SOCKETS: 17mm (blue), 19mm (yellow) and 21mm (red)
- · Made In Taiwan

*REPLACEMENT SOCKETS FOR 2849 SET

Ascot No.	Mfg. No.	Description
163-28492	28492	1/2"x3/4"
163-28494	28484	1/2"x13/16"
163-28496	28496	1/2"x7/8"
163-28498	28498	1/2"x15/16"
163-28917	284917	1/2"x17mm
163-28919	284919	1/2"x19mm
163-28921	284921	1/2"x21mm
Ascot No.	Mfg. No.	Description
163-02849	12849	1/2" DR Extra Thin Wall 9-Piece SAE & Metric Wheel Protector Socket Set

5-PIECE 1/2" DRIVE TWIST SOCKET SET

- Designed to easily remove damaged, rounded nuts
- Use with 1/2" drive impact wrench or breaker bar
- · CR-MO steel for long life
- · Heavy duty blow molded case
- INCLUDES: 17mm, 19mm,

21mm & 22mm twist sockets plus a 50mm extractor punch

Made In Taiwan



Ascot No.	Mfg. No.	Description
492-00502	TSS5	5-Piece 1/2" Drive Twist Socket Set

1/2" DRIVE 4-PIECE FLANK BITE DAMAGED NUT REMOVER SOCKET SET

- New Flank Bite design works on up to an industry leading 90% rounded lug nut
- Also safe for forward tightening of lug nuts without damage
- Contains the following sizes: 17mm, 19mm,21mm, 22mm
- Individual sockets also available separately: 17mm (163-22017), 19mm (163-22019), 21mm (163-22021), 22mm (163-22022)
- Made In Taiwan

Ascot No.	Mfg. No.	Description
163-22219	122019K2	1/2" Drive 4-Piece Flank Bite Damaged Nut Remover Socket Set

www.ascotsupply.com



1/2" DRIVE 13-PIECE WHEEL LOCK REMOVAL KIT

For Ford, Chrysler & GM Vehicles as well as standard and oversized OEM and after-market wheel locks for other domestic and imported cars and light trucks.

KIT CONTAINS:

- Ford, Chrysler & Large GM Lock Remover, GM Spline Hub-lock Adapter
- Standard GM Hubcap Locks, Stripped 18mm/GM Wheel Cover Adapter
- Corvette-GM N & F Body Adapter, Standard Ford & GM/Large Wheel Adapter
- Oversized McGuard Wheel Lock Adapter, Punch
- Late Model Chrysler Lock Adapter, 1/2" Dr. 18mm Nut/Corvette GM Lock Remover
- 3/4", 19mm, OS Wheel Lock Remover, 7/8" OS Wheel Lock Remover
- 1/2" x 3" Impact Extension
- · Made In Taiwan



Ascot No.	Mfg. No.	Description
401-02841	12840-13	1/2" Drive 13-Piece Wheel Lock Removal Kit

1/2" DRIVE 9-PIECE WHEEL LOCK REMOVAL KIT

KIT CONTAINS:

- GM Hubcap Lock Remover, GM Sprocket Hubcap Remover, Ford and Chrysler Hubcap Lock Remover, Large Universal Locking Lug Nut Remover, Large Wheel Cover Lock Remover, Fits Stripped 18mm Lug Nuts, Oversize Wheel Lock Remover, GM "M" and "F" Body Wheel Lock Remover, Lug Nut Remover Punch
- · Made In Taiwan

Ascot No.	Mfg. No.	Description
401-02840	2840	9-Piece Wheel Lock Remover Kit





16-PIECE LOCKING LUG KEY SET

- Heat treated chrome vanadium steel construction
- Easily removes locking lug nuts
- Thin wall sockets prevent damage to wheels
- Extra long lug keys keep your wrench away from the wheel preventing nicks and scratches
- Double hex head design fits most lug wrenches
- Packed in blow molded case with color sleeve
- · Made In Taiwan


KIT CONTAINS:

- **HEX:** 11mm, 12mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm
- **SOCKETS INCLUDED:** (2) 5/8", 41/64", 45/64", (2) 15/32", 19/32", (2) 11/16", 3/4", 7/16", 5/8", (2) 1/2", 13/16", 9/16"



Ascot No.	Mfg. No.	Description
402-01283	CHT1283	16-Piece Locking Lug Key Set
402-28301	1283-1	7-Spline Small Diameter Lug Nut Socket - 3/4" Inner Diameter
402-28302	1283-2	7-Spline Small Diameter Lug Nut Socket - 11/16" Inner Diameter
402-28305	1283-5	10-Point Star Lug Nut Key - 1/2" Tip Outer Diameter
402-28306	1283-6	8-Point Star Lug Nut Key - 5/8" Tip Outer Diameter
402-28307	1283-7	8-Point Star Lug Nut Key - 7/16" Tip Outer Diameter
402-28308	1283-8	9-Point Star Lug Nut Key - 1/2" Tip Outer Diameter
402-28309	1283-9	6-Spline Small Diameter Lug Nut Socket - 45/64" Inner Diameter
402-28310	1283-10	6-Spline Small Diameter Lug Nut Socket - 41/64" Inner Diameter
402-28316	1283-16	12-Spline Small Diameter Lug Nut Socket - 11/16" Inner Diameter







STUD CLEANING TOOLS

- Allows for cleaning the full length of the thread on 10 studs in less than 3 minutes
- Works with air or hand tools
- 1/2" adapter included with each tool
- Replacement Brushes Available*
- · CAUTION: Always use eye protection

*REPLACEMENT BRUSHES FOR STUD CLEANING TOOLS

Ascot No.	Mfg. No.	Description
402-00113	SBR13	13mm (1/2") Repl. Brush
402-00114	SBR14	14mm (9/16") Repl. Brush
402-00116	SBR16	16mm (5/8") Repl. Brush
402-00122	SBR22	22mm (7/8") Repl. Brush
402-00128	SBR28	28mm (1-1/8") Repl. Brush





Stud Cleaning Tool in use.



Ascot No.	Mfg. No.	Description
402-00013	SBCT-13	13mm (1/2") Stud Cleaning Tool
402-00022	SBCT-22	22mm (7/8") Stud Cleaning Tool

STUD CLEANING KIT

KIT CONTAINS:

- SBCT22 with a SBR22 brush
- SBCT13 with a SBR13 brush
- Safety glasses
- 2 adapters

- 2 hex keys
- REPLACEMENT BRUSHES: SBR 12,13,14,16, 18, 20 and 22mm

Ascot No.	Mfg. No.	Description
402-01322	SKT-1322	Stud Cleaning Kit







*REPLACEMENT COMPONENTS FOR STUD/HUB BRUSH KIT

Ascot No.	Mfg. No.	Description
402-32613	203613-ASC	4-Pack of Replacement 14mm Stud Brushes
402-32615	203615-ASC	4-Pack of Replacement Passenger Hub Brushes
402-32616	203616-ASC	4-Pack of Replacement Truck Hub Brushes







85



WHEEL & RIM DISMOUNTING TOOLS & ACCESSORIES

MULTI-CLEANER TOOL KIT

- Universal cleaning tool
- · Works great for brakes, exhaust, etc.

Kit includes:

- Multi-cleaner tool
- 40mm x 110mm replacement pad
- 50mm x 110mm replacement pad

Ascot No.	Mfg. No.	Description
402-46300	460 300	Multi-Cleaner Tool Kit
402-46340	460 340	40mm x 110mm Replacement Pads - 2-Pack
402-46350	460 350	50mm x 110mm Replacement Pads – 2-Pack

WHEEL HUB GRINDER

- Special grinder for cleaning the wheel centering device as well as the attachment area between the wheel and hub
- Burnt-in corrosion residues are completely removed in
- a quick and easy process
- Actual cleaning time per hub only takes between 3-25 seconds depending upon residue thickness
- · Replacement Discs Available

Ascot No.	Mfg. No.	Description
402-43352	433 502/M	Wheel Hub Grinder
402-43351	433 501	Grinder Replacement Discs (3 per package)

INNER RIM CLEANER AND REPLACEMENT DISCS

- Meant for the optimal cleaning of the inner wheel contact surface
- Prevents corrosion related distortion of wheel bolt tightening torque
- Allows for the complete removal of burnt-in corrosion
- · Used only on the inside

- of an aluminum rim
- Velcro adhesive makes it east to change out replacement discs
- 75 mm diameter
- Replacement Discs Available (3 per box)



Ascot No.	Mfg. No.	Description
402-43357	433 507	Inner Rim Cleaner
402-43358	433 508	Replacement Discs (3 per Box)

RPG HUB BUDDY TOOL

- **IMPACT RATED:** No need to change tools
- Complies with best practice R.I.S.T. procedure
- Removes rust, corrosion and other build-up from wheel stud, drums and tire rim
- Helps proper torque of lug nuts by removing corrosion
- INCLUDES: 1 Hub Buddy XL attachment and 1 cleaning disc head
- Replacement cleaning discs available in packs of 6 (Product # 402-37335)

Ascot No.	Mfg. No.	Description
402-37330	37330	RPG Hub Buddy Tool
402-37335	37335	RPG Hub Buddy Tool Replacement Pads
402-37340	37340	1-1/2" RPG Hub Buddy Tool Replacement Pads

HUB PRO XL

- Fits 1/2" Impact Wrenches
- Abrasive pads clean hubs
- Thread in replaceable pads
- Durable designs

Ascot No.	Mfg. No.	Description
402-00222	HBCTK-22	Hub Pro XL Tool (22mm) for Commercial/ Truck Use - Includes 5 Pads
402-00322	HBCR22	Hub Pro XL Replacement Pads - Pack of 6





CHECKPOINT LOOSE WHEEL NUT INDICATORS

- A simple and cost effective product that can help guard against a potential catastrophic loss caused by loose lug nuts when used as part of a total torque wheel program
- When fitted on properly torqued wheel nuts and inspected by a driver or technician, the Checkpoints clearly and visually indicate if the wheel nuts have moved
- If the arrows have moved from the point-to-point pattern, this indicates that they have loosened and need attention
- · Enhanced fleet safety management
- Facilitates the driver's check for wheel nut movement and his involvement with vehicle safety
- Early warning for mechanic or driver of excessive heat caused by possible brake or bearing problems
- Demonstrate your fleet commitment to vehicle road worthiness and safety
- QUANTITY: 100 per bag



The Checkpoint Loose Wheel Nut Indicators in use.



402-20021

Checkpoint 21mm Fluorescent Yellow Loose Wheel Nut Indicator

402-20233

Checkpoint 33mm Orange High Temperature Loose Wheel Nut Indicator

402-20333

Checktorque 33mm Red Loose Wheel Nut Indicator

Ascot No.	Mfg. No.	Description
402-20015	CPY38MM	Checkpoint 38mm (1-1/2") Fluorescent Yellow Loose Wheel Nut Indicator
402-20021	CPY21MM	Checkpoint 21mm Fluorescent Yellow Loose Wheel Nut Indicators
402-20030	CPY30MM	Checkpoint 30mm Fluorescent Yellow Loose Wheel Nut Indicator
402-20033	CPY33MM	Checkpoint 33mm Fluorescent Yellow Loose Wheel Nut Indicator
402-20078	CPY22MM	Checkpoint 22mm (7/8") Fluorescent Yellow Loose Wheel Nut Indicator
402-20114	CPY31MM	Checkpoint 31mm (1-1/4") Fluorescent Yellow Loose Wheel Nut Indicator
402-20233	CPOHT33MM	Checkpoint 33mm Orange High Temperature Loose Wheel Nut Indicator - 329°F melting point
402-20333	CPTR33MM	Checktorque 33mm Red Loose Wheel Nut Indicator (Re-torqe after first 100 Miles)

^{*}The use of Checkpoint Loose Wheel Nut Indicators does not guarantee wheel-offs will not occur.

DISCMATE WHEEL PROTECTORS

- Used to protect the wheel's mounting surface from cosmetic damage during use
- Placed between the wheel and it's mounting surface on the vehicle and may also be used between 2 dualed wheels for added protection
- Wheel nuts should always be tightened to the correct torque following the wheel manufacturer's specifications

Ascot No.	Mfg. No.	Description
402-11000	011000	10-Hole 285.75mm, Hub Pilot, 22mm Studs
402-16000	016000	10-Hole 11-1/4" Stud-Pilot, 3/4" Studs
402-17000	017000	10-Hole 11-1/4" Stud-Pilot, 1-1/8" Studs



DiscMate Wheel Protectors



HUBCAP PULLER/REPLACER

- · Heavy duty construction
- Large rubber hammer designed to prevent damage
- Removes hub and dust caps easily

Ascot No.	Mfg. No.	Description
402-31568	75031	Hubcap Puller/Replacer

DROP CENTER TOOL

- Assists in mounting high performance tires by holding the bead in the drop center
- Will not scratch aluminum rims
- EQUIVALENT TO COATS 435685

Ascot No.	Mfg. No.	Description
402-72100	72100	Drop Center Tool - Tire Mounting Aid

HEAVY DUTY PROFESSIONAL CHROME NUT PULLER

- Coated to prevent scratching or damage to chrome, coated or painted lug covers
- Cushioned grip to prevent slippage
- NO ADJUSTMENT REQUIRED: fits all 33mm & 1½" covers
- SIMILAR TO KEN TOOL 30606
- · Made In Taiwan

Ascot No.	Mfg. No.	Description
402-03016	202603	Heavy Duty Professional Chrome Nut Puller with Cushion Handle

COMMERCIAL TRUCK CHROME LUG NUT PULLER

- Thick carbon steel material provides strength for heavy duty applications
- Round shape handle provides comfort and ease of operation
- Suitable for all heavy duty truck lug nut applications
- Two hole design can be switched to expand range and size of application
- Coated jaws protect painted, aluminum or chrome plated lug nuts from damage
- · Made In Taiwan

Ascot No.	Mfg. No.	Description
402-03116	202603-HD	Commercial Truck Chrome Lug Nut Puller

LUG NUT COVER WRENCH

- For use with Alcoa Hug-A-Lugs
- Black plastic
- Will work on all general lug nut cover kits
- 33mm hex
- 11" overall length
- Makes it simple to install or remove your covers by giving you a firm grip and a strong lever
- Similar to Alcoa 000600
- · Made in Taiwan

N	E۱	W	
_			

Ascot No.	Mfg. No.	Description
402-06002	AS-3ALB	Lug Nut Cover Wrench













444-70202

319-76403Professional 4
pc. Pry Bar Set



6 PC. INFLATABLE AIR WEDGE BAG KIT

- Contents: 6 PCS air wedge bag, 27.0 cm x 13.5 cm, 16.5 cm x 15.0 cm, 18.5 cm x 12.0 cm, 3 PCS Pry tool, 1 PCS Nylon bag
- Made of nylon material casted with double-sided TPU
- Will not damage, wear and contact the object surface
- Round corners, hard edges, smooth appearance, easy to insert to resist greater tension
- Squeeze pump to inflate
- Three sizes of inflatable cushion bags suitable for variety of applications
- · Made in China



Ascot No.	Mfg. No.	Description
319-00033	AS-3ALB	6 PC. Inflatable Air Wedge Bag Kit

MAG TOOL REPLACEMENT INSERT KIT

- Eliminates damage to mag, chrome & alloy wheels
- Fits all center-post tire changers
- Eliminates "booties" that slip off easily
- Inserts get 500-700 mounts/ demounts if used correctly
- Inserts can be changed in seconds
- Not for use on steel wheels

Ascot No.	Mfg. No.	Description
444-70201	72010	Mag Tool Replacement Insert Kit
444-70202	72020	Mag Tool Replacement Polymer Nose - Only
444-70204	72040	Mag Tool Replacement Polymer Hook - Only

PROFESSIONAL 4 PC. PRY BAR SET

- Chrome vanadium steel shafts
- Injection molded handle
- Black oxide finish resists corrosion
- Curved blades
- Includes ¼" x 8", 3/8" x 12", 7/16" x 18" & 7/16"
- x 24" pry bars
- · Includes handy storage tray
- · Made in Taiwan



Ascot No.	Mfg. No.	Description
319-76403	AS-876404	Professional 4 Pc. Pry Bar Set

www.ascotsupply.com



448-01101

Black Handle Protector

HANDLE PROTECTOR

- Made of a durable synthetic rubber
- Fits multiple jack manufacturers' handles and popular tire tools
- Protects vehicles from scratches or dents caused by falling jack handles and unstable tools in the shop
- Unique design ensures a tight fit on jack/tool handle without slippage
- Patent Pending design absorbs the dent/scratch-causing force as the handle contacts an adjacent vehicle

Ascot No.	Mfg. No.	Description
448-01101	GHP-01	Black Handle Protector
448-01102	GHP-01-Y	Yellow Handle Protector

YELLOW RUBBER COATED BEADKEEPER

- Keeps truck tire bead from slipping during mounting of top bead
- Rubber coated steel construction
- · Will not scratch aluminum wheels
- · Great for hard to mount tires, a must for all super singles

Ascot No.	Mfg. No.	Description
448-12894	12894C	Yellow Rubber Coated Beadkeeper

TOP SELLER



448-01102 Yellow Handle Protector

BLUE WIDE MOUTH RUBBER COATED BEADKEEPER

- Wider mouth works on newer, wider Alcoa wheels
- Keeps truck tire bead from slipping during mounting of top bead
- Rubber coated steel construction
- · Will not scratch aluminum wheels
- Great for hard to mount tires, a must for all super singles

Ascot No.	Mfg. No.	Description
448-32894 12894-CW Wide Mouth Blue Rubber Coated Beadkeeper		Wide Mouth Blue Rubber Coated Beadkeeper

448-32894 Wide Mouth Blue Rubber Coated Beadkeeper

STEEL BEADKEEPER

THE ORIGINAL BEADKEEPER'

- Used to hold a tire bead in place during the mounting process
- Eliminates the need to stand on the tire and/ or use a second mounting bar

Ascot No.	Mfg. No.	Description
448-22894	12894	Steel Beadkeeper

STEEL TRUCK BEAD HOLDER

- Clamps securely to the wheel to prevent tire from "walking"
- Eliminates the use of vise grips which can damage wheels
- For use with automatic tire changers and/or manual tire changing tools
- · Heavy duty steel construction

Ascot No.	Mfg. No.	Description
448-00010	BJ-BP10	Steel Truck Bead Holder





448-22894

Steel Beadkeeper







ASCOT MANUAL BEAD BREAKER

- Handles 38" and 42" 14-ply farm tractor and backhoe tires with drop center rims to small ATV and lawn mower tires
- Newly improved bead hook, reinforced with steel bracket to create better leverage and add dexterity
- · Loosens tire bead from rim with leverage
- Excellent for working on the tire without removing the wheel
- Do not use impact tools
- · Weight: 9.4 lbs.

Ascot No.	Mfg. No.	Description
421-03842	MBB38-42	Ascot Manual Bead Breaker

MARTINS SLIDE HAMMER BEAD BREAKER

- Channel your strength into a single impact to efficiently break tire beads
- The fastest of all manual bead breaker tools
- Efficient & uncomplicated to operate
- Suited for truck tires of a variety of sizes and widths
- Curved tip slides itself perfectly between bead and rim flange, preventing damage on impact
- Made of carbon steel, set to become one of the longest-lasting tools in the shop
- Made in China

Ascot No.	Mfg. No.	Description
427-01322	MBB	Martins Slide Hammer Bead Breaker

KEN TOOL VALVE BREAKER TOOL

- Made in the USA
- Quality, high-grade steel
- · Heat-treated punch for top performance and long life.
- Pinch-preventing Safety Grip with vibration dampening tube grip
- · Long-lasting baked powder coat finish
- designed to fit into most 30" toolboxes

Ascot No.	Mfg. No.	Description
469-32011	35936	Ken Tool Valve Breaker Tool



VALVE BLASTER TRUCK VALVE STEM REMOVAL TOOL

- · Removes valves quickly
- Slide hammer with an internal spring absorbs the shock of impact
- Designed to sheer the bottom flange off the valve with one or two blows
- 63" overall length

Ascot No.	Mfg. No.	Description
469-22011	VB	Valve Blaster Truck Valve Stem Removal Tool

UNIVERSAL IMPACT DRIVEN DEMOUNT TOOL

- Safe, simple, fast, economical and the most universal tire demounter on the market
- Works as a hand-held tire machine and shines where other tools fall short
- Comes with 1-1/16" socket
- Tackles the hard 19.5" reverse hubs and grader tires and can be used on all tire sizes from 10" ATV tires and up
- Great for agricultural tires, one-piece grader, loader, forestry and backhoe tires



Ascot No.	Mfg. No.	Description
402-20408	20408	Universal Impact Driven Demount Tool

GOLDEN BUDDY TIRE CHANGING SYSTEM

- Mount and demount tool assemblies for 22.5 & 24.5 tires/wheels
- · Heavy duty steel construction
- · Nylon rollers protect the bead
- **WEIGHT:** 32 lb. (14.5 kg)

Ascot No.	Mfg. No.	Description
448-12320	71050	Golden Buddy Tire Mount/Demount Tool Set
448-22320	71051	Golden Buddy Dismount Assembly
448-32320	71052	Golden Buddy Mount Tool Assembly







OTR EM RIM FLANGE CLAMP

- Clamps to bead seat band to assist in seating for inflation
- Used to assist in removal of bead seat band

during tire service

• Sold individually but frequently used in pairs

Ascot No.	Mfg. No.	Description
448-93500	93500	OTR EM Rim Flange Clamp

O-RINGS FOR TUBELESS RIMS

- Made of high quality polysoprene rubber
- Packaged 2 per poly bag, 24 O-rings per case
- Manufactured to major OEM specifications
- Made In USA

Ascot No.	Mfg. No.	Rod Diam.	Size
471-80008	OR-25-T	0.26"	EM 25"
471-80007	OR-224-TG	0.26"	Grader 24"
471-80012	OR-333-T	0.385"	EM 33"
471-80010	OR-325-T	0.385"	EM 25"
471-80018	OR-25-TA	0.26" Arctic	EM 25"
471-80017	OR-224-TGA	0.26" Arctic	Grader 24"
471-80112	OR-333-TA	0.385" Arctic	EM 33"
471-80110	OR-325-TA	0.385" Arctic	EM 25"

OTR GIANT TIRE BEAD BREAKER

- Most popular tool for breaking beads on earthmover tires, sizes 25"-51"
- Works only on 5-piece wheels
- with bead loosening pockets
- 13.8 tons of hydraulic force
- Will break the toughest beads

Ascot No.	Mfg. No.	Description
422-11000	11000	OTR Giant Tire Bead Breaker

"COMBI" TIRE BEAD BREAKER

- Most popular tool for breaking beads on all agricultural wheels
- Used on construction wheels up to 25"
- Works on single, 2, and 3-piece wheels Breaks beads in seconds using 10,000 lb. of force
- No screws, bolts or attachments
- Will not work on five-piece earthmover giant wheel/rim

Ascot No.	Mfg. No.	Description
422-11010	11010	"Combi" Tire Bead Breaker

TITAN MODIFIED "COMBI" BEAD BREAKER

- Compact design allows tool to be used on front or back of wheel
- Ideal to break large OTR 3-piece wheels
- Larger clamp and feet allow tool to easily clamp onto wheels
- Most parts interchange with common bead breakers in the market
- Designed for use on 25" multi-piece wheels
- Tire Sizes: 23.5x25, 26.5x25, 29.5x25
- 11 Ton 10.000 PSI (700 BAR)

Ascot No.	Mfg. No.	Description
422-11025	11025	Titan Modified "Combi" Bead Breaker

www.ascotsupply.com



DUAL AGRICULTURAL BEAD BREAKER

- To be used on dual agricultural tires to break inside bead on outside tires, eliminating the need to remove the tire off of dual farm tractors
- Lightweight and easy to use
- Fitted with removable handle for easier maneuvering and positioning of the bead breaker onto tire bead
- 10,000 lbs. of pushing force
- Break inner bead with as little as 4-1/2" of operating space
- Capable of extending 12 inches wide
- Used with hydraulic pump, hose and other accessories

Ascot No.	Mfg. No.	Description
422-10165	10165	Dual Agricultural Bead Breaker

DIAMONDBACK ALUMINUM BEAD BREAKER KIT

- Lightweight Aluminum reduces weight by 40%
- Longer feet allow better fit onto wheel/rim
- Feet fully engage rim flange and push against the bead of the tire
- **WEIGHT:** 31 lb. (14kg)



The Diamondback Aluminum Bead Breaker in use.

The AME 11076 includes a clamping jaw pivot pin which can be placed in one of four jaw pivot positions for use on different width flanges. The top hole (closest to the handle) is used for smaller rim flanges, and the bottom hole (furthest from the handle) is used for larger rim flanges.

Ascot No.	Mfg. No.	Description
422-11076	11076	Diamondback Aluminum Bead Breaker Kit

TIRE BEAD BREAKING HAMMERS

- A unique tire & wheel service hammer used for separating tires from wheel rims
- Patented heat treatment process ensures uniform hardness on all faces including edges, thus preventing mushrooming of head & accidents due to chipping
- Ergonomic rubber grip handle absorbs vibrations & reduces fatigue
- Head is induction case hardened for extended life
- 5 lb. & 10 lb. hammers available
- · Made in India

Ascot No.	Mfg. No.	Description
429-10005	AS-BBH5	5 lb. Bead Breaker Hammer
429-10010	AS-BBH10	10 lb. Bead Breaker Hammer

PORTABLE TIRE PRESS

- Portable tire press for use with industrial tires
- Originally designed for use with Michelin Tubeless bead seal
- Useful for multipiece industrial tire assembly
- Includes plates for 8", 10" and 12" applications
- Weight: 46.5 lbs.

Ascot No.	Mfg. No.	Description
421-71750	71750	Portable Tire Press



429-35832 32" Fiberglass



BEAD BREAKERS & BEAD SEATING DEVICES

FIBERGLASS REPLACEMENT HANDLE

Ascot No.	Mfg. No.	Description
429-35832	TG11EH	32" Fiberglass Replacement Handle

32" FIBERGLASS REPLACEMENT HAMMER HANDLE

- Handles are constructed with a solid core which has thousands of fiberglass strands
- Unique resin makes it super strong
- · All-weather, chemical and insect-resistant
- Ergonomic non-slip grips for slippery conditions
- Replacement adapters available

Ascot No.	Mfg. No.	Description
429-32344	AS-32FGH	32" Fiberglass Replacement Hammer Handle

WATER ADAPTER SET

- Permits fast filling of tires with fluid for ballast
- Includes extra bushings for standard bore tire valves and old 9251-type valves
- Button valve on side releases air displaced by fluid

Description

Water Adapter Set

• Hose connection is 3/4" standard garden hose







DOUBLE DIAPHRAGM CALCIUM CHLORIDE PUMP

Mfg. No.

WA-1

• No lubrication required

Ascot No.

464-92837

- Self-priming, non-stalling, low noise level
- Diaphragms have no stress points and less flex for longer life
- No gradual loss of pump performance due to wear
- Can run dry indefinitely
- Protected by an air filter/regulator
- 35 gallon per minute free flow
- Parts & accessories also available from AME





	Ascot No.	Mfg. No.	Description			
	475-15103 15103 475-30280 A3028		Double Diaphragm Calcium Chloride Pump			
			Replacement 4-Way Valve for Calcium Chloride Pump	475-30280		
	475-30281	HL-B	Replacement Handle for Calcium Chloride Pump 4-Way Valve	Replacement 4-Way Valve		

475-30281 Replacement Handle



THANK YOU ON BEHALF OF
EVERYONE AT ESCO FOR
40 SUCCESSFUL YEARS OF
PARTNERSHIP AND COMMITMENT
TO THE TIRE AND WHEEL MARKET!







UNIVERSAL IMPACT DRIVEN DEMOUNT TOOL

model 20408

SAFE, SIMPLE, FAST, ECONOMICAL, AND THE MOST UNIVERSAL TIRE DEMOUNTER ON THE MARKET. > Works as a Hand-Held Tire Machine and shines where other tools fall short. > Tackles the Hard 19.5 Reverse Hubs and Grader Tires and can be used on ALL Tire sizes from 10" ATV Tires and Up. > Great for Agricultural Tires, One-Piece. Grader, Loader, Forestry and Back Hoe Tires. > Comes with 1 1/16" Socket.



DESIGNED FOR HD
Patented Designed Bead Grasping
Heel. Great For Agricultural
Tires, One-Piece Grader,
Loader, Forestry, & Back Hoe Tires.







UNIVERSAL DESIGN
Can be Used on All Tire Sizes
from 10 in. ATV Tires and up to
some grader tires.



1/2 GALLON PUMP > 10-TON STAK-ABLE RAM > DUAL AG. BEAD BREAKER



MODEL 10518 1/2 GALLON AIR HYDRAULIC PUMP

Equipped with an air exhaust muffler for quiet pumping of the air motor. > Air and oil inlet filters for reducing the risk of contamination. > Durable, lightweight design great for service trucks, shop environments, or out in the field. > Internal pressure relief valve system (load limit device) for overload protection. > Engineered with a durable lightweight and corrosive resistant plastic components. - increasing the life of the air motor and hydraulic pump.

MODEL 10316 10 TON STAK-ABLE RAM KIT

Great for use in multiple applications in the tire/wheel service market. > Ideal for low clearance applications. > Easy snap-in extensions. > Made of high-quality steel. > Most versatile 10 Ton Ram on the market. > Easy to switch out extensions length. > Includes Carrying Case.

MODEL 10165 DUAL AGRICULTURAL BEAD BREAKER

Used on dual-agricultural fires to break inside bead on outside tires, eliminating the need to remove from tractor. > Removable handle for easier positioning. > Lightweight and easy to use. > Break inner bead with as little as 4 1/2 inches of operating space. > 10,000 lbs of hydraulic pushing force.

ALL AROUND THE WHEEL...AND SO MUCH MORE



2-½-Quart Titan Air/ Hydraulic Pump, 10,000 PSI



BEAD BREAKERS & BEAD SEATING DEVICES



DUAL WHEEL SEPARATOR

- Makes removing stuck or frozen dual steel wheels quick and easy
- Ideal for use on nearly any truck, bus, van or trailer that has dual steel wheels
- Innovative "one-piece" pusher won't fall apart during use
- Forcing screw and pullers have powerful 1-1/8" diameter x 7 threads for years of reliable service
- Pusher is ball bearing-driven for near-zero turning resistance
- Pusher is heat treated for longlasting strength and durability
- Includes two pullers to cover large truck, trailer and smaller light truck dual wheel applications
- Use with air or electric impact wrench
- · Blow molded case
- Made in Taiwan

Ascot No.	Mfg. No.	Description
422-94549	ASC94549	Dual Wheel Separator

1/2-GALLON AIR/HYDRAULIC PUMP - ALUMINUM RESERVOIR

- For use with a variety of hydraulic rams, cylinders, presses, bead breakers, and other hydraulic equipment requiring 10,000 psi for operation
- Equipped with an air exhaust muffler for quiet pumping of air motor
- Air and oil inlet filters for reducing risk of damage from contamination
- Durable, lightweight design great for service trucks, shop environments or out in the field
- Internal pressure relief valve system (load limit device) for overload protection
- Engineered with durable lightweight and corrosive resistant plastic components, increasing the life of the air motor and hydraulic pump



Ascot No.	Mfg. No.	Description
318-11518	10518C	1/2-Gallon Air/Hydraulic Pump Kit INCLUDES Hose, Coupler & Reducer
318-10518	10518	1/2-Gallon Air/Hydraulic Pump

2.5-QUART TITAN AIR/HYDRAULIC PUMP - ALUMINUM RESERVOIR

- Operates with as little as 80 PSI (5.5 bar)
- Heavy duty aluminum reservoir
- · Durable metal air motor
- **WEIGHT:** 14 lb. (6.4 kg)

Ascot No.	Mfg. No.	Description
318-15905	15905	2-1/2-Quart Titan Air/Hydraulic Pump, 10,000 PSI

www.ascotsupply.com

▲WARNING: For more information go to www.P65Warnings.ca.gov.





RPG 5-GALLON BEAD SEATERS

- 5-gallon capacity
- Equipped with a butterfly valve for maximum air discharge
- Designed for commercial use on large truck tires, passenger and ATV tires to 24.5"
- Rubber foot pads to lessen vibration
- · Similar to Cheetah CH-5, CH-5AL, BS-07
- · Made in Taiwan



Ascot No.	Mfg. No.	Description
473-01500	RPG-05GAL	5-Gallon Bead Seater with Butterfly Valve
473-02505	RPG-05GALED	5-Gallon Bead Seater with Butterfly Valve - End Discharge
473-02501	RPG-05GALAL	5-Gallon Bead Seater with Butterfly Valve - ALUMINUM

Includes easy carry handle for portability

Features a 5-gallon capacity tank

Quick-release 1-1/2" butterfly valve allows for full impact of air discharge into tire

> Lip on threaded barrel allows for proper angle for air insertion for correct bead seating



473-02505 RPG 5-Gallon Bead Seater w

Bead Seater with Butterfly Valve -End Discharge

www.ascotsupply.com



473-02510 RPG 10-Gallon Bead Seater with Butterfly Valve

473-02513

RPG 13-Gallon Aluminum Bead Seater with Butterfly Valve

BEAD BREAKERS & BEAD SEATING DEVICES



RPG 10-GALLON BEAD SEATERS

- 10-gallon capacity
- Equipped with a butterfly valve for maximum air discharge
- Designed for commercial use on large truck tires, passenger and ATV tires to 24.5"
- Similar to Cheetah CH-10, CH-10AL
- Made in Taiwan

Ascot No.	Mfg. No.	Description
473-02510	RPG-10GAL	10-Gallon Bead Seater with Butterfly Valve
473-02511	RPG-10GALAL	10-Gallon Bead Seater with Butterfly Valve - ALUMINUM

RPG 13-GALLON BEAD SEATER

- Aluminum tank
- 10-gallon capacity
- Equipped with a butterfly valve for maximum air discharge
- Designed for commercial large truck tires 24" to 54"
- · Similar to Cheetah CH-13
- · Made in Taiwan

Ascot No.	Mfg. No.	Description			
473-02513	RPG-13GALAL	13-Gallon Bead : Butterfly Valve -	Seater with ALUMINUM	_	
473-01	502 473-	01504	473-01509	473-01510	

RPG BEAD SEATER PARTS & ACCESSORIES

Ascot No.	Mfg. No.	Description
473-01502	RPG-05GAL-02	Safety Valve for RPG Bead Seater
473-01504	RPG-05GAL-04	Butterfly Valve for RPG Bead Seater
473-01506	RPG-05GAL-06	Air Pressure Gauge for RPG Bead Seater
473-01509	RPG-05GAL-09	90° NPT Flhow for RPG Read Seater

Ascot No.	Mfg. No.	Description
473-01510	RPG-05GAL-10	Ball Valve for RPG Bead Seater
473-01516	RPG-10GAL-16	2" Butterfly Valve for RPG Bead Seater
473-01518	RPG-05GALED-01	Threaded Barrel for RPG End Discharge Bead Seater

www.ascotsupply.com





5-GALLON CHEETAH BEAD SEATERS

- Makes seating the most difficult bead safe and simple
- Fill tank from any service station chuck or service truck air compressor
- **APPLICATIONS:** Designed for commercial use on large truck tires, passenger and ATV tires to 24.5"
- 5-gallon capacity

Ascot No.	Mfg. No.	Description
473-00500	CH-5	5-Gallon Cheetah Bead Seater
473-00501	CH-5AL	5-Gallon With Aluminum Tank

10-GALLON CHEETAH BEAD SEATERS

- APPLICATIONS: Designed for small rear agri/grader or smaller tires; Standard for fleet work, farm and service trucks
- 10-gallon capacity with ASME certified tank

Ascot No.	Mfg. No.	Description
473-00010	CH-10	10-Gallon Cheetah Bead Seater
473-00011	CH-10AL	10-Gallon With Aluminum Tank

• **APPLICATIONS:** Seats bead on tractor & heavy equipment tires from 24.5" to 54"

13-GALLON CHEETAH BEAD SEATER

- · Extends tire service capability not possible with portable unit
- 13-gallon capacity, ASME certified tank
- INCLUDES: A straight barrel, new Magnum barrel (for larger tires) and safety goggles as standard equipment

Ascot No.	Mfg. No.	Description
473-00013	CH-13AL	13-Gallon Cheetah Bead Seater With Aluminum Tank

BS-07 CHEETAH BEAD SEATER

- "End of Tank" discharge design, flared discharge barrel and a 2" discharge valve for maximum bead seating power
- Makes seating the most difficult bead not only safe but simple, fast and economical
- 5-gallon capacity, ASME certified tank
- Equipped with TSE's patented discharge system
- **SIZE:** 34"(L) x 12"(W) x 15"(H)

Ascot No. Mfg. No.		Description	
473-00207	BS-07	BS-07 Cheetah Bead Seater	



473-00500 5-Gallon Cheetah Bead Seater









CHEETAH BEAD SEATER REPLACEMENT PARTS

Ascot No.	Mfg. No.	Description	Ascot No.	Mfg. No.	Description	Ascot No.	Mfg. No.	Description
473-01104	'01.104	1-1/2" Pipe Nipple for Cheetah Bead Seaters	473-02103	'02.103	1-1/2" Threaded Barrel for Cheetah	473-03104	'03.104	90° NPT for Cheetah Bead Seaters
473-01106	'01.106	Pressure Gauge for			Bead Seaters		'03.106	Magnum II Barrel for
		Cheetah Bead Seaters	473-02106	'02.106	Magnum I Barrel for Cheetah Bead Seaters	4/3-03106	03.106	Cheetah Bead Seaters
473-01107	'01.107	3/4" - 1/4" Bushing for Cheetah Bead Seaters			Cileetaii Beau Seateis	477 0 4107	10.4.10.7	D. H.V. L. G. Ghan L. L.
			473-02107	'02.107	1-1/2" Lock Nut for Cheetah Bead Seaters	473-04103	'04.103	Ball Valve for Cheetah Bead Seaters
473-01230	'01.230BT	1.230BT Handle & Nut for			Criccian Bead Sediers			
473 01230 01.23011	Butterfly Valve for Cheetah Bead Seaters	473-03102	′03.102	2" Discharge Valve for Cheetah Bead Seaters	473-05102	'05.102	Safety Release Valve for Cheetah Bead Seaters	
473-02102	'02.102	1-1/2" Discharge Valve for Cheetah Bead Seaters	473-03103	'03.103	2" Barrel for Cheetah Bead Seaters	473-06813	'6813	Flared Barrel for BS-07 for Cheetah Bead Seaters

473-03102

///



473-01106



473-02103



473-02102







473-01502 473-03104

JET PAK BEAD SEATER UPGRADE DEVICE

- Faster and easier than standard ball or butterfly discharge valve operation
- · Discharges tank with the press of a button
- · Safety cover prevents accidental trigger release
- Two port sizes available: CH1.5JP (1.5") and CH2.OJP (2") to fit any standard bead seater in a variety of tank sizes
- · Attaches easily to existing pipe nipple, replacing manual discharge valve
- Includes our new improved Jet Barrel (VP 3.103 or VP 2.103) for greater air volume delivery
- firm grip and ease of use

• All internal components can be removed and serviced if required

Ascot No. 473-00015 Mfg. No. CH-1.5JP Description

Jet Pak Bead Seater Upgrade Device - 1.5" Port Size

VIPER™ BEAD SEATERS

- Push button discharge
- Unique handle design for stability and control
- ASME Certified
- · Rapid release of air
- · Newly designed jet barrel for greatly increased air volume delivery
- More power less air pressure
- · Reduces air noise
- · Greater air distribution
- No wheel damage
- · Works on large range of tires

Ascot No.	Mfg. No.	Description
473-01113	VP 13AL	Viper™ 13 Liter Bead Seater, Aluminum Tank
473-01110	VP 10S	Viper™ 11.5 Liter Bead Seater, Steel Tank
473-01118	VP 18AL	Viper™ 18 Liter Bead Seater, Aluminum Tank

*Please note we recommend the use of a good quality inline filter to remove contaminants and moisture.

*Please note we recommend the use of silicone spray or air tool oil occasionally to properly maintain the valve.







BEAD BAZOOKA®

- Smaller and more powerful than previous designs
- Serviceable/Replaceable 2" RAR valve
- Utilizes ultracompact design
- Anti-corrosion interior tank coating
- Perfect for motorcycle, cars, or light commercial

- vehicle tire service (3L2)
- Perfect for cars and commercial
- vehicle tire service (6L2)
- Perfect for commercial and light agricultural vehicle tire service (10L2)
- · Made in Taiwan



Ascot No.	Mfg. No.	Description	Weight	Dimensions	Inner Diameter
473-00103	GBB3L2	Bead Bazooka 3L2	14 lbs.	23" x 6" x 12"	4 in.
473-00106	GBB6L2	Bead Bazooka 6L2	15 lbs.	23" x 7" x 12"	4.75 in.
473-00110	GBB10L2	Bead Bazooka 10L2	18 lbs.	30" x 7" x 12"	5.5 in.



BEAD BAZOOKA' SPARE PARTS:

Ascot No.	Mfg. No.	Description
473-12913	12913B	Slotted Double Barrel
473-12914	12914B	Pressure Gauge
473-12915	12915B	Y-Connect
473-12916	12916B	Intake Valve
473-12917	12917B	Safety Valve
473-12919	12919B	Switch Valve
473-12920	12920B	Grip with Trigger Guard
473-12923	12913BC	Slotted Double Barrel without Clip
473-12930	12930M	F3 Connector

BEAD BAZOOKA® REPAIR KIT

- Kit lets the user repair/ replace the piston/valve of the Bead Bazooka®
- Intended to extend the lifespan of the Bead Bazooka® by making the Bead Bazooka® fully serviceable
- Saves the user precious time because the repairs can be done quickly and effectively in-house
- Only compatible with second generation Bead Bazooka® models (BB3L2, BB6L2, BB10L2)

KIT CONTENTS:

- Piston
 Lock ring key
- O-ringSpring

Ascot No.	Mfg. No.	Description
473-22181	GBBVRK	Bead Bazooka Repair Kit







TIRE CHANGER ACCESSORIES



'WING' MOUNT/DEMOUNT HEAD

- For use with Hunter tire changer
- Molded wing guides the tire bead into the drop center
- Prevents the tire from moving above the knuckle
- Faster and easier mounting process

Ascot No.	Mfg. No.	Description
444-01226	8-11400327	'Wing' Mount/Demount Head

NYLON MOUNT/DEMOUNT HEAD ONLY

- Replacement For Accuturn 20024335
- Use With Models 7700, 8910, 8911, 8922, 8944, and 8989
- Replacement For Hofmann 20024335
- Replacement For FMC/

- John Bean EAA 24335
- For Use On EHP Series Tire Changers
- Replacement For Snap-On 24335. For Use On All Models
- Head Only

Ascot No.	Mfg. No.	Description
444-01228	TC20024335	Nylon Mount/Demount Head Only

NYLON TOOL HEAD FOR HUNTER TIRE CHANGERS

- For Use On TCA34 With Serial Number 664 And Above.
- Tool Head For Hunter TCA34 Tire Changers

Ascot No.	Mfg. No.	Description
444-01230	TC14120	Nylon Tool Head for Hunter Tire Changers

NYLON MOUNT/DEMOUNT HEAD FOR COATS, CORGHI & HUNTER TIRE CHANGERS

OEM	Part Number	Tire Changer
All Tool	G3008403	All models
Coats	83008403	RC1, 5, 10, 15, 20 Early 5060, 9010, 9024, APX90
Corghi	450310	All rim clamp (optional accessory)
Giuliano	3008403	Shaft must be turned 180° for this head to work
Hofmann	8314813	All earlier models except 1550, 1620, 1625
Hunter	RP11-8314813	TCX Series (RP11-5-400-100 Adapter required) TCX500 Requires Upgrade Shaft & Adapter Kit
Sice	8314813	M39, S40, S41, S42, S43, S45, S408MAXI, S435, S436, S436TOP

Ascot No.	Mfg. No.	Description
444-01222	TC450310	Nylon Mount/Demount Head for Coats, Corghi & Hunter Tire Changers

RED PLASTIC HUNTER MOUNT/DEMOUNT HEAD

Larger channel for difficult wheels • Specifically designed for low profile tires For Hunter TCA34 tire changers • Application chart below:

OEM	Part Number	Tire Changer
Hunter	221-675-2	TC250, TC300, TC325, TC350, TC2000, TC3250, TC3500
	221-675-2-B	TC250, TC300, TC325, TC350, TC2000, TC3250, TC3500
Ascot No.	Mfg. No.	Description
444-01224	TCR343	Red Plastic Hunter Mount/Demount Head



TIRE CHANGER ACCESSORIES

NYLON MOUNT/DEMOUNT HEAD, **COATS & HUNTER STYLES**

Ascot No.	Mfg. No.	Description	
444-01220	TC183061-A	Nylon Mount/Demount Head (Coats Style)	
444-01221	VT-1221	Nylon Mount/Demount Head (Hunter Style)	

GREY NYLON MOUNT/DEMOUNT HEAD

- Grey nylon mount/demount head kit for low profile tires
- · Use with difficult wheels
- COMPATIBLE WITH COATS TIRE CHANGERS: 5030, 5040, 5050, 5060, 5065, 6050, 6060, 6065, 7050, 7055, 7060, 7065, 7655, 7660, 7665

Ascot No.	Mfg. No.	Description
444-01223	TC184432	Grey Nylon Duckhead Kit for Coats Tire Changers

STAINLESS STEEL MOUNT/DEMOUNT **HEAD FOR COATS TIRE CHANGERS**

- Tapered stainless steel mount/ demount head used on many Coats tire changers
- · For steel wheels and highvolume shops dealing mostly with OEM passenger cars and light trucks
- FOUND ON COATS MODELS: 5030, 5040, 5045, 5050, 5060, 5065, 5070, 6050, 6060, 6065, 7050, 7055, 7060, 7065, 7655, 7660, 7665, 70XEH1, 70XEH2, 70XEH3
- · Includes the set screws for adjusting the angle

Ascot No.	Mfg. No.	Description
444-01225	TC182788	Stainless Steel Duckhead for Coats Tire Changers

PLASTIC RIM PROTECTORS FOR COATS STAINLESS STEEL MOUNT/DEMOUNT HEADS

- Designed for COATS stainless steel mount/demount heads
- Made from a durable
- plastic material to prevent marring or scratching
- Available in packs of 2 or 12

Ascot No.	Mfg. No.	Description
444-82961	TI182961	2-Pack of Plastic Rim Protectors for Coats Stainless Steel Mount/Demount Head
444-82963	TI182963	12-Pack of Plastic Rim Protectors for Coats Stainless Steel Mount/Demount Head

GRIP-MAX INSERTS

- · Replacement grips for Coats Grip-Max jaws
- OE# 500059408
- 8 per pack
- 2 inserts required per jaw

Ascot No.	Mfg. No.	Description	
444-59408	AE5009408	Grip-Max Inserts	









www.ascotsupply.com

444-59408



TIRE CHANGER ACCESSORIES



23.6" BEAD LIFTING TOOL W/ ENHANCED GRIP

• Enhanced angle allows more efficient grip of the tire

- · Made of steel
- Avoids scratching aluminum rims
- Decreases the possibility

of breaking a bead

- Deep grooves to provide extra grip and avoid slippage
- · 23.6" overall length
- Made in Taiwan

Ascot No.	Mfg. No.	Description
444-23614	TC181354	23.6" Bead Lifting Tool w/ Enhanced Grip

RIM CLAMP BEAD LIFTING TOOL

- Designed for ease of lifting the bead during the tire changing operation
- · 20" overall length

- Made from a durable chromevanadium material
- Equivalent to COATS 181354

Ascot No.	Mfg. No.	Description
444-81354	TC181354	Rim Clamp Bead Lifting Tool

LONG SOCK FOR BEAD LIFTING TOOL

- High quality plastic sleeve prevents the rim from scratching while lifting the bead
- · Made from high quality,
- durable nylon
- Ribbed design for anti-slip contact
- 4-Pack

Ascot No.	Mfg. No.	Description
444-22019	220019	Long Sock for Bead Lifting Tool - 4 Pack

LOW PROFILE BEAD LEVER TOOL

- Angled design and extra-long length provide increased leverage
- Super-grip knurled handle for increased grip
- Durable high strength carbon steel construction
- Reduces strain on user's hand and wrist
- Provides technician better control of the tool against stiff sidewalls
- Helps prevent damage to expensive wheels

Ascot No.	Mfg. No.	Description
444-99719	99719	Low Profile Bead Lever Tool

MISCELLANEOUS TIRE SWABS AND BRUSHES

Ascot No.	Mfg. No.	Description
437-00001	TS-1	Tire Swab: 11" OAL X 2" Diameter
437-00002	TS-2	Tire Swab: 15" OAL X 2" Diameter
437-00003	TS-3	Tire Swab: 18" OAL X 3" Diameter
437-13014	313014	Hunter-Style Tire Lubricating Brush

FLANGE MOUNT AIR GAUGE FOR COATS TIRE CHANGERS

- Used to read pressure when inflating tires after installation
- Works with many COATS® tire machines (this is the gauge located in the upper arm support that tells you pressure in the tire as you inflate them with the tire machine)
- Also used on older rectangle Cabinet Tire Machines
- This quality air gauge mounts to the machine with 3 small rivets around the outer steel flange of the gauge (rivets included with the gauge)

Ascot No.	Mfg. No.	Description
444-17985	AG107985	Flange Mount Air Gauge for Coats Tire Changers

www.ascotsupply.com



BRUSHES & LUBRICANTS

LUBE BUCKETS FOR TIRE CHANGERS

STRAIGHT LUBE BUCKET:

- Designed for holding tire lubricants on Center-Post tire changers
- Compatible with COATS 4040, 4040SA & 4050
- Made from a durable plastic material

Mfg. No.

LB106259

LB106572

· Equivalent to **COATS 106572**

Ascot No.

844-16259

844-16572

ANGLED LUBE BUCKET:

- Designed for holding tire lubricants on Rim Clamp tire changers
- · Compatible with COATS RC15, RC20, 5060 & 5070 tire changers
- Made from a durable plastic material
- Equivalent to COATS 106259

844-16259 Straight Lube Bucket	A
	844-16572 Angled Lube Bucket

127-86872

Hunter Replacement Air Hose

127-86871

Air Hose

Coats Replacement

COATS REPLACEMENT AIR HOSE

- For use with Coats Tire Changers
- 60" long x 1/4" diameter
- AC-1 Euro-style chuck

•	ΑII	brass	connectors	
---	-----	-------	------------	--

- · Swivel fitting
- Equivalent to Coats 806871

Ascot No.	Mfg. No.	Description		
127-86871	86871-1	60" x ¼" Coats Replacement Air Hose (Packaged 1 per bag)		

Description

Straight Lube Bucket

Angled Neck Lube Bucket

HUNTER REPLACEMENT AIR HOSE

- 60" long x 1/4" diameter
- All brass connectors
- European -style air chuck
- Packaged 1 per bag

Ascot No.	Mfg. No.	Description		
127-86872	86872-1	Hunter Replacement Air Hose		

STORAGE CABINET FOR RIM CLAMP TIRE CHANGERS

- Universal- Easily attaches to most swing arm rim clamp tire changers
- Two gear clamps for attaching to tower included
- 14" W x 23" H x 8.5" D
- Black Powder coat finish
- Lube bottle bracket (not pictured) on side
- MADE IN USA

Ascot No.	Mfg. No.	Description
719-82222	TOOTCCAB	Storage Cabinet for Rim Clamp Tire Changers
		00





719-82222 Storage Cabinet for Rim Clamp Tire Changers

△WARNING: For more information go to www.P65Warnings.ca.gov.



BRUSHES & LUBRICANTS



535-14169 6.5" Tube Brush

WOODEN HANDLED WIRE BRUSH WITH METAL SCRAPER

- 19 rows of steel bristles
- Slightly curved wooden handle
- Metal scraper included
- BRISTLE LENGTH: 1"
- OVERALL LENGTH: 14-1/4"



Ascot No. Mfg. No		Description
535-00150	VT-931	Wooden Handled Wire Brush with Metal Scraper

PLASTIC HANDLED BRASS SIDEWALL BRUSH

- Densely packed brass bristles
- Great for cleaning white sidewall tires
- BRISTLE LENGTH: 3/4"
- OVERALL LENGTH: 8-1/4"
- Plastic handle fits comfortably in the hand
- · Colors may vary

Ascot No.	Mfg. No.	Description
395-13124	VT-932	Plastic Handled Brass Sidewall Brush

SCRATCH BRUSH

- 7 rows of steel bristles
- Ridged handle for better grip
- Common applications include cleaning dirt, rust, scale, chips and paint as well as plating and welding operations



Ascot No.	Mfg. No.	Size	Width/ Face	Rows	Fill Wire	Wire Dia.	Trim Length
535-14159	14159	7-1/2"	7-1/2"	3x7	Stainless Steel	0.006"	7-1/2"

TUBE BRUSHES

For internal cleaning and deburring of copper tube fittings

Ascot No.	Mfg. No.	Length	Brush Length	Dia.	Fill Wire	Trim Length
535-14168	14168	6-1/2"	1"	5/8"	Steel	_
535-14169	14169	6-1/2"	1"	1/2"	Steel	-
535-14180	14180	6-1/2"	1"	3/4"	Steel	_



Quality | Innovation | Service

Mounting, Painting, or Troubleshooting Tires...

Murphy's Gives You an Edge

Murphy's Marvels







Off The Rim

Tire and Tube

Black Tire Paint

An excellent water-based lubricant to help ease tires off the rim by penetrating between the bead and tire flanges.

Designed to assist in mounting rubber tires and tubes on all types of wheels. It is fortified with rust inhibitors to provide protection against wheel corrosion.

Your new competitive advantage for a great retread finish. Water-Based, Matte Finish, and Quick Drying.

















433-10231Ascot Concentrated Leak Detector, Gallon



ASCOT PREMIUM HYDRAULIC JACK OIL-QUARTS

- 12 bottles per case
- Designed for year-round use in a wide array of temperatures
- Outstanding anti-wear properties
- · Rust and corrosion resistant
- Excellent foam suppression
- Promotes long equipment life
- · Exceptional oxidation stability
- MADE IN USA

Ascot No.	Mfg. No.	Description
309-10925	N/A	Ascot Premium Hydraulic Jack Oil - Quarts

B'LASTER PENETRANT W/ PROSTRAW

- #1 selling penetrant
- Breaks free rusted or frozen parts
- Protects against further rust and corrosion
- Use on automotive, industrial, marine, plumbing and other equipment
- New ProStraw™ with Control Flow Technology™
- **QUANTITY:** 12 cans per case

Ascot No.	Mfg. No.	Description
408-00116	16-PB-DS	B'laster Penetrant w/ ProStraw™, 11 oz. Can (12 per case)

EZ CHECK LEAK DETECTOR

- · Finds leaks in all tires
- Environmentally friendly
- Excellent foam formation
- Skin friendly
- Commercial use only
- MADE IN USA

Ascot No.	Mfg. No.	Description
433-25430	2543	Ascot EZ Check Leak Detector, Quart (12 per case)
433-25431	2543-1G	Ascot EZ Check Leak Detector, Gallon (4 per case)

ASCOT CONCENTRATED LEAK DETECTOR

- Detects leaks in all tires
- Environmentally friendly
- Excellent foam formation
- · Non-offensive aroma
- · Commercial use only
- MADE IN USA

Ascot No.	Mfg. No.	Description
433-10231	F4.0231	Ascot Concentrated Leak Detector, Gallon (4 per case)
433-10232	F4.0232	Ascot Concentrated Leak Detector, Quart (12 per case)

ASCOT BLACK RIM RUST RETARDANT

- Recommended for rims, tires, wheels and 5th wheel
- Prevents scale & rust formation
- Lubricates rim and tire for easy installation or removal
- Protects tires, wheels, tire flaps and rims for many changes
- Ryder approved
- MADE IN USA

Ascot No.	Mfg. No.	Description
435-06001	065-2539	Ascot Black Rim Rust Retardant, 5 lb. (6 per Case)
435-06002	025-2539	Ascot Black Rim Rust Retardant, 25 lb.
435-06008	048-2539	Ascot Black Rim Rust Retardant, 8 lb. (4 per Case)



ASCOT TIRE AND TUBE MOUNTING COMPOUND

- VERSATILE FORMULA: Dilutes to any strength your job requires
- Approved by major tire companies world-wide
- Made from natural, renewable resources
 MADE IN USA
- · Totally safe for all tires
- · Economical when diluted
- Ultra-thick concentrate for excellent performance when packing beads

Ascot No.	Mfg. No.	Description
432-02028	2028	Ascot Tire and Tube Mounting Compound, 8 lb. Pail (4 per Case)
432-02029	2029	Ascot Tire and Tube Mounting Compound, 25 lb. Pail
432-02035	2035	Ascot Tire and Tube Mounting Compound, 40 lb. Pail

MURPHY'S CONCENTRATED TIRE & TUBE MOUNTING COMPOUND

- VERSATILE FORMULA: Dilutes to any strength your job requires
- Approved by major tire companies world-wide
- Made from natural, renewable resources
 MADE IN USA
- · Totally safe for all tires
- · Economical when diluted
- · Ultra-thick concentrate for excellent performance when packing beads

Ascot No.	Mfg. No.	Description
432-02000	2000	Murphy's Concentrated Tire & Tube Mounting Compound, 8 lb. Pail (4 per Case)
432-02005	2005	Murphy's Concentrated Tire & Tube Mounting Compound, 25 lb. Pail
432-02008	2008	Murphy's Concentrated Tire & Tube Mounting Compound, 40 lb. Pail
432-02014	2014	Murphy's Concentrated Tire & Tube Mounting Compound, 445 lb. Drum

ASCOT WHITE TIRE MOUNTING PASTE

- Designed for alloy wheels, low profile and run flat tires
- No water, no mixing. Use right from the container
- Extra slippery to help mount tires with stiff beads
- Apply with brush

- · Makes tire mounting faster and easier
- Approved by major rubber companies
- Ideal for lubricating bead seaters
- · For mounting and demounting tires
- MADE IN USA



Ascot No.	Mfg. No.	Description
432-02046	2046	Ascot White Tire Mounting Paste, 8 lb. Pail (4 per Case)
432-02067	2067	Ascot White Tire Mounting Paste, 8 lb. Low Profile Pail (4 per Case)
432-02088	2088	Ascot White Tire Mounting Paste, 22 lb. Pail

TIRE CHANGER BRACKETS FOR TIRE MOUNTING PASTE

- · Manufactured from heavy duty steel
- Mounts directly to a variety of different tire changers
- Designed to hold tire paste buckets
- · Mounting hardware included
- (2) self-tapping screws, (2) bolts, (4) washers
- · Made in Taiwan

		.
Ascot No.	Mfg. No.	Description
432-12046	2046B	Bracket for Ascot White Tire Mounting Paste
432-12067	2067B	Bracket for Ascot Low Profile White Tire Mounting Paste

www.ascotsupply.com







Paste

▲WARNING: For more information go to www.P65Warnings.ca.gov.







434-02110 Murphy's Non-Rust Rim-Kote, 30 lb. Pail



Murphy's Black Tire Paint



MURPHY'S WHITE TIRE MOUNTING PASTE

- Designed for alloy wheels, low profile and run flat tires
- Extra Slippery to help mount tires with stiff beads
- · No water, no mixing. Use

right from the container

- Contains rust inhibitor to help fight rim rust
- MADE IN USA

Ascot No.	Mfg. No.	Description
432-02146	2146	Murphy's White Tire Mounting Paste, 8 lb. Pail (4 per Case)
432-02167	2167	Murphy's White Tire Mounting Paste, 8 lb. Low Profile Pail (4 per Case)

MURPHY'S NON-RUST RIM-KOTE

- · Contains no petroleum and prevents rim rust and scale
- · Prevents tire bead freezing and helps seat tubeless tires in sub-freezing temperatures
- · Recommended for mounting tires on heavy duty trucks, buses, and off-the-road vehicles
- MADE IN USA

Ascot No.	Mfg. No.	Description
434-02110	2110	Murphy's Non-Rust Rim-Kote, 30 lb. Pail
434-02120	2120	Murphy's Non-Rust Rim-Kote, 40 lb. Pail

MURPHY'S BLACK TIRE PAINT

- · Ready to Use No dilution needed
- Easy to apply in tire paint machines or by brush
- · Quick drying
- · Matte black finish

- · Superior hiding ability over wax or chalk markings
- Water-base for easy cleanup
- MADE IN USA

Ascot No.	Mfg. No.	Description
497-11800	F1.7800	Murphy's Black Tire Paint 5-Gallon Pail
497-11801	F1.1801	Murphy's Black Tire Paint 55-Gallon Drum

MURPHY'S LIQUID LUBRICANT

- · Ready to use liquid for easy application
- Designed to assist in mounting rubber tires and tubes on all types of wheels
- · Easy clean up and non-toxic
- · Contains rush inhibitor to help fight rust
- MADE IN USA

Ascot No.	Mfg. No.	Description	
433-02020 2020 Murphy's Liquid Lubricant, 1 Gallon (4 per Case)		Murphy's Liquid Lubricant, 1 Gallon (4 per Case)	
433-02023 2023 Murphy's Liquid Lubricant, 5 Gallons		Murphy's Liquid Lubricant, 5 Gallons	
433-02022 2022 Murphy's Liquid Lubricant, 55 Gallons		Murphy's Liquid Lubricant, 55 Gallons	

MURPHY'S CONCENTRATED EXTRA SLIPPERY LIQUID LUBRICANT

- Contains improved super lubricity polymers
- · Rust inhibitor added to help fight rim rust
- ECONOMICAL: Dilutes 2 to 1
- · Formulated for super-fast mount of passenger tires
- MADE IN USA

	Ascot No.	Mfg. No.	Description
433-01950 1950 Murphy's Concentrated Extra Slippery Liquid Lubricant, 1 Gallon (4 per Case)			
433-01957 1957 Murphy's Concentrated Extra Slippe		1957	Murphy's Concentrated Extra Slippery Liquid Lubricant, 5 Gallons
	433-01958	1958	Murphy's Concentrated Extra Slippery Liquid Lubricant, 55 Gallons



ASCOT LIQUID BEAD BUSTER

- Multi-purpose shop tool which penetrates, lubricates, cleans, and protects most metal surfaces
- · Quickly dissolves and loosens rust, corrosion, and scale
- Prevents broken parts
- · Non-flammable, non-combustible

- · Time saving tire bead breaker
- Penetrates deep into tight spaces
- · Similar to SKID penetrating lubricant
- MADE IN USA

Ascot No.	Mfg. No.	Description	
431-00001	ASL-1	Liquid Bead Buster (4) 1-Gallon Bottles	
431-00005	ASL-5	5 Liquid Bead Buster 5-Gallon Pail	
431-00055	ASL-55	Liquid Bead Buster 55-Gallon Drum	
	•	'	

IMI STS TIRE SEAL

- Seals 2x more punctures than the competition
- · Permanently seals punctures up to 1/4"
- · Prevents wheel corrosion, glycol free
- · Non-toxic, non-flammable, non-combustible
- 100% bio-degradable and water soluble
- · Lasts for the lifetime of the tire
- · Wide range of applications
- · Low freeze point, freeze/thaw stable

Ascot No.	Mfg. No.	Description
451-00036	STSOTR6G	STS OTR TIRE SEAL - 6-Gallon Pail
451-00640	STS640	STS TIRE SEAL - 5-Gallon Pail
451-02640	STSOTR640	STS OTR TIRE SEAL - 5-Gallon Pail

Description

Gaither Super Slick'em

GAITHER SUPER SLICK'EM

- Gaither's Super Slick'em™ should be applied to all tires before deflation if being dismounted
- Super Slick'em™ is a special non-water based lubricant that penetrates and aids in breaking the tire bead from the wheel

Mfg. No.

G12904

Ascot No.

421-12904

- by eating away rust and grease. Because it does not contain water, Super Slick'em™ will not freeze or cause rust to form
- Includes: 4-1 gallon (3.8 liter) containers and 1 applicator bottle



421-12904 Gaither Super Slick'em



431-00001



451-00640 Tire Seal 5-Gallon Bail



431-00005

451-02640 Tire Seal OTR 5-Gallon Bail









SLICK

- · Contains rust inhibitor to prevent rusting of rims
- Tire adheres to rim. Will not slip
- Helps to seal tire bead. Reduces bead damage
- Will not gum up the bead or rim to hinder its future use
- Reduces friction. Saves wear and repair on tire changers
- · Contains no soap or petroleum products

Ascot No.	Mfg. No.	Description
432-57304	55073-4	(4) 1-Gallon Bottles
432-57305	55073-5	5-Gallon Pail
432-57355	55073-55	55-Gallon Drum
432-57270	55073-270	275-Gallon Tote

INDUSTRIAL SPRAY BOTTLES

- Industrial sprayer for use with light oils, solvents, and detergents
- The durable polyethylene bottle is impervious to high and low temperatures
- The trigger mechanism is resistant to damage caused by caustic materials

Ascot No.	Mfg. No.	Description
632-00922	TH97016	Industrial Spray Bottle - 16 oz. Capacity
632-00923	TH97032	Industrial Spray Bottle - 32 oz. Capacity

ANODIZED ALUMINUM SPRAYER

- Adjustable pistol-grip nozzle
- Features a chemical resistant anodized finish
- Will work with water, solvent & oil-based materials
- Replaces Model "A" plated brass sprayers
- 24 oz. capacity
- MAX PRESSURE: 200 PSI

Ascot No.	Mfg. No.	Description	
632-02400 2400S		Anodized Aluminum Sprayer	

1.5 LITER SPRAYER W/ VITON SEAL

- 1.5 liter capacity
- Easy to use compression action sprayer
- Ergonomic design with strong translucent tank with level indicator
- Adjustable spray nozzle is great for applying a
- variety of liquids
- Durable with exceptional chemical resistance
- · Easy to clean and maintain
- Can Be used with liquid bead sealer
- MADE IN CHINA

Ascot No.	Mfg. No.	Description
632-00032	AS-32	1.5 Liter Sprayer w/ Viton Seal



TIRE BRANDERS & REGROOVING TOOLS

SURE SHOT PRESSURE SPRAYERS

- Air pressurized and refillable
- For brake and parts cleaner, penetrating oils, lubricants, degreasers, solvents
- Environmentally safe, eliminates aerosol usage
- MADE IN THE USA

Ascot No.	Mfg. No.	Description	
632-01002	A1002	Sure Shot Black Enameled Steel Sprayer w/ Adjustable Nozzle	
632-10001	A1000R Sure Shot Enameled Steel Sprayer (Red)		
632-00005	K-5	Partial Repair Kit for Model A Sure Shot Sprayers	
632-00010 K-10 Complete Repair Kit for Model A Sure Shot Sprayers			

1/4", 1/2" & 1" TIRE BRANDER CHARACTER SETS

Ascot No.	Mfg. No.	Description
	TIRE BRANDE	R CHARACTER SETS
452-00001	TBINOSET	1" Tire Brander Number Set
452-00012	TB1/2NOSET	1/2" Tire Brander Number Set
452-00014	TB1/4NOSET	1/4" Tire Brander Number Set
452-00112	TB1/2LETSET	1/2" Tire Brander Letter Set
452-00114	TB1/4LETSET	1/4" Tire Brander Letter Set
452-00011	TB1LETSET	1" Tire Brander Letter Set



632-02400Anodized
Aluminum
Sprayer

632-01002 Sure Shot Pressure Sprayer



1" Letters and Numbers for Tire Branders

1" LETTERS AND NUMBERS

Ascot No.	Mfg. No.	Description
	1" LETTERS &	NUMBERS
452-00001	TBINOSET	Tire Brander 1" Number Set
452-00011	TB1LETSET	Tire Brander 1" Letter Set
452-00100	BI-CC-1BZ-0	Tire Brander 1" Insert: 0
452-00101	BI-CC-1BZ-1	Tire Brander 1" Insert: 1
452-00102	BI-CC-1BZ-2	Tire Brander 1" Insert: 2
452-00103	BI-CC-1BZ-3	Tire Brander 1" Insert: 3
452-00104	BI-CC-1BZ-4	Tire Brander 1" Insert: 4
452-00105	BI-CC-1BZ-5	Tire Brander 1" Insert: 5
452-00106	BI-CC-1BZ-6	Tire Brander 1" Insert: 6
452-00107	BI-CC-1BZ-7	Tire Brander 1" Insert: 7
452-00108	BI-CC-1BZ-8	Tire Brander 1" Insert: 8
452-00109	BI-CC-1BZ-9	Tire Brander 1" Insert: 9
452-00201	BI-CC-1BZ-A	Tire Brander 1" Insert: A
452-00202	BI-CC-1BZ-B	Tire Brander 1" Insert: B
452-00203	BI-CC-1BZ-C	Tire Brander 1" Insert: C
452-00204	BI-CC-1BZ-D	Tire Brander 1" Insert: D
452-00205	BI-CC-1BZ-E	Tire Brander 1" Insert: E
452-00206	BI-CC-1BZ-F	Tire Brander 1" Insert: F
452-00207	BI-CC-1BZ-G	Tire Brander 1" Insert: G
452-00209	BI-CC-1BZ-I	Tire Brander 1" Insert: I
452-00211	BI-CC-1BZ-K	Tire Brander 1" Insert: K
452-00212	BI-CC-1BZ-L	Tire Brander 1" Insert: L
452-00213	BI-CC-1BZ-M	Tire Brander 1" Insert: M

Ascot No.	Mfg. No.	Description			
	1" LETTERS & NUMBERS (CONT.)				
452-00214	BI-CC-1BZ-N	Tire Brander 1" Insert: N			
452-00215	BI-CC-1BZ-O	Tire Brander 1" Insert: 0			
452-00216	BI-CC-1BZ-P	Tire Brander 1" Insert: P			
452-00217	BI-CC-1BZ-Q	Tire Brander 1" Insert: Q			
452-00218	BI-CC-1BZ-R	Tire Brander 1" Insert: R			
452-00219	BI-CC-1BZ-S	Tire Brander 1" Insert: S			
452-00220	BI-CC-1BZ-T	Tire Brander 1" Insert: T			
452-00221	BI-CC-1BZ-U	Tire Brander 1" Insert: U			
452-00222	BI-CC-1BZ-V	Tire Brander 1" Insert: V			
452-00223	BI-CC-1BZ-W	Tire Brander 1" Insert: W			
452-00224	BI-CC-1BZ-X	Tire Brander 1" Insert: X			
452-00226	BI-CC-1BZ-Z	Tire Brander 1" Insert: Z			







1" Letters for Tire Branders



TIRE BRANDERS & REGROOVING TOOLS

LETTERS AND NUMBERS FOR TIRE BRANDERS (CONT.)

1/2" LETTERS AND NUMBERS

Ascot No.	Mfg. No.	Description			
	1/2" LETTERS	& NUMBERS			
452-00012	TB1/2NOSET	Tire Brander 1/2" Number Set			
452-00112	TB1/2LETSET	Tire Brander 1/2" Letter Set			
452-02100	BI-CC-1/2BR-0	Tire Brander 1/2" Insert: 0			
452-02101	BI-CC-1/2BR-1	Tire Brander 1/2" Insert: 1			
452-02102	BI-CC-1/2BR-2	Tire Brander 1/2" Insert: 2			
452-02103	BI-CC-1/2BR-3	Tire Brander 1/2" Insert: 3			
452-02104	BI-CC-1/2BR-4	Tire Brander 1/2" Insert: 4			
452-02105	BI-CC-1/2BR-5	Tire Brander 1/2" Insert: 5			
452-02106	BI-CC-1/2BR-6	Tire Brander 1/2" Insert: 6			
452-02107	BI-CC-1/2BR-7	Tire Brander 1/2" Insert: 7			
452-02108	BI-CC-1/2BR-8	Tire Brander 1/2" Insert: 8			
452-02109	BI-CC-1/2BR-9	Tire Brander 1/2" Insert: 9			
452-00501	BI-CC-1/2BR-A	Tire Brander 1/2" Insert: A			
452-00502	BI-CC-1/2BR-B	Tire Brander 1/2" Insert: B			
452-00503	BI-CC-1/2BR-C	Tire Brander 1/2" Insert: C			
452-00504	BI-CC-1/2BR-D	Tire Brander 1/2" Insert: D			
452-00505	BI-CC-1/2BR-E	Tire Brander 1/2" Insert: E			
452-00506	BI-CC-1/2BR-F	Tire Brander 1/2" Insert: F			
452-00507	BI-CC-1/2BR-G	Tire Brander 1/2" Insert: G			
452-00508	BI-CC-1/2BR-H	Tire Brander 1/2" Insert: H			
452-00509	BI-CC-1/2BR-I	Tire Brander 1/2" Insert: I			
452-00510	BI-CC-1/2BR-J	Tire Brander 1/2" Insert: J			
452-00511	BI-CC-1/2BR-K	Tire Brander 1/2" Insert: K			
452-00512	BI-CC-1/2BR-L	Tire Brander 1/2" Insert: L			
452-00513	BI-CC-1/2BR-M	Tire Brander 1/2" Insert: M			
452-00514	BI-CC-1/2BR-N	Tire Brander 1/2" Insert: N			
452-00515	BI-CC-1/2BR-O	Tire Brander 1/2" Insert: 0			
452-00516	BI-CC-1/2BR-P	Tire Brander 1/2" Insert: P			
452-00517	BI-CC-1/2BR-Q	Tire Brander 1/2" Insert: Q			
452-00518	BI-CC-1/2BR-R	Tire Brander 1/2" Insert: R			
452-00519	BI-CC-1/2BR-S	Tire Brander 1/2" Insert: S			
452-00520	BI-CC-1/2BR-T	Tire Brander 1/2" Insert: T			
452-00521	BI-CC-1/2BR-U	Tire Brander 1/2" Insert: U			
452-00522	BI-CC-1/2BR-V	Tire Brander 1/2" Insert: V			
452-00523	BI-CC-1/2BR-W	Tire Brander 1/2" Insert: W			
452-00524	BI-CC-1/2BR-X	Tire Brander 1/2" Insert: X			
452-00525	BI-CC-1/2BR-Y	Tire Brander 1/2" Insert: Y			
452-00526	BI-CC-1/2BR-Z	Tire Brander 1/2" Insert: Z			

1/4" LETTERS AND NUMBERS

Ascot No.	Mfg. No.	Description
	1/4" LETTERS	& NUMBERS
452-00014	TB1/4NOSET	Tire Brander 1/4" Number Set
452-00114	TB1/4LETSET	Tire Brander 1/4" Letter Set
452-01100	BI-CC-1/4BR-0	Tire Brander 1/4" Insert: 0
452-01101	BI-CC-1/4BR-1	Tire Brander 1/4" Insert: 1
452-01102	BI-CC-1/4BR-2	Tire Brander 1/4" Insert: 2
452-01103	BI-CC-1/4BR-3	Tire Brander 1/4" Insert: 3
452-01104	BI-CC-1/4BR-4	Tire Brander 1/4" Insert: 4
452-01105	BI-CC-1/4BR-5	Tire Brander 1/4" Insert: 5
452-01106	BI-CC-1/4BR-6	Tire Brander 1/4" Insert: 6
452-01107	BI-CC-1/4BR-7	Tire Brander 1/4" Insert: 7
452-01108	BI-CC-1/4BR-8	Tire Brander 1/4" Insert: 8
452-01109	BI-CC-1/4BR-9	Tire Brander 1/4" Insert: 9
452-00401	BI-CC-1/4BR-A	Tire Brander 1/4" Insert: A
452-00402	BI-CC-1/4BR-B	Tire Brander 1/4" Insert: B
452-00403	BI-CC-1/4BR-C	Tire Brander 1/4" Insert: C
452-00404	BI-CC-1/4BR-D	Tire Brander 1/4" Insert: D
452-00405	BI-CC-1/4BR-E	Tire Brander 1/4" Insert: E
452-00406	BI-CC-1/4BR-F	Tire Brander 1/4" Insert: F
452-00407	BI-CC-1/4BR-G	Tire Brander 1/4" Insert: G
452-00408	BI-CC-1/4BR-H	Tire Brander 1/4" Insert: H
452-00409	BI-CC-1/4BR-I	Tire Brander 1/4" Insert: I
452-00410	BI-CC-1/4BR-J	Tire Brander 1/4" Insert: J
452-00411	BI-CC-1/4BR-K	Tire Brander 1/4" Insert: K
452-00412	BI-CC-1/4BR-L	Tire Brander 1/4" Insert: L
452-00413	BI-CC-1/4BR-M	Tire Brander 1/4" Insert: M
452-00414	BI-CC-1/4BR-N	Tire Brander 1/4" Insert: N
452-00415	BI-CC-1/4BR-O	Tire Brander 1/4" Insert: 0
452-00416	BI-CC-1/4BR-P	Tire Brander 1/4" Insert: P
452-00418	BI-CC-1/4BR-R	Tire Brander 1/4" Insert: R
452-00419	BI-CC-1/4BR-S	Tire Brander 1/4" Insert: S
452-00420	BI-CC-1/4BR-T	Tire Brander 1/4" Insert: T
452-00421	BI-CC-1/4BR-U	Tire Brander 1/4" Insert: U
452-00422	BI-CC-1/4BR-V	Tire Brander 1/4" Insert: V
452-00423	BI-CC-1/4BR-W	Tire Brander 1/4" Insert: W
452-00424	BI-CC-1/4BR-X	Tire Brander 1/4" Insert: X
452-00425	BI-CC-1/4BR-Y	Tire Brander 1/4" Insert: Y
452-00426	BI-CC-1/4BR-Z	Tire Brander 1/4" Insert: Z





1/2" Letters for Tire Branders





1/4" Letters for Tire Branders

TIRE REGROOVING TOOLS & ACCESSORIES

Ascot No.	Mfg. No.	Description		
455-00003	RC414	Rubber Cut 414 Regroover		
455-00401	W-1	Regroover Blades 20-Pack		
455-00402	W-2	Regroover Blades 20-Pack		
455-00403	W-3	Regroover Blades 20-Pack		
455-00404	W-4	Regroover Blades 20-Pack		
455-00405	W-5	Regroover Blades 20-Pack		
455-00406	W-6	Regroover Blades 10-Pack		



www.ascotsupply.com



MISCELLANEOUS TIRE SERVICING TOOLS

2" QUICK CHANGE SURFACE CONDITIONING DISCS

- Available in fine, medium or coarse
- Embedded with abrasive grain to eliminate fraying of edges, resist loading and
- provide a consistent finish

ASCOT SUPPLY WAREHOUSE CATALOG | 2025

- · Ideal for flat or contoured surfaces
- Made in USA

Ascot No.	Mfg. No.	Description
417-39120	3912BLUEF	2" Quick Change Surface Conditioning Discs: Blue (Fine)
417-39121	3912MARNM	2" Quick Change Surface Conditioning Discs: Maroon (Medium)
417-39122	3912BRWNC	2" Quick Change Surface Conditioning Discs: Brown (Coarse)
417-13003	620TE-1	2" Surface Conditioning Discs: Brown (Coarse) 25/box
417-13004	622TE-1	2" Surface Conditioning Discs: Maroon (Medium)
417-13005	620TE-1-50	2" Surface Conditioning Discs: Brown (Coarse) 50/box

3" QUICK CHANGE SURFACE CONDITIONING DISCS

- · Features the quick and easy "R" type backing
- Ideal for general grinding, rust removal, clean-up and paint removal
- · Use with right angle or die grinders
- Ideal for flat contoured surfaces
- Made in USA

Ascot No.	Mfg. No.	Description
417-13006 630TE		3" Quick Change Surface Conditioning Discs 25/box
417-13007 632TE		3" Quick Change Surface Conditioning Discs 25/box

3" STRIP-BRITE PADS

- · Feature the guick and easy twistto-lock attachment system
- · Provide aggressive and long lasting performance
- · Durable, three-dimensional web with a soft edge in unreachable creases and dents without damaging metal
- Made In USA

Ascot No.	Mfg. No.	Description	Qty
417-16210	16210	2" Strip-Brite Pad - Purple (Coarse)	10/box
417-16211 16211		3" Strip-Brite Pad - Purple (Coarse)	10/box

GREEN ZIRCONIA DISCS

- Twist-to-lock backing
- Offers longer life and more aggressive results than zirconia or aluminum oxide
- Flexible discs resist chipping. snagging and cracking
- 20.000 RPM

- For use on air grinders and are compatible with all 3M style, Type "R" backing pads
- Especially good on extra hard metals
- 25 per box
- · Made in USA

Ascot No.	Mfg. No.	Description	Qty
417-12612	12612	2" Green Zirconia Grinding Disc - 24 Grit	25/box
417-12613	12613	2" Green Zirconia Grinding Disc - 36 Grit	25/box
417-12614	12614	2" Green Zirconia Grinding Disc - 50 Grit	25/box
417-12615	12615	2" Green Zirconia Grinding Disc - 80 Grit	25/box
417-12617	12617	3" Green Zirconia Grinding Disc - 36 Grit	25/box
417-12618	12618	3" Green Zirconia Grinding Disc - 50 Grit	25/box
417-12619	12619	3" Green Zirconia Grinding Disc - 80 Grit	25/box



417-13007 3" Maroon (Medium)





2" Green Zirconia Disc



MISCELLANEOUS TIRE SERVICING TOOLS

535-14160 2" Power Crimped Wheel





535-14161 3" Power Crimped Wheel



- · Small diameter crimped wire wheels
- · Solid ring construction for high-speed use
- · Copper center

• Plain arbor hole for use on a variety of portable tools and stationary machines

3" Power Crimped Wheel	Crimped	0
------------------------------	---------	---



535-14163 3" Power Crimped Wheel

Ascot No.	Mfg. No.	Size	Width/ Face	Arbor	Fill Wire	Wire Dia.	Trim Length	RPM
535-14160	14160	2"	3/8"	1/2"-3/8"	Steel	0.0118"	1/2"	20,000
535-14161	14161	3"	5/8"	1/2"-3/8"	Steel	0.0118"	1"	20,000
535-14162	14162	3"	5/8"	1/2"	Steel	0.006"	1"	20,000
535-14163	14163	3"	5/8"	1/2"-3/8"	Steel	0.008"	1"	20,000





417-39202 Backing Pad for 2" Surface Conditioning Discs

BACKING PADS FOR SURFACE CONDITIONING DISCS

- · Compatible with all twistto-lock brands of discs
- · Rigid rubber pad

- Twist-to-lock attachment
- · Use with surface prep, mini grinding, strip-it and mini flap discs

Ascot No.	Mfg. No.	Description	
417-39203	13013	Backing Pad for 3" Surface Conditioning Discs	
417-39202	13012	Backing Pad for 2" Surface Conditioning Discs	



535-14164 3" Crimped Encapsulated Wire Wheel

417-12704

Cut-Off Wheels



3" Crimped Encapsulated Wire Wheel

CRIMPED ENCAPSULATED WIRE WHEELS

· Elastomer gradually wears exposing consistent short trim for maximum aggression and long life

Ascot No.	Mfg. No.	Size	Width/ Face	Arbor	Fill Wire	Wire Dia.	Trim Length	RPM
535-14164	14164	3"	1/4"	1/2"	Steel	0.0118"	1"	20,000
535-14181	14181	3"	1/4"	1/2"	Steel	0.014"	1"	20,000





CUT-OFF WHEELS

- · Reinforced with fiberglass
- Fast cutting abrasive can be used in a variety of applications, including steel cutting
- · The fiberglass reinforcement provides greater tensile strength, as well as safety
- Made in USA

Ascot No.	Mfg. No.	Description	
417-12704	12704	3" Cut Off Wheels (10 Pack)	
417-12705 12705		3" Cut Off Wheels (50 Pack)	



MISCELLANEOUS TIRE SERVICING TOOLS

KNOTTED END AND POWER BRUSHES

- brushing action with some flexibility
- Features a hollow end and heavy duty
 Ideal for more demanding cleaning applications in recessed areas

Ascot No.	Mfg. No.	Style	Size	Width/ Face	Arbor	Fill Wire	Wire Dia.	Trim Length	RPM
535-14174	14174	Single Row Knotted Wire Cup Brush	3-1/4"	3/8"	1/4" Shank	Steel	0.014"	5/8"	25,000
535-14177	14177	Twist Knot Brush	4"	1/2"	1/2"- 3/8"	Steel	0.020"	7/8"	25,000



4" Twist Knot Power Brush

POWER BRUSHES

- Provide heavy duty brushing action with some flexibility
- Ideal for demanding cleaning applications on somewhat irregular surfaces

535-14174 3.25" Single Row Knotted Wire Cup Power Brush

Ascot No.	Mfg. No.	Style	Size	Width/ Face	Arbor	Fill Wire	Wire Dia.	Trim Length	RPM
535-14165	14165	Twist Knot	3"	3/8"	1/2"-3/8"	Steel	0.014"	5/8"	25,000
535-14170	14170	Mounted Knot	3-1/4"	3/8"	1/4" Shank	Steel	0.014"	5/8"	25,000
535-14171	14171	Twist Knot	4"	1/2"	1/2"-3/8"	Steel	0.0118"	7/8"	25,000
535-14172	14172	Twist Knot	4"	1/2"	1/2"-3/8"	Steel	0.014"	7/8"	25,000
535-14173	14173	Twist Knot	4"	1/2"	5/8"-11	Steel	0.020"	7/8"	25,000
535-14175	14175	Twist Knot	4"	1/2"	1/2"-3/8"	Steel	0.020"	7/8"	25,000
535-14182	17682	Mounted Knot	3-1/4"	3/8"	1/4" Shank	Steel	0.020"	5/8"	25,000



535-14165 Twist Knot Power Brush



535-14173 4" Twist Knot Power Brush



535-14170 3.25" Mounted Knot Power Brush



535-14175 4" Twist Knot Power Brush



535-14171 4" Twist Knot Power Brush



535-14176 4" Cable Twist Knot Power Brush



535-14172 4" Twist Knot Power Brush



535-14182 3.25" Mounted Knot Power Brush



SAFETY INFLATION CAGES





5-Bar Inflation Cage

4-Bar Inflation Cage



2-BAR FOLDABLE INFLATION CAGE

REGULAR

- PORTABLE UNIT: ideal for service trucks
- Compact and lightweight
- Meets or exceeds OSHA Standard 29 CFR 1910.177
- **DIMENSIONS:** 17" x 26" x 57"

WIDE BASE

- Especially designed for wide based tires
- Will accommodate super single and super wide radial tires
- BASE (EFFECTIVE) WIDTH: 22"
- INSIDE (EFFECTIVE) HEIGHT: 49-1/16"
- **WEIGHT:** 80 lb.
- Shipped in a cardboard box

Ascot No.	Mfg. No.	Description
479-36001	MIC-2	2- Bar Foldable Inflation Cage
479-36011	MIC-2WB	2-Bar Wide Base Foldable Inflation Cage

3-BAR, 4-BAR AND 5-BAR INFLATION CAGES

- · Heavy duty steel construction
- Holds up to 54" diameter and 20" wide
- Meets or exceeds OSHA Standard 29 CFR 1910.177

Ascot No.	Mfg. No.	Description	Dimensions (L x W x H)
479-36006	MIC-3	3-Bar Inflation Cage	22" x 26" x 57"
479-36013	MIC-3SUV	3-Bar Passenger- SUV Inflation Cage	22" x 26" x 57"
479-36002	MIC-4	4-Bar Inflation Cage	32" x 26" x 57"
479-36005	MIC-5	5-Bar Inflation Cage	41" x 26" x 57"

60" 5-BAR TIRE INFLATION CAGE

- Specifically designed for use with trucks, military vehicles, tractors, aircraft & OTR applications
- DIMENSIONS: 41" x 39-1/2" x 68"
- Meets or exceeds OSHA Standard 29 CFR 1910.177

Ascot No.	Mfg. No.	Description
479-36015	MIC-OTR	60" 5-Bar Tire Inflation Cage

ROLLER FOR TIRE INFLATION CAGES

- Used to roll the tires easily directly into the inflation cage
- Allows for easy access to the tire valve because it is easy to turn the tire to have the valve to any position
- For use with all 3-bar, 4-bar & 5-bar inflation cages
- Prevent back injuries when handling heavy tires
- **WEIGHT:** 12 lb.

Ascot No.	Mfg. No.	Description
479-36111	MIC-ROLLER	Roller for Tire Inflation Cages

 Λ

WARNING: Never inflate a tire on a multi-piece rim (a rim made up of 2 or more separate pieces) unless the tire and rim are mounted in OSHA regulation 29-CFR Part 1910.177 or D.O.T. approved tire inflation cage.



SAFETY INFLATION CAGES

TIRE CAGE STAND FOR AUTOMATIC INFLATORS

- Used to support automatic inflators to tire inflation cages
- Reduces movement of automatic and allows for faster inflation of tires
- Install directly on the top of one of the inflation cage bars with the mounting bracket
- **WEIGHT:** 8 lb.

Ascot No.	Mfg. No.	Description
479-36112	MW-STAND	Tire Cage Stand for Automatic Inflators

KEN TOOL 2-BAR TIRE INFLATION CAGE

- Mandatory for any shop working with tubeless and multi-piece rims
- Made from heavy gauge steel tubing welded to a steel base
- Follow OSHA regulation 29-CFR Part 1910.177
- Designed to meet OSHA regulation requirements for medium, heavy duty truck, OTR, tractor & Super Singles

Ascot No.	Mfg. No.	Description
479-46001	36001	2-Bar Tire Inflation Cage Foldable

KEN TOOL 2-BAR WIDE BASE TIRE INFLATION CAGE

- Mandatory for any shop working with tubeless and multi-piece rims
- Made from heavy gauge steel tubing welded to a steel base
- Follow OSHA regulation 29-CFR Part 1910.177
- Designed to meet OSHA regulation requirements for medium, heavy duty truck, OTR, tractor & Super Singles

Ascot No.	Mfg. No.	Description
479-46011	36007	2-Bar Wide Base Tire Inflation Cage Foldable

KEN TOOL 3-BAR, 4-BAR AND 5-BAR TIRE INFLATION CAGES

- Mandatory for any shop working with tubeless and multi-piece rims
- Made from heavy gauge steel tubing welded to a steel base
- Follow OSHA regulation 29-CFR Part 1910.177
- Designed to meet OSHA regulation requirements for medium, heavy duty truck, OTR, tractor & Super Singles

Ascot No.	Mfg. No.	Description
479-46002	36002	4-Bar Tire Inflation Cage
479-46005	36005	5-Bar Tire Inflation Cage
479-46006	36006	3-Bar Tire Inflation Cage






479-46001 2-Bar Tire Inflation Cage





479-46002 4-Bar Tire Inflation Cage





479-460063-Bar Tire
Inflation Cage

479-46005 5-Bar Tire Inflation Cage



WARNING: Never inflate a tire on a multi-piece rim (a rim made up of 2 or more separate pieces) unless the tire and rim are mounted in OSHA regulation 29-CFR Part 1910.177 or D.O.T. approved tire inflation cage.

ALTEL MAXITPMS



ONE TOOL. EVERYTHING TPMS. TS900

(L) ACTIVATE & RELEARN

ALL KNOWN TPMS SENSORS, INCLUDING TESLA BLE AND *New* autel ble



MX-SENSOR 1-SENSOR

AVAILABLE FOR PURCHASE SEPARATELY P/N: 1SENSOR



ALL SYSTEMS DIAGNOSTICS



BI-DIRECTIONAL ACTIVE TESTS



PRE/POST-SCAN REPORTS



CLOUD-BASED REPORT SHARING



AUTEL ACADEMY TECHNICAL TRAINING

Visit autel.com/us/academy and register today for hands on automotive diagnostic, repair, service, and ADAS instruction.

AUTEL



AUTEL

AUTEL MAXI TPMS WIFI TOOL & (16) 1-SENSORS

- 4 programming methods
- · Free updates for the life of the tool
- Exclusive TPMS status screen
- · Change placard value (domestics)
- · OBD relearn on domestics
- Exclusive copy by OBD
- · Update via WI-FI

AUTEL TPMS TOOL/SENSOR KIT CONTAINS:

- TS508 TPMS Tool
- · Charging Cord
- 16 MX-Sensors w/ Rubber Stems
- Magnet User Manual
- 4 Metal Valve Stems
- OBDII Cord



Ascot No.	Mfg. No.	Description
469-50816	TS508WFK-16	Maxi TPMS WIFI Tool & 16 MX-Sensor Kit

AUTEL ITS600 MAXI TPMS DIAGNOSTIC TOOL

- · New tablet style TPMS tool
- Optical scanner identifies VIN/MMY
- Exclusive TPMS status screen
- Fast OBD II relearn for most US domestic vehicles
- Copy by OBD sensor programming for faster service
- · Batch program up to 20 Autel 1-Sensors
- Activate, read, relearn all known TPMS sensors

- · Wireless OBDII connection via Bluetooth VCI
- · Tire pressure placard value reset
- Read/clear codes & view all system live data (with Pro Upgrade)
- · Includes 4 commonly used maintenance service
- · FREE Wi-Fi software updates for the life of the tool
- 5.5" Touchscreen (1280 x 720) / Android 9.0 / 8MP camera

Ascot No.	Mfg. No.	Description
469-60000	ITS600	Autel ITS600 Maxi TPMS Diagnostic Tool

AUTEL TBE200 TREAD DEPTH MEASUREMENT TOOL

- 1.65" AMOLED super retina touchscreen
- 1 Megapixel Macro Camera, 8 Megapixel Zoom Camera
- Tire Tread Depth/ Brake Disc Wear Measurement
- No Need To Remove The Wheel During Measurement
- · Laser Measurement with 0.1mm Accuracy
- Real-Time Measurement Data on Touchscreen
- Full Tread Measurement / Quick Check

- Measurement Data Curve Display/ Uneven Wear Analysis
- Detailed Replacement & Maintenance Suggestions
- Test Detail For Single Tire Tread / Brake Disc
- Tire Expiration Notice / Tire Recall Lookup / Scan DOT (COMING SOON)
- · Take Photos of Tire Wear & Damage
- · Calibration Plate Included
- Compatible with Autel ITS600

Ascot No.	Mfg. No.	Description	
454-00200	TBE200	Autel TBE200 MaxiTPMS Tread Depth Measurement Tool	









469-51812

461-30326 Ascot TPMS Sensor

W/ Rubber Valve

Maxi TPMS Wifi/Sensor Kit W/ 12 Sensors

315 MHz + 433 MHz



MAXI TPMS WIFI/SENSOR KIT W/ 12 SENSORS

- The MaxiTPMS® TS508 is a new generation TPMS diagnostic & service tool specially designed to activate all known TPMS sensors. read TPMS sensor status. check TPMS system health condition, program MXsensor status, check TPMS
- system health condition, program MX-sensors and conduct TPMS relearn
- · With guick mode and advanced mode options, you can save time and energy by choosing the most suitable way to complete TPMS work
- · Update via Wifi

KIT CONTAINS:

- TS508 Wifi TPMS tool
- 12 MX-sensors w/ rubber stems
- 4 Metal valve stems
- OBDII cord
- · Charging cord
- Magnet
- User Manual
- · Blow molded case



Ascot No.	Mfg. No.	Description
469-51812	TS508WFK 12ASC	Maxi TPMS Wifi/Sensor Kit W/ 12 Sensors

ASCOT TPMS SENSOR W/RUBBER VALVE

- Combines 315MHxz & 433MHz frequencies into a single sensor
- 99% vehicle coverage
- The exclusive MX-Sensor patented PRESS release valve allows rubber and metal valve stems to freely interchange by hand without requiring a tool
- · Built to match or exceed OEM sensors in frequency strength and durability
- 100% ID clone-able with no relearn required
- · Quickly update during installation with an Autel wireless programming tool

Ascot No.	Mfg. No.	Description
461-30326	1-Sensor-ASC	Ascot TPMS Sensor W/ Rubber Valve
ACCOT	TDMC CEN	ICOD W/METAL WALVE

ASCOT TPMS SENSOR W/METAL VALVE

- Combines 315MHxz & 433MHz frequencies into a single sensor
- 99% vehicle coverage
- The exclusive MX-Sensor patented PRESS release valve allows rubber and metal valve stems to freely interchange by hand without requiring a tool
- · Built to match or exceed OEM sensors in frequency strength and durability
- 100% ID clone-able with no relearn required
- Quickly update during installation with an Autel wireless programming tool

		l a
Ascot No.	Mfg. No.	Description
461-30327	1-Sensor-M-ASC	Ascot TPMS Sensor W/ Metal Valve



461-30326





ASCOT SUPPLY WAREHOUSE CATALOG | 2025

461-30329

ASCOT TPMS SENSOR W/ **RUBBER VALVE (24 PACK)**

- Combines 315MHxz & 433MHz frequencies into a single sensor
- 99% vehicle coverage
- The exclusive MX-Sensor patented PRESS release valve allows rubber and metal valve stems to freely interchange by hand without requiring a tool
- Built to match or exceed OEM sensors in frequency strength and durability
- 100% ID clone-able with no relearn required
- Quickly update during installation with an Autel wireless programming tool





Ascot No.	Mfg. No.	Description
461-30329	1-Sensor-24-ASC	Ascot TPMS Sensor W/ Rubber Valve (24 Pack)

ASCOT TPMS SENSOR W/RUBBER VALVE **BULK PACKS**

- Combines 315MHxz & 433MHz frequencies into a single sensor
- 99% vehicle coverage
- The exclusive MX-Sensor patented PRESS release valve allows rubber and metal valve stems to freely interchange by hand without requiring a tool
- Built to match or exceed OEM sensors in frequency strength and durability
- 100% ID clone-able with no relearn required
- · Quickly update during installation with an Autel wireless programming tool



Rubber Valve (480 Pack)

Ascot No.	Mfg. No.	Description
461-30331	1-Sensor-480-ASC	Ascot TPMS Sensor W/ Rubber Valve (480 Pack)
461-30328	1-Sensor-240-ASC	Ascot TPMS Sensor W/ Rubber Valve (240 Pack)





PRE-PROGRAMMED TESLA BLUETOOTH TPMS SENSOR

- The MX-Sensor BLE is a pre-programmed Bluetooth Low Energy (BLE) sensor that offers "fit & go" capability for Tesla 3/Y/S/X models
- Built to meet or exceed industry standards and tested to endure extreme temperatures, the MX-Sensor BLE is also programmable

with Autel tools for the latest BLE-equipped vehicles

- The MX-Sensor BLE features adjustable valve stems available in black, chrome, and gray to meet various vehicle needs and styles
- The MX-Sensor BLE is warranted for two years

Ascot No.	Mfg. No.	Description
461-30100	MX-Sensor BLE	Pre-Programmed Tesla Bluetooth TPMS Sensor

AUTEL MX-SENSOR PROGRAMMABLE UNIVERSAL TPMS SINGLE SENSORS

- Combines 315MHz & 433MHz frequencies into a single sensor
- 98% vehicle coverage
- The exclusive MX-Sensor patented PRESS release valve allows rubber and metal valve stems to freely interchange by hand without requiring a tool
- Built to match or exceed OEM sensors in frequency strength and durability
- 100% ID clone-able with no relearn required
- Quickly update during installation with an Autel wireless programming tool

Ascot No.	Mfg. No.	Description
461-20326	1-Sensor	Autel MX-Sensor Programmable Universal TPMS Single Sensor
461-20327	1-Sensor-M	Autel MX-Sensor Programmable Universal TPMS Sensor with Metal Stem
461-20328	1-Sensor-240	Autel MX-Sensor w/ Rubber Valve - 240 Bulk Pk.
461-20329	1-Sensor-24	Autel MX-Sensor w/ Rubber Valve - 24 Bulk Pk.
461-20331	1-Sensor-M-480	Autel MX-Sensor w/ Rubber Valve - 480 Bulk Pk.

AUTEL MX-SENSOR REPLACEMENT RUBBER VALVE STEM

- Patented PRESS release valve design
- Simply click in and press out
- Cap and core included

•	No va	alve	tools	required
	110 10	21 V C	10010	reganica

Ascot No.	Mfg. No.	Description
469-20280	RV1000	Autel MX-Sensor Replacement Rubber Valve Stem

AUTEL MX-SENSOR REPLACEMENT METAL VALVES

- Patented PRESS release valve design
- Simply click in and press out
- No valve tools required
- Cap and core included

Ascot No.	Mfg. No.	Description
469-20279	MV1000	Autel MX-Sensor Replacement Metal Valve
469-20281	CV-001	Autel Black MX-Sensor Replacement Metal Valve
469-20282	CV-002	Autel Titanium Grey MX-Sensor Replacement Metal Valve
469-20283	CV-003	MX-Sensor Chrome Replacement TPMS Valve

469-20281

469-20280 Autel MX-Sensor

Replacement

Rubber Valve Stem

469-20279Autel MX-Sensor
Replacement
Metal Valve

469-20283

TPMS Valve

Autel MX-Sensor Replacement Chrome

Autel Black MX-Sensor Replacement Metal Valve



AFTERMARKET TPMS ACCESSORY KITS

ASCOT SUPPLY WAREHOUSE CATALOG | 2025

Ascot No.	Mfg. No.	Description	
468-17492	17-492L-1	Long Skirted Black Plastic Cap with Seal for 17-20008	
469-17107	17-20107AK	TPMS Parts Kit for GM Applications	
469-17208	17-20008	GM TPMS Rubber Snap-In Valve	
469-17213	17-20013AK	TPMS Parts Kit for Dodge, Jeep, Chrysler Applications	
469-17216	17-20016AK	TPMS Parts Kit for Mercedes, Smart Applications	
469-17218	17-20018	TPMS Ford Rubber Snap-In Valve	
469-17221	17-20201AK	TPMS Parts Kit for Chrysler, GM Applications	
469-17222	17-20202AK	TPMS Parts Kit for Audi, Mercedes, Volkswagen Applications	
469-17223	17-20203AK	TPMS Parts Kit for Audi, Mercedes Application	
469-17224	17-20204AK	TPMS Parts Kit for Acura, Honda, Kia Applications	
469-17226	17-20206AK	TPMS Parts Kit for Hyundai, Honda, Kia Applications	
469-17228	17-20028AK	TPMS Parts Kit for Chrysler, Dodge, Mitsubishi Applications	
469-17272	17-20720AK	TPMS Parts Kit for Conti OE Sensors & Redi-Sensor	
469-17275	17-20725AK	TPMS Service Kit with Valve	
469-17296	17-20096AK	TPMS Parts Kit for Ford Applications	
469-17311	17-20211AK	TPMS Parts Kit for Misc. Import Applications	
469-17316	17-20216AK	TPMS Parts Kit for Lexus/Toyota Applications	
469-17317	17-20217AK	TPMS Parts Kit for Lexus/Toyota Applications	
469-17420	17-20020AK	TPMS Parts Kit + Stem for Chrysler, Dodge, Mercedes Applications	
469-17539	17-50399	TPMS Snap-In Valve, Hyundai	



AUTEL TIRE PRESSURE PLACARD VALUE STICKER

- Never set tire pressure below OE Specs
- Always use equal to or greater than load rating on replacement tire to determine proper air pressure for placard
- Always complete and install a new tire placard properly marked
- **QUANTITY:** 100 per roll

Ascot No.	Mfg. No.	Description	
469-20284	PVS01	Autel Tire Pressure Placard Value Sticker (100 per Roll)	



469-20284 Autel Tire Pressure Placard Value Sticker











461-59357

SCHRADER EZ-SENSOR® GO

- Instantaneous 1 second programming for domestic vehicle applications
- 3-5 second programming speed for import vehicle applications
- Available mechanical packages include silver adjustable angle clamp-in, matte black adjustable angle clamp-in, and rubber snap-in
- · Sleek blue cap
- · Compatible with most tools on the market
- Combines 314.9, 315 & 433 MHz
- · Covers 99.90% of TPMS equipped vehicles
- Meets OE quality and replicates OE functionalities

Ascot No.	Mfg. No. Description	
461-33560 33560 Schrader EZ-Sensor® GO TPMS Sensor		Schrader EZ-Sensor® GO TPMS Sensor
461-33561 33560M Schrader EZ-Sensor® GO - 220 Bulk Pack		Schrader EZ-Sensor® GO - 220 Bulk Pack
461-33562 33560-24 Schrader EZ-Sensor® GO - 24 Bulk Pack		Schrader EZ-Sensor® GO - 24 Bulk Pack

SCHRADER DUAL BAND EZ-SENSOR®

- Combines 314.9, 315 and 433 applications into ONE sensor
- Future proofed to support new and pending OE system technologies
- Increases speed, ensures accuracy and reduces the cost of servicing TPMSequipped vehicles
- Replicates OE functionality, including auto-locate technology

- · Aluminum clamp-in and rubber snap-in stem options
- Fully programmable to the selected vehicle type
- Covers majority of TPMS equipped vehicles
- Works with many programming tools
- Achieves OE quality requirement

Ascot No.	Mfg. No.	Description
461-33500	33500	Schrader Dual Band EZ-Sensor®

HIGH SPEED CLAMP-IN DUAL BAND EZ-SENSOR®

- 314.9, 315 and 433 MHz
- · Adjustable, aluminum stem
- · OE validated to 200 MPH
- 115 PSI

Ascot No.	Mfg. No.	Description
461-33700	33700	High Speed Clamp-In Dual Band EZ Sensor®

TPMS VALVE INSERTS

- Original equipment valve insert for the Beru Tire Safety System
- Each Insert comes complete with cap, core, grommet & grommet nut
- Colored bottom to differentiate inserts
- APPLICATIONS: Audi, Bentley, BMW, Ferrari, Land Rover, Maserati, Maybach, Mercedes-Benz, Porsche, Volkswagen
- Requires TX-20EZ torx tool for assembly / disassembly

Ascot No.	Mfg. No.	Description
461-59357	59.0346	Orange Valve Insert
461-59387	59.0344	Black Valve Insert



Tool only shown below

SCHRADER EZ SENSOR®/TOOL BUNDLE

- New S41 (21298) model replaces the S46 (21290)
- Offers functionality and flexibility at an affordable price
- Simple and easy-to-use interface guides the user when replacing and servicing TPMS sensors
- · With the addition of the OBD Quick Connector, users can reset the ECU in less than 2 minutes
- · Frequently updated with new features and upto-date vehicle and sensor coverage

SCHRADER EZ-SENSOR® BUNDLE CONTAINS:

- (24) Schrader EZ- Sensors®
- ATEQ S41 TPMS Scan Tool
- OBDII cable

Ascot No.	Mfg. No.	Description
469-21298	21298	SCHRADER EZ SENSOR*/TOOL BUNDLE: 24 EZ-Sensors plus Programming and Diagnostic Tool



469-21298 Schrader EZ Sensor/Tool Bundle









The Market's Fastest Programmable TPMS Sensor

Maximize Productivity with Parallel Sensor Programming

Efficient Programming:

Simultaneously program sets of two to four TPMS sensors, reducing downtime

Copy-Paste for Rapid Configuration:

Enable technicians to quickly duplicate old sensor settings, ensuring efficient TPMS service

Instant Sensor Programming:

1-3 second programming for the majority of vehicles

















TPMS VALVE CAP W/ SEALS

- Grev cap for clamp-in TPMS sensors
- · Keeps moisture and dirt out of the electronic sensor
- Ensures that the primary seal exists to avoid air leakage
- 100 per package

Ascot No.	Mfg. No.	Description
468-74920	A17-492T-1	Grey Plastic TPMS Valve Cap W/ Seal
468-74921	A17-492L-1	Long Black TPMS Cap W/ Seal

LARGE BORE HEX VALVE CAP

- Fits .482-26 valve threads
- Made from brass
- 10 caps per bag

- Similar to Haltec A-149 (TRVC7)
- · Made in China

Ascot No.	Mfg. No.	Description
468-00149	VC7	Large Bore Hex Valve Cap

ALLIGATOR V2B DUAL SEAL CAP

- Made in Germany by Alligator
- Increased tire life
- · Lower fuel consumption
- · Safety for driver and vehicle

Ascot No.	Mfg. No.	Description
468-02222	V2B	Alligator V2B Dual Seal Cap

HALTEC DS-1 DOUBLE SEAL CAP

- Reduce pressure check time by 65%
- · Inflate, deflate or gauge directly through the DS-1
- · Features tough all metal housing, precision fit brass components and durable self-sealing O-Ring
- · Automatic inflation systems lock right onto the DS-1
- · Performs like a check valve, the seal becomes tighter in the event of a core failure
- Heat resistant grommets provide additional protection

Ascot No.	Mfg. No.	Description
468-04191	DS-1	Haltec Double Seal Cap

METAL DOME VALVE CAP

- 100 per box
- Nickel-plated brass
- Seal included
- Fits standard bore valves
- Compatible with 0.307-32 threads
- Low profile
- Similar to Haltec VC-3 & Dill 765
- Made in China

		NEW <	
Ascot No.	Mfg. No.	Description	NEW
468-01765	AS-VC3	Metal Dome Valve Cap	468-01765
VALVE C	CAPS		Metal Dome Valve Cap
 All valvo 	cans are nack	aged 100 per hov	·

All valve caps are packaged 100 per box

	I		
Ascot No.	Mfg. No.	Description	
468-00107	CAP P	Plastic Valve Cap	
468-00207	Cap PG	Green Plastic Valve Cap	
468-00050	20395	95 TPMS Plastic Sealing Valve Cap	
468-20495	20495	TPMS Aluminum Sealing Valve Cap	
468-20595	20595	Black TPMS Plastic Sealing Valve Cap	
468-59019	59-0019	Green Nitrogen Indicating Aluminum Valve Cap	
468-59021	9021 59-0021 Chrome Plated Nitrogen Indicating Brass Valve Ca		

REPLACEMENT GROMMETS

Ascot No.	Mfg. No.	Description
468-10015	RG-15	5/8" Hole (for TR570)
468-10046	RG-46	5/8" Hole (for TR509 and TR510)
468-00202	RN-02	Rim Hole Reducer

www.ascotsupply.com

TPMS TRANSMITTERS, TOOLS & ACCESSORIES











468-59021 Chrome Plated Nitrogen Indicating Brass Valve Can









468-09002 Nickel Plated High-Temp Valve Cores

NICKEL PLATED HIGH-TEMP VALVE CORES

- Nickel plated for use with aluminum TPMS valves
- Temperature rated up to 150 degrees

•	100 Per Box
•	Made In China



Ascot No.	Mfg. No.	Description
468-09002	9002	Nickel Plated Valve Cores



ELECTRO-LESS NICKEL PLATED VALVE CORES

Ascot No.	Mfg. No.	Description
468-20055	20055	Electro-Less Nickel Plated Valve Cores

DILL ALUMINUM REPLACEMENT TPMS STEM

- Metal Replacement Clamp-In Valve for GM, Ford, Dodge Ram, Subaru & Suzuki
- · Made from anodized aluminum
- T-10 screw included
- QUANTITY: Packaged 20 per box



469-00925

Dill Aluminum Replacement TPMS Stem

Ascot No.	Mfg. No.	Description
469-00925	VS-925A	Dill Aluminum Replacement TPMS Stem

DILL GM & FORD REPLACEMENT TPMS SNAP-IN VALVE

- Snap-In valve replacement for both GM & Ford TPMS applications
- Can be used to replace both the Schrader 20008 & 20018
- · Includes a long black sealing
- cap and T-10 screw
- Requires T-10 torx tool for assembly/disassembly
- QUANTITY: Packaged 25 per box



469-00950 GM & Ford Replacement TPMS Snap-In Valve

Ascot No.	Mfg. No.	Description
469-00950	VS-950	Dill Rubber Snap-In Replacement Valve for GM & Ford Transmitters



REPLACEMENT ALUMINUM VALVE STEM

Ascot No.	Mfg. No.	Description
469-34000	34000	Replacement Aluminum Valve Stem



REPLACEMENT TPMS VALVE STEM

- Snap-In valve replacement for both GM & Ford TPMS applications
- Includes a long black sealing cap and T-10 screw
 100 Per Bag/500 per box
- Requires T-10 torx tool for assembly/disassembly
 Made in China

Ascot No.	Mfg. No.	Description
469-00208	AS2008	Replacement TPMS Valve Stem

• Similar to 31 Inc. 17-20008, Schrader 20018. Dill VS-950



REPLACEMENT TPMS SNAP-IN VALVE

- Rubber stem and attaching screw for Schrader snap-in sensors
- Requires T-10 torx tool for assembly/disassembly
- · Cap & core included
- For use with Schrader EZ Sensors
- QUANTITY: Packed 50 per box

Ascot No.	Mfg. No.	Description
469-20018	20018	Replacement Snap-In Valve for Schrader Snap-In Sensors



TPMS REPLACEMENT VALVE WITH PRE-THREADED INSIDE HOLE

- For GM, Ford, Chrysler/ Dodge/Jeep and more
- T10 screw included torque 11.5 in/lbs (1.3Nm)
- Sold in bags of 100
- Maximum cold inflation pressure 65 psi





Ascot No.	Mfg. No.	Description
469-17538	17-50388-100	TPMS Replacement Valve with Pre-Threaded Inside Hole

TPMS REPLACEMENT VALVE W/ HYBRID KEY

- Combines PARALLEL and RIGHT ANGLE keys
- · For GM, Ford
- T10 stepped screw included torque 11.5 in/lbs (1.3Nm)
- Sold individually
- Maximum cold inflation pressure 65psi

Ascot No.	Mfg. No.	Description
469-17389	17-50389	TPMS Replacement Valve with Hybrid Key

HIGH-SPEED GM TPMS SNAP-IN VALVE STEM

- Self-tapping screw
- Parallel key
- 11.5 in./lb. screw torque
- 80 PSI maximum cold inflation pressure
- QUANTITY: 10 per box, 240 per case

Ascot No.	Mfg. No.	Description
469-17245	17-20045	High-Speed GM TPMS Snap-In Valve Stem









TPMS SNAP-IN VALVE STEM (RIGHT ANGLE KEY)

- Self-tapping screw
- · Right angle key
- 11.5 in./lb. screw torque
- 80 PSI maximum cold inflation pressure
- **QUANTITY:** 10 per box, 240 per case

Ascot No.	Mfg. No.	Description
469-17246	17-20046	TPMS Snap-In Valve Stem (Right Angle Key)

TRW SNAP-IN SENSOR RUBBER VALVE STEM (SQUARE KEY)

- Self-tapping screw
- Square key
- 11.5 in./lb. screw torque
- 80 PSI maximum cold inflation pressure
- **QUANTITY:** 10 per box, 240 per case

Ascot No.	Mfg. No.	Description
469-17395	17-50395	TRW Snap-In Sensor Rubber Valve Stem (Square Key)

CONTINENTAL SNAP-IN SENSOR RUBBER VALVE STEM

- Clip lock
- 80 PSI maximum cold inflation pressure
- **QUANTITY:** 10 per box, 240 per case

Ascot No.	Mfg. No.	Description
469-17397	17-50397	Continental Snap-In Sensor Rubber Valve Stem

HYUNDAI TPMS SNAP-IN VALVE

- Lock nut
- 80 PSI maximum cold inflation pressure
- **QUANTITY:** 10 per box, 240 per case

Ascot No.	Mfg. No.	Description
469-17539	17-50399	Hyundai TPMS Snap-In Valve

.625" VALVE HOLE TPMS REPLACEMENT VALVES

- Found on Ford Super Duty Trucks and Sprinter Vans
- MAXIMUM COLD INFLATION
- PRESSURE: 150 PSI
- Attachment screw and valve cap included

Ascot No.	Mfg. No.	Description
469-17392	17-50392	TPMS Replacement Valve for .625" Valve Hole (Parallel Key)
469-17393	17-50393	TPMS Replacement Valve for .625" Valve Hole (Square Key)

SHORT TPMS REPLACEMENT SNAP-IN VALVE STEM

- Found on custom wheel applications
- Addresses clearance issues with inside valve holes
- MAXIMUM COLD INFLATION PRESSURE: 65 PSI
- Parallel key

Ascot No.	Mfg. No.	Description
469-17398	17-50398	Short TPMS Replacement Snap-In Valve Stem



COMPLETE REPLACEMENT KIT FOR CHRYSLER/DODGE TPMS APPLICATIONS

COMPLETE REPLACEMENT KIT INCLUDES THE FOLLOWING:

- Aluminum TPMS Valve Stem w/ Grommet
- Valve CoreValve Cap
- Valve Nut

Ascot No.	Mfg. No.	Description
469-90660	9066-K	Dill Chrysler TPMS Complete Stem Replacement Kit

T-10 TORQUE TOOL

Ascot No.	Mfg. No.	Description
469-20140	20140	T-10 Torque Tool for Snap-In Transmitters

T-10 TORQUE TOOL WITH REPLACEABLE TIP

- Installs replacement snap-in valves to Schrader snap-in transmitters
- Preset to 12 in./lb.

Ascot No.	Mfg. No.	Description
469-15415	15415	T-10 Torque Tool w/ Replaceable Tip
469-25415	15415-1	Replacement T-10 Tip

T-20 TORQUE TOOL WITH REPLACEABLE TIP

- Installs replacement Beru snap-in valves
- Preset to 35 in./lb.

Ascot No.	Mfg. No.	Description
469-15535	15535	T-20 Torque Tool w/ Replaceable Tip
469-25535	15535-1	Renlacement T-20 Tin

PRESET VALVE NUT TORQUE WRENCHES

- Wrench flexes when proper torque setting is reached
- Prevents overtightening of the valve grommet
- Cushioned handle
- Sizes and preset torque settings laser etched on shaft
- +/- 4% accuracy

Ascot No.	Mfg. No.	Description
168-00058	NSPTW58	5/8" Preset Torque Wrench for TR540- 550 Series Valve Hex Nuts
168-00916	NSPTW916	9/16" Preset Torque Wrench for TR570 Series Valve Hex Nuts











167-12110 1/4" Drive 11 mm x 12mm Chrome Flip Socket

> 469-01426 Adjustable Band for Banded TPMS Sensors

167-01012 TPMS Chrome Flin Socket/ Extension Kit

> 167-01015 TPMS Chrome

Flip Socket/ Socket Driver Kit

> 169-01002 1/4" Drive x 2" Chrome Extension



PROFESSIONAL TPMS MECHANICAL TOOL KIT

TPMS MECHANICAL TOOL KIT INCLUDES THE FOLLOWING:

- 1/4" Torque Screwdriver 10-80 in./lbs.
- Torque Valve Screwdriver 4 in./lbs.
- 2 Sockets: 11mm & 12mm
- 1/4" Adapter
- 4 Bits: T5, T10, T15 & T20
- Grommet Tool

Ascot No.	Mfg. No.	Description
469-10110	TPMKT010	TPMS Mechanical Tool Kit

TPMS MECHANICAL TOOL KIT CONTENTS

Ascot No.	Mfg. No.	Description
469-10415	TPMKT015-4	TPMS Valve Core Torque Tool
469-10715	TPMKT015-7	Multi-Purpose TPMS Grommet Tool

TPMS CHROME FLIP SOCKET/EXTENSION KIT

- 1/4" drive 11mm x 12mm chrome flip socket
- 1/4" drive x 2" chrome extension
- Unique flip socket design is the
- key to the easy installation and removal of TPMS sensors
- · Both pieces made of chrome vanadium

Ascot No.	Mfg. No.	Description
167-01012	TMRTR1012	TPMS Chrome Flip Socket/ Extension Kit

TPMS CHROME FLIP SOCKET/SOCKET DRIVER KIT

- 1/4" drive 11mm x 12mm chrome flip socket
- 1/4" drive screwdriver handle socket driver - 6" overall length - 2-1/2" shank length
- · Unique flip socket design is the key to the easy installation and removal of TPMS sensors
- Socket is made of chrome vanadium.
- · Socket driver is made in the USA

Ascot No.	Mfg. No.	Description
167-01015	TMRTR1015	TPMS Chrome Flip Socket/Socket Driver Kit

TPMS 1/4" DRIVE IMPACT SOCKETS

- · CR-MO alloy steel for long life
- · Radius corner design assists socket in grabbing the flat side of the fastener

Ascot No.	Mfg. No.	Description
167-12110	1211D	1/4" Drive 11 mm x 12mm Chrome Flip Socket
169-01002	1002E	1/4" Drive x 2" Chrome Extension

TPMS BAND TRANSMITTER ACCESSORIES

- TPMS Band is adjustable to accommodate 14" - 26" wheels
- For use on vehicles equipped with banded transmitters

Ascot No.	Mfg. No.	Description
469-01426	TPSTRAP	14" - 26" Adjustable Band for Banded TPMS Sensors



SCHRADER TPMS ACCESSORY KITS

The OEM requires that the four sealing components be replaced when reinstalling a TPMS sensor. The replacement components are supplied in TPMS accessory kits, which are sensor specific.

EACH TPMS ACCESSORY KIT CONTAINS:

- 1 Nut
- 1 Cap
- 1 Valve Core
- 1 Grommet

Mfg. No. Ascot No. Description 469-20007 20007 Accessory Kit For Alloy Wheel Nissan Transmitters 469-20009 20009 Accessory Kit for Suzuki Replacement Transmitter 469-20013 20013 Accessory Kit for Dodge Nitro Transmitters 469-20014 20014 Accessory Kit for Nissan Transmitters 469-20017 20017 Accessory Kit for Volkswagen/Siemens Transmitters 469-20018 20018 Replacement Snap-In Valve Ford 20315 Transmitter, Box of 50 20019 469-20019 Accessory Kit for Honda/Acura Transmitters TPMS Service Pack - Stem Only - Chrysler, Dodge, Jeep 20020 469-20020 469-20030 20030 Accessory Kit for Chrysler/Siemens Transmitters 469-20032 20032 Accessory Kit for Toyota/Pacific Transmitters 469-20035 20035 Accessory Kit for TRW Long Valve Transmitters 469-20036 20036 Accessory Kit for TRW Short Valve Transmitters



SCHRADER TPMS ACCESSORY KIT ASSORTMENT

Contains all the parts you will need when servicing tires and wheels that are equipped with Schrader Original

Equipment pressure monitoring transmitter valves. All components are individually packaged for easy identification by vehicle application and are stored in a handy plastic box.

ASCOT SUPPLY WAREHOUSE CATALOG | 2025

Ascot No.	Mfg. No.	Description
469-20598	20598	TPMS Service Pack Assortment. Includes: 8 each of service packs 20002, 20003, 20004, 20008, 20013, 20014, 20020, 20021, 20023, 20030, 20032 and 20036

469-20598 Master Accessory

Kit Assortment



ALLIGATOR UNIVERSAL METAL TPMS KIT


- Universal TPMS Service Kit for Metal Valve Stems ensures you choose the correct components corresponding to your specific TPMS sensor
- · Works on 97% of metal valve stem TPMS sensors
- Each kit includes a valve core, valve nut. valve cap, large grev seal, metal washer and small black seal
- Unused parts can be discarded
- Packaged 20 kits per box



Ascot No. Mfg. No Description 469-22482 Alligator Universal Metal TPMS Kit

ALLIGATOR U2-BULK UNIVERSAL **REPLACEMENT TPMS VALVE STEM**

· Designed, manufactured and test-rated to outperform comparable OEM products



- Use only nickel-plated valve cores conjunction with TPMS valves
- Pre-threaded screw, long cap
- · Bag of 50 bulk valves
- 300 valves per case Sold case quantities only

Ascot No.	Mfg. No.	Description
469-91322	591320BC	Alligator U2-Bulk Universal Replacement TPMS Valve Stem - 50 Per Bag/300 Per Case

ALLIGATOR U2 UNIVERSAL REPLACEMENT TPMS VALVE STEM

- Designed, manufactured and test-rated to outperform comparable OEM products
- ALLIGATOR TPMS Service Kits contain all components that are necessary for the correct and thorough service
- · Use only nickel-plated valve cores in conjunction with TPMS valves
- · Pre-threaded screw
- Long cap
- · Box of 20 valves

469-22481 Alligator U2 Universal TPMS Valve

Stem Ascot No. Mfg. No. Description Alligator U2 Universal Replacement 469-22481 TPMS Valve Stem - Box of 20



469-91322

Alligator U2-Bulk Universal Replacement TPMS Valve Stems

TIRE VALVES

Tubeless Tire Valves (Truck)

TRUCK & BUS TUBELESS TIRE VALVES: 570 SERIES

- Used on both demountable and non-demountable rims with standard 5/8" (.625") side hole valve mountings
- Heavy duty rubber grommet forms airtight seal when valve is clamped in rim by tightening the hex nut
- Eight valves cover all truck rim requirements

Ascot No.	TR No.	Effective Length
463-00501	501	1-1/2"
463-00572	572	3-3/4"
463-00573	573	4-3/8"







463-00572



463-00573

AIR/LIQUID VALVE: 1-7/8"

Ascot No.	TR No.	Effective Length
464-00618	618A	1"



464-00618



ALUMINUM WHEEL TRUCK TUBELESS TIRE VALVES: 540 & 550 SERIES

- Designed for use with 9.7mm (.382") rim hole
- Rubber O-ring forms a seal when valve is clamped to rim by tightening hex nut
- Designed specifically for use in aluminum wheels
- 550 Series equipped with rubber grommet



Ascot No.	TR No.	A	В	С	
	540	SERIES			
463-05454	545D	0.98"	2.60"	60°	
Ascot No.	TR No.	А	В	С	
550 SERIES					
463-01555	555D	0.98"	2.60"	60°	

CLAMP-IN TIRE VALVES




Ascot No.	TR No.	Description
462-11147	ASN-1147	Radial Commander Valve
463-00500	TR500	Clamp-In Tire Valve for .625" Rim Hole – 2"
463-00575	TR575	Clamp-In Tire Valve for .625" Rim Hole – 1-1/8"
463-02554	TR554D	Aluminum Clamp-In Valve for .382" Rim Hole- 1.94"
463-05434	TR543D	Aluminum Clamp-In Valve for .382" Rim Hole- 1.38"
463-05435	TR543E	Aluminum Clamp-In Valve for .382" Rim Hole- 1.38"
463-05444	TR544D	Aluminum Clamp-In Valve for .382" Rim Hole– 1.94"
468-00203	TRCH-3	Core Housing

TIRE VALVES

AIR - FLEXX® FLEXIBLE VALVE EXTENTIONS

- Entirely pressure free during operation
- Unbreakable. No risk of damaged extension or air loss
- Fitment without additional holder / clamp / stabilizer (up to air-flexx* length 215 mm)
- Always accessible. Air pressure checks can always be performed, without removing hubcaps
- Even load on all tires. Less tire wear
- Lower fuel consumption



Ascot No.	Mfg. No.	Description	Length
468-00075	AF-0075-GE	w/ Cap - 75mm - 2-Pack	2-15/16"
468-00085	AF-0085-GE	w/ Cap - 85mm - 2-Pack	3-5/16"
468-00105	AF-0105-GE	w/ Cap - 105mm - 2-Pack	4-1/8"
468-00145	AF-0145-GE	w/ Cap - 145mm - 2-Pack	5-11/16"
468-00185	AF-0185-GE	w/ Cap - 185mm - 2-Pack	7-1/4"
468-00215	AF-0215-GE	w/ Cap - 215mm - 2-Pack	8-7/16"
468-00315	AF-0315-GE	w/ Cap - 315mm - 2-Pack	12-3/8"
468-00415	AF-0415-GE	w/ Cap - 415mm - 2-Pack	16-5/16"
468-01000	AF-1000-GE	w/ Cap - 1000mm - 2-Pack	39-3/8"









TIRE VALVES

Tubeless Tire Valves (Passenger)

SNAP-IN TUBELESS TIRE VALVES



Ascot No.	TR No.	EFFECTIVE LENGTH	BODY	
FO	OR .453" VA	LVE HOLES		
461-00412	412	7/8"	Brass	
461-00413	413	1-1/4"	Brass	
461-00414	414	1-1/2"	Brass	
461-01413	413A	1-1/2"	Aluminum	
461-01414	414A	1-1/2"	Aluminum	
461-01418	418A	2"	Aluminum	
FO	FOR .625" VALVE HOLES			
461-00415	<i>A</i> 15	1_1/2"	Brace	

HIGH PRESSURE SNAP-IN VALVES

• Tubeless snap-in type valves for high pressure applications • Maximum cold inflation pressure is 80 PSI • For .453" or .625" rim holes • Do not use on tire rims that exceed .205" in thickness at the valve hole



Ascot No.	TR No.	EFFECTIVE LENGTH	VALVE HOLE DIAMETER
461-00600	600HP	1.25"	.453"
461-00800	801HP	1.25"	.625"

CHROME-SLEEVE SNAP-IN TYPE TUBELESS TIRE VALVES

• Standard snap-in type tubeless tire valves are fitted with an attractively designed hexagon valve cap and chrome sleeve to cover the valve stem area



Ascot No.	TR No.	EFFECTIVE LENGTH
461-41311	413SC	1-1/4"

TANK VALVE

 Utilized on pressure containers where guaging or servicing may be required
 Tank valves are used with various gases, fluids and operating pressures
 1/8-27 NPT thread
 Nickel plated
 100 per bag



Ascot No.	TR No.	EFFECTIVE LENGTH
468-00401	SMTV03	1"

CLAMP-IN TUBELESS TIRE VALVES

• Nickel plated metal valves can be installed in all passenger cars, light trucks and industrial rims with .453" or .625" valve holes • Rubber grommet forms a seal when valve is clamped to rim by tightening hex nut • Maximum inflation pressure is 200 PSI • Includes 2 rubber grommets



Ascot No.	TR No.	EFFECTIVE LENGTH
462-00416	416	1-1/4"

139



VALVE HARDWARE TOOLS & ACCESSORIES

VALVE INSTALLATION TOOL W/ RUBBER BLOCK

- · Rubber block adds leverage during valve stem installation and removal
- Keeps valve stems in a vertical

position during installation/removal

- Steel construction with knurled handle
- Flexible rubber block to protect the wheel

Ascot No.	Mfg. No.	Description
469-00014	VT-014	Valve Installation Tool w/ Rubber Block

VALVE STEM PULLER W/ RUBBER BOOT

- Rubber over mold to protect wheel & rim from possible damage while installing or removing valve stem
- · Offset head designed to work with
- most after-market wheels & rims
- Locking head assembly enables easy installation and removal of valve stems
- Equivalent to ESCO 50114

ASCOT SUPPLY WAREHOUSE CATALOG | 2025

Ascot No.	Mfg. No.	Description
469-00040	VIT-002	Valve Stem Puller w/ Rubber Boot

TUBELESS VALVE INSERTION/REMOVAL TOOL

• For all sizes of snap-in passenger car tire valves.

Ascot No.	Mfg. No.	Description
469-00992	992	Tubeless Valve Insertion/Removal Tool

TUBELESS TIRE VALVE SERVICE TOOL

- Pull-A-Stem tool pulls old valves or inserts new valves
- Fits all sizes or lengths

Ascot No.	Mfg. No.	Description
469-01124	VT-1124	Tubeless Tire Valve Service Tool

HEAVY DUTY PROFESSIONAL PLASTIC VALVE PULLER

- Steel tube reinforced handle provides extreme rigidity
- · Safety orange color for easy visibility
- Indestructible

- Protects wheels from damage during installation/removal of snap-in valve stems
- · Made in Taiwan

Ascot No.	Mfg. No.	Description
469-01638	1638A	Heavy Duty Professional Plastic Valve Puller

GREEN PLASTIC ECONOMY VALVE PULLER W/ METAL ROD INSERT

- Metal rod inserted through the puller for increased strength
- Made from a durable plastic material
- Will not scratch or mark aluminum wheels
- Locking head assembly enables easy installation and removal of valve stems
- Equivalent to ESCO 50117. AME 51170 & Dill 5407P

Ascot No.	Mfg. No.	Description
469-03333	VT-03P	Green Plastic Economy Valve Puller W/ Metal RodINsert

TIRE VALVE INSTALLER

- Ergonomic Handle
- Robust Design
- Durable Steel Construction
- · Pivoting Head
- Threaded Head
- Made In Taiwan

Ascot No.	Mfg. No.	Description
469-00850	NS-79435L	Tire Valve Installer



140



VALVE HARDWARE TOOLS & ACCESSORIES



469-00012 469-00004 469-11610 469-11710

NEW

469-11810

469-11910

VALVE CORE REMOVERS

Ascot No.	Mfg. No.	Description
469-00001	CT-1	Pocket Size Valve Core Remover
469-00003	CT-3	Heavy Duty 1 3/4" Steel Shaft Valve Core Remover

LARGE BORE/STANDARD BORE VALVE CORE TOOL

Ascot No.	Mfg. No.	Description
469-00005	CT-5	Large Bore/Standard Bore Valve Core Tool

VALVE CORE TOOL - SCREWDRIVER TYPE

• Has a plastic screwdriver handle for better grip and leverage

· Made in USA

Ascot No.	Mfg. No.	Description
469-00607	607	Valve Core Tool - Screwdriver Type

LARGE BORE 4-WAY VALVE CORE TOOL

• Repairs damaged threads

large bore valves Removes damaged valve cores

Fits large bore and super

 Similar to Haltec TL-690 & Dill 5209L · Made in China

Ascot No. Mfg. No.		Description
469-01690	AS-690	Large Bore 4-Way Valve Core Tool

BLACK HEAT TREATED HEAVY DUTY TIRE VALVE REPAIR TOOL

• 4-In-1 standard valve tool repairs cap threads, repairs core threads Easy-out feature for removing damaged cores & standard caps

Ascot No.	Mfg. No.	Description
469-00002	CT-2	Black Heat Treated Heavy Duty Tire Valve Repair Tool

ECONOMY 4-WAY VALVE CORE TOOLS

Ascot No.	Mfg. No.	Description
469-00004	CT-4	Economy 4-Way Valve Core Tool
469-00012	CT-2E	Economy 4-Way Valve Core Tool - Black

LARGE BORE VALVE CORE TOOLS

- For use with large bore valves
- Equipped with sliding sleeve which holds the core during removal
- Sliding sleeve allows positive grip on valve core for those

hard-to-reach valves

- Durable plastic handle
- 5.4" and 10" lengths
- Made in China

Ascot No.	Mfg. No.	Description
469-11610	ASN-1610	Large Bore Core Tool 5.4" Length
469-11710	ASN-1710	Large Bore Core Tool 10" Length

LARGE BORE HEX CAP TOOL

Ascot No.	Mfg. No.	Description
469-11810	ASN-1810	Large Bore Hex Cap Installation Remover Tool 10" Overall Length

LARGE BORE VALVE CORE REMOVER

Ascot No.	Mfg. No.	Description
469-11910 ASN-1910 Large Bore Core		Large Bore Core; Remover - 6"



VALVE HARDWARE TOOLS & ACCESSORIES

TIRE DEFLATOR/VALVE CORE REMOVER

Screws on TPMS valve stems to deflate the tire without removing the valve core

Ascot No.	Mfg. No.	Description
469-00021	VT-21	Tire Deflator/Valve Core Remover

3-IN-1 EXTRACTOR & INFLATOR TOOL

- Use to remove valve cores, install valve cores, and inflate your tires with air. 1/4" threaded inlet
- Cut the valve cap installation process in half. Customized with air-holding seals to speed airflow through the tire valve
- Install air chuck onto tool, push knurled end inward,
- unscrew valve core. Pull knurled knob back, allowing core to be safely held inside of tool's air-tight chamber
- 5-1/8" length 6-3/4" extended
- Valve core remains inside the tool so no more lost valve cores
- Similar to Milton S-443
- · Made in Taiwan

Ascot No.	Mfg. No.	Description
469-00443	AS-443	3-In-1 Valve Extractor & Inflator Tool

LARGE BORE VALVE FISHING TOOL - CHAIN TYPE

· Made in China

Ascot No. Mfg. No.		Description
469-00619	VT-01C-LB	Large Bore Valve Fishing Tool - Chain Type

CHAIN VALVE FISHING TOOL

• Guides valve smoothly through rim hole while mounting tire & tube

Ascot No.	Mfg. No.	Description
469-00609	609	Chain Valve Fishing Tool

CABLE VALVE FISHING TOOL

 Valve core wrench and deflating pin with flexible cable for fishing valve through rim hole

Ascot No.	Mfg. No.	Description
469-00011	VT-01	Cable Valve Fishing Tool

CABLE TYPE VALVE FISHING TOOL - 24"

- Combines valve core wrench and deflating pin with flexible cable for fishing valve through rim hole
- for fishing valve through rim hole

 Cable type design
- 24" length
- Similar to Haltec TL-645-24
- Made in China

Ascot No.	Mfg. No.	Description
469-00024	VTC-018-24	Cable Type Valve Fishing Tool - 24"



VALVE HARDWARE TOOLS & ACCESSORIES





VALVE CORE TORQUE TOOL

- Preset torque guarantees correct setting every time on all cores
- Designed specifically for use with TPMS sensors
- Preset to 3-4 in./lbs.
- · Can be used to install and remove cores in standard valves
- Similar to Dill 5414
- · Made in China

Ascot No.	Mfg. No.	Description
469-08288	VCT-031	Valve Core Torque Tool

VALVE CORE TORQUE TOOL

- Preset torque guarantees correct setting every time on all cores!
- Can be used to install and remove cores in standard valve stems
- Calibrated to 4 in./lb. of torque
- Meets the Tire & Rim Association (TRA) specifications for installing valve cores on TPMS applications

Ascot No.	Mfg. No.	Description
469-00044	TPMS-4VC	Valve Core Torque Tool

SCREWDRIVER/CORE TOOL

- Lock-On Feature For The Valve Core
- · Metal Pocket Clip
- Flat-Head Screwdriver Tip

Ascot No.	Mfg. No.	Description
469-00673	673-D	Screwdriver/Core Tool

HEX HANDLED STEEL VALVE CORE TOOL

· For inserting and removing valve cores • Long hex body for easy access

Ascot No.	Mfg. No.	Description
469-01115	VT-1115S	Hex Handled Steel Valve Core Tool

RECESSED VALVE CORE TOOL

- · Core tool is recessed into the handle
- Design eliminates the possibility of the tool poking
- through a shirt pocket
- Easily fits into a shirt pocket
- Includes clip

Ascot No.	Mfg. No.	Description
469-11115	V/T-11151	Recessed Valve Core Tool

HOOK AND PICK SET

- Comfortable material handle
- 4 picks: combination pick 90° pick, straight pick, and hook pick
- · Help removal of o-ring, cotter

pin seals, and bushes in various automotive applications

· Made in Taiwan

Ascot No.	Mfg. No.	Description
319-46464	AS-MHPS	Hook And Pick Set

TIRE DEFLATOR SET

- · Valves deflate pressure slowly to protect TPMS sensors
- No need to remove TPMS valve core
- Cups colored and marked with tire position to prevent incorrect tire mounting

Ascot No.	Mfg. No.	Description
469-51632	TD-1808	Tire Deflator Set

143



VALVE HARDWARE TOOLS & ACCESSORIES

9/16" SINGLE HEX VALVE STEM RATCHET WRENCH

• For TR570 Series Valves

Ascot No.	Mfg. No.	Description
469-00018	VSW-18	9/16" Single Hex Valve Stem Ratchet Wrench

5/8" DOUBLE HEX VALVE STEM RATCHET WRENCH

For TR540 Series Valves

Ascot No.	Mfg. No.	Description
469-00020	VSW-20	5/8" Double Hex Valve Stem Ratchet Wrench

VALVE STEM WRENCH KIT

• Kit includes 9/16" & 5/8" valve stem wrenches in durable pouch

Ascot No.	Mfg. No.	Description	
469-01820	59-01820 VSW-1820-KIT	Valve Stem Wrench Kit	

STUBBY FLEX HEAD COMBINATION WRENCHES

- Needs as little as 5 degrees to move a fastener
- 180 degree flex action head that allows access into the tightest applications
- Short pattern along with the slim head and body allow the stubby wrenches into places where no other wrench will work
- 12 point ratchet ring
- · Enhanced open end design that prevents fastener rounding
- Size stamped on wrench for ease of identification
- Ideal for use with TR540-550 & TR570 series clamp-in tire valves
- · Made in Taiwan

Ascot No. Mfg. No.		Description
313-00058	58SFHCW	5/8" Stubby Flex Head Combination Wrench
313-00916	916SFHCW	9/16" Stubby Flex Head Combination Wrench

FLEX HEAD OPEN END COMBINATION WRENCHES

- · Flex head capable of tilting 180 degrees
- 72 teeth with double stack pawls to provide 144 tips (ratcheting positions)
- 144 tips provides wrench with more movement, 2.5-degree space requirement for each turn
- Made with chrome vanadium steel for strength to exceed international standards
- Designed for working in confined space Meets ANSI specification

- Professional plating to prevent corrosion
- Ratcheting head allows fastener to travel without removing the ratchet head
- · Non-slip open end allows 4 contact points, conventional open end offers 2 contact points
- 12-point box end with ratcheting function
- Made in Taiwan
- Same factory as Milwaukee Tools
- Similar to Milwaukee 45-96-9815 & Milwaukee 45-96-9816

Ascot No.	Mfg. No.	Description
313-01916	3205	9/16" Flex Head Open End Combination Wrench
313-00158	3027	5/8" Flex Head Open End Combination Wrench



www.ascotsupply.com



VALVE HARDWARE TOOLS & ACCESSORIES



VALVE AND CORE TOOLS (CONT.)

Ascot No.	Mfg. No.	Description
469-23430	23.4300	TUBE DEFLATING ASPIRATOR Screwing aspirator onto valve mouth and applying air chuck to threaded inlet creates vacuum that siphons air from tube
469-32855 469-32856	3285D 3285E	LOCK-ON SCREWDRIVER CORE TOOLS Lock-On Screwdriver Core Tools Allows the valve core to stay attached to the tool after it is removed from the valve Protects the valve core from loss Aluminum handles provide a sturdy a grip for inserting and removing valve cores 469-32855: 5" Effective length 469-32856: 6.5" Effective length
469-52000	S-2	VALVE CAPPER INNER DUAL VALVE CORE/CAP TOOL

STANDARD BORE VALVE TOOLS

Ascot No.	Mfg. No.	Description	
469-00612	612	STANDARD BORE LONG VALVE CORE TOOL 8" overall length, blade length of 5-1/8" Oversized handle Made in USA	Packaged 200 per case Equivalent to Haltec TL-612 Made in USA
469-00610	CT6-10	STANDARD BORE VALVE CORE TOOL Has a plastic screwdriver handle for the standard for the st	or better grip and leverage
469-00123	AS-123	STANDARD BORE VALVE CAP INSTALLATION Similar to Haltec TL-633 Easy to remove and install valve caps on inside dual wheels Designed for aluminum wheels with small hand holes, it comes with a protective sleeve to prevent scratching Works great at removing tight	ON/REMOVAL TOOL or cross-threaded caps • Positive hold while valve is serviced • Keeps cap in tool • Length 8.25" without handle • Made in China

TRUCK AND SPECIALTY VALVES

Ascot No.	Mfg. No.	Description	
469-00580	X-10NS58B	BRASS TIRE VALVE NUT SPLITTER Removes brass tire valves from truck rims	
469-22011	VB	Removes valves quickly Slide hammer with an internal spring absorbs the shock of impact Easy to use Pemovat Removal Tool Designed to sheer the bottom flange off the valve with one or two blows 63" overall length	
469-22012	RE	REPLACEABLE END FOR VALVE BLASTER TRUCK STEM REMOVAL TOOL	
469-32011	35936	KEN TOOL VALVE BREAKER TOOL	



MISCELLANEOUS TIRE SERVICING TOOLS

BRAKE LINING THICKNESS GAUGE

- Made of durable metal
- Each blade features both SAE and Metric measurements
- · Clear and accurate depth readings for a quick and easy reading
- Color coded brake gauge provides effective identification
- THE SET IS DIVIDED INTO 3 **COLORS:** Red, Yellow and Green
- Red 2 mm (.787") Brakes must be serviced
- Yellow 4 mm (.1575") Brakes must be serviced
- Made in Taiwan

Ascot No.	Mfg. No.	Description
411-65201	B650201	8-Piece Brake Lining Thickness Gauge

BRAKE THICKNESS GAUGE

- · Quickly and easily determine the remaining thickness of a vehicle's brake pads without removing any wheel components
- Color coded gauge determines if the brake pads need to be replaced
- On the gauge, the colors
- correspond with the brake pad thickness readings:
- 11mm or more Green, no replacement necessary
- 8mm to 10mm Yellow, suggest replacement soon
- 0mm to 8mm Red, recommend replacement

Ascot No.	Mfg. No.	Description
411-03218	NS-3218P	Brake Thickness Gauge

TIRE TREAD DEPTH GAUGES

Ascot No.	Mfg. No.	Description
454-00190	HT-190L	3-Color All-Metal Tread Depth Gauge
454-00599	595	Tire Tread Depth Gauge
454-00712	NS712	All-Metal Tread Depth Gauge
454-01599	599-C	3-Color Tread Depth Gauge

DIGITAL TREAD DEPTH GAUGE

- Made from strong carbon fiber composite
- Zero setting in any position
- · Metric, decimal inch and fraction inch toggle
- Large LCD display

Ascot No.	Mfg. No.	Description
454-00209	NS209S	Digital Tread Depth Gauge





454-00599 Tire Tread Depth Gauge

All-Metal



454-00209 Digital Tread Depth Gauge

www.ascotsupply.com



MISCELLANEOUS TIRE SERVICING TOOLS



ALUMINUM OTR TIRE TREAD DEPTH GAUGE

- Indicating bar is calibrated in 32nds on one side and millimeters on the other
- Magnified sight glass for easily reading the measurements
- Measures tread depth up to 6"
- Made from aluminum
- Comes in a black leather pouch
- Similar to Haltec N-1410
- · Made in Taiwan

Ascot No.	Mfg. No.	Description
454-11410	ASN-1410	Aluminum OTR Tire Tread Depth Gauge



PCD WHEEL BOLT MEASURING TOOL

- Can be used to measure a wheel or turned over to measure studs on a vehicle
- This wheel rim bolt pattern gauge is made of the best quality plastic material
- Lightweight and durable
- Quickly measures most common 4, 5, 6, 8 lug bolt patterns, it shows both inch and metric sizes.

Ascot No.	Mfg. No.	Description
454-06763	676-3	PCD Wheel Bolt Measuring Tool



TRUCK TIRE TREAD DEPTH GAUGE

- Calibrated in millimeters and 1/32nds
- Measures shoulder wear as well as tread depth
- Durable metal construction
- · Protective pouch included

Ascot No.	Mfg. No.	Description
454-01420	HT-1420	Truck Tire Tread Depth Gauge



MISCELLANEOUS TIRE SERVICING TOOLS

WHEEL BOLT PATTERN GAUGE

Ascot No.	Mfg. No.	Description
454-03000	WG-3000	Wheel Bolt Pattern Gauge - New Style

8-PIECE LUG NUT & WHEEL STUD CHECKER SET

- Wheel stud thread size gauge includes both male and female threads for checking lug nuts, wheel locks and wheel studs
- 8 sizes to verify most common bolts and lug thread sizes
- · Size permanently stamped

onto each gauge

- Color coded for easy identification
- INCLUDES: Purple (M12x1.25), Orange (M12x1.50), Pink (M12x1.75), Black (M14x1.50), Silver (M14x2), Red (9/16x18), Green (7/16x20) & Blue (1/2x20)

Ascot No.	Mfg. No.	Description
493-00801	8TGCS	8-Piece Lug Nut & Wheel Stud Thread Checker Set

ASCOT & MARKAL B PAINTSTICKS

- Real lead-free paint in stick form
- · Combines long-lasting durability of paint with an ease-of-use crayon
- TEMPERATURE RANGE:
 - -50 to 150 degrees F

- · For use on metal, wood, plastic, concrete, rubber, glass, cardboard & paper
- · Marks on smooth, rough, rusty or dirty surfaces and also marks through oil & water

ASCOT NO.	MTG. NO.	Description	Qty./Case
459-80220	80220	Markal B White Paintstick	144
459-80221	80221	Markal B Yellow Paintstick	144
459-80257	80257	Ascot B White Paintstick	144
459-80258	80258	Ascot B Yellow Paintstick	144
459-80271	80271	Ascot B Orange Paintstick	144

· Copper-based anti-seize and Working temperature lubricating compound to 1800 degrees F

 Resists rust and corrosion Authorized by USDA for

EZ BREAK ANTI-SEIZE

use in federally inspected meat and poultry plants

- · Recommended for nuts, bolts,
- valves, flanges & splines for easy break out after years of service

Ascot No.	Mfg. No.	Description	Qty./Case
494-01010	008910	EZ Break Anti-Seize: 10 oz. Can w/ Brush-In Cap	24
494-08916	008916	EZ Break Anti-Seize: 14 oz. Aerosol Can	12



Markal B Paintsticks

454-03000 Wheel Bolt Pattern Gauge, New Style

494-01010 EZ Break Anti-Seize, 10 oz. Can with Brush-In Cap









GAUGE ACCURACY GUIDE

Why do you need **Quality Air Gauges?**

Keeping an eye on tire pressure is a critical part of regular inspection and maintenance. Tire pressure is a critical function in many different ways. Underinflated (or grossly overinflated) tires don't handle safely, and if you find yourself in a "steer out of trouble" situation, improperly inflated tires can get you into a lot of trouble. Low tires heat up and can blow out, not only destroying the tire but also putting you in an accident-likely situation. Keeping tires properly inflated also makes sense from a dollars and sense perspective: Underinflated tires wear out more guickly. Overinflated tires can make the ride rough, and actually wear out suspension parts. And yes, fuel economy is really affected by tire inflation. The solution to these safety and money issues is as simple as regularly checking tire inflation, and for this you need an accurate tire pressure gauge.

PLEASE USE THIS GAUGE ACCURACY GUIDE AS A HELPFUL TOOL!

GOOD BETTER BEST ACCURACY **ACCURACY ACCURACY**

> A QUICK GUIDELINE FOR **OUR GAUGES IS SHOWN** WITH THE PRODUCTS IN THE SECTIONS BELOW

1-2% ACCURACY **ANALOG GAUGES** RECOMMENDED FOR ALL TYPES **OF VEHICLES** 477-10004 RETTER REST GOOD 0-138 PSI













476-00211

Gauge Counter Display

GAUGE COUNTER DISPLAYS

- Low pressure for general use
- High pressure for SUVs, trucks and other high pressure applications
- Gauges calibrated in 2 lb. increments
- Aluminum barrel

Ascot No.	Mfg. No.	Description
476-00211	211-DIS	Counter Display of 10 Low Pressure Gauges (10-50 PSI)
476-00941	941-DIS	Counter Display of 10 High Pressure Gauges (10-120 PSI)

SCREWDRIVER ADJUSTABLE CALIBRATION GAUGE

- External Adjustment Screw makes calibration quick & easy
- Plated finish provides corrosion protection and great looks
- 4-sided metal indicator bar is durable and easy to read
- Hang-up ring provides a convenient method of storage
- Flat-head screwdriver required for calibration

Ascot No.	Mfg. No.	Description
476-01046	1046-ADJ	Screwdriver Adjustable Calibration Gauge

EXTERNAL ADJUSTABLE CALIBRATION GAUGES

- External adjustment screw makes calibration quick and easy
- · 2-sided metal bar is durable and easy to read
- · Heavy duty plated finish provides corrosion protection*
- · Flathead screwdriver required for calibration



Chrome recalibration screw on all of the chrome plated gauges

Black recalibration screw on the gauge with the epoxy finish (476-00165)

Ascot No.	Mfg. No.	Description
476-00165	HT-165S-RCL	Hang-up ring provides a convenient method of storage Calibrated 10-150 PSI Straight-on/30° reverse angled chuck Equivalent to Haltec GA-165S-RCL
476-00255	HT-155S-RCL	Chuck swivels for ease of use in tight areas Calibrated 10-150 PSI Equivalent to Haltec GA-255S-RCL

*Part # 476-00165 has black epoxy finish.







DIGITAL TRUCK TIRE GAUGE

• OPERATING RANGE: 0-180 PSI

• RESOLUTION: 0.5 PSI

• **ACCURACY:** ± 1% + 0.5 PSI at 100 PSI

• Calibration in BAR, KG/CM 2, KPA and PSI

• Auto Power Off - Simple Operation

• Built-in Backlight with Clear, Large LCD Display

• Replaceable LED Battery

• POWER SOURCE: Lithium & LR 44 Alkaline

Ascot No.	Mfg. No.	Description
476-03238	3238P-2	Digital Truck Tire Gauge

DIGITAL PASSENGER GAUGE

- Large, easy-to-read LCD numbers for precise readings
- Features pinpoint accuracy, convenient air bleed, protective casing
- Features dual foot chuck

Ascot No.	Mfg. No.	Description
476-10500	DT-105	Digital Passenger Gauge: 1-100 PSI

DIGITAL POCKET GAUGE

• Range: 0-150 PSI in .5 PSI increments

ACCURACY: ±1 PSI

- Large LCD display
- Red backlight
- Angled chuck head

Ascot No.	Mfg. No.	Description
476-32380	3238P	Digital Pocket Gauge w/ Angle Chuck: 1-150 PSI



ADJUSTABLE FIELD SERVICE GAUGE

- Field adjustable truck service gauge
- Adjustable calibration
- Chrome finish

Ascot No.	Mfg. No.	Description
476-07285	7285-R	Adjustable Field Service Gauge

AUTOMOTIVE TIRE GAUGES

• Pencil, chrome tire gauges with nylon indicator bars

Ascot No.	Mfg. No.	Description
476-10100	945	Extra-Low Pressure Tire Gauge (1- 20 lb.): Chrome-Plated
476-10105	910	10-50 psi Passenger Tire Gauge: Chrome-Plated
476-10115	920	High Pressure Pencil Gauge (20-120 lb.)
476-10125	120	Air/Liquid Tire Gauge (5-45 lb.): Chrome-Plated, Nylon Bar
476-10145	975	Mid-Range Pencil Gauge (10-75 lb.): Chrome-Plated, Calibrated in lb./kPa

POCKET TRUCK GAUGES

Ascot No.	Mfg. No.	Description
476-10130	1314	Dual Foot - High Pressure Pencil Gauge (20-120 lb.)
476-10150	1317	Dual Straight Pencil Gauge (20-120 lb.) Chrome Plated
476-10160	1317T	Dual Chuck Service Gauge: Black Epoxy Straight- On/Angled (4-Sided Nylon Bar)

DUAL FOOT CHUCK

- Used to check accuracy of gauges
- Calibrated 10-160 PSI

Ascot No.	Mfg. No.	Description
476-10140	1075	Dual Foot Chuck

PROFESSIONAL SIGHT GLASS MASTER TRUCK GAUGE

- Range: 10-160 PSI in 2 PSI increments
- ACCURACY: ± 1 PSI
- Highest quality, best design
- 360-degree swivel head

Ascot No.	Mfg. No.	Description
476-32922	3292E-RED	Sight Glass Master Truck Gauge: Angle Chuck







TRUCK SERVICE GAUGES

- Wide variety of service gauges to accommodate the numerous tire and wheel configurations encountered by tire service personnel
- Available in chrome-plated or protective black epoxy finish as indicated
- Calibrated from 10-150 psi in 2 pound increments
- Nylon or metal indicator bars

Ascot No.	Mfg. No.	Description
476-10135	1031	Dual Foot Service Gauge (10-150 lb.): Chrome-Plated, Nylon Bar
476-11135	1038	Dual Foot Service Gauge (10-150 lb.) w/ Heavy Duty Metal Bar
476-10155	1045	Dual Straight Service Chuck Gauge (10-150 lb.): Chrome-Plated
476-10165	1045T	Dual Chuck Service Gauge: Black Epoxy, Straight- On/ Angled, 4-Sided Nylon Bar
476-11165	HT-165	Dual Chuck Service Gauge: Black, 2-Sided Bar
476-11155	1048	Dual Straight Service Chuck Gauge (10- 150 lb.): Chrome-Plated w/ Metal Bar
476-10185	1095	Dual Foot Service Gauge w/ Nylon Bar (180° Foot Chuck)
476-11185	1096	Dual Foot Service Gauge w/ Metal Bar (180° Foot Chuck): Chrome
476-10480	1048T	Dual Chuck Service Gauge: Black Epoxy, Straight-On/Angled, Metal Bar
476-11148	1048S	Dual Straight Service Gauge: Short Length

LARGE BORE GAUGES

• Swivel gauge swivels 360 degrees for those hard to reach valves

Ascot No.	Mfg. No.	Description
476-10240	1086	Large Bore Straight Gauge: 20-120 PSI
476-10255	1085	Large Bore Swivel Gauge: 10-150 PSI

• Similar to Haltec GA-250

· Made in China

LARGE BORE HIGH PRESSURE AIR GAUGE

- 10-150 psi in 3 lb. increments
- For standard & large bore valves
- · Nylon indicating bar
- Chrome finish

Ascot No.	Mfg. No.	Description
476-11250	ΔS-250	Large Bore High Pressure Air Gauge

DIGITAL TRUCK GAUGE

- Large, easy-to-read LCD numbers for precise readings
- Features pinpoint accuracy, convenient air bleed, protective casing
- · Features dual foot chuck
- · Made In Taiwan

Ascot No.	Mfg. No.	Description
476-15038	DT150-38CV	Digital Truck Gauge: 3-160 PSI

www.ascotsupply.com



MASTER AIR GAUGE CHECKING STATIONS

- INFLATION RANGE: 0-200 PSI
- ACCURATE TO: ±1 PSI
- Designed to allow users to quickly and accurately check their air gauges and inflator gauges
- THREE CHECKING
 POINTS: standard valve
 port, large bore valve port
 & female coupler port

Ascot No.

476-35020

476-35021

MOST ACCURATE CHECKING

Mfg. No.

TS3502A


TS3502AL

STATION ON THE MARKET

- Equipped with a regulator and filter for proper air and water filtration
- CARB Certified
- Back-lit readout for ease of use
- Can be mounted to a bench or a wall
- · Made In Taiwan

Digital Gauge Checking Station

Air/Liquid Gauge Checking Station



DIGITAL TIRE INFLATORS

- INFLATION RANGE: 0-174 PSI
- ACCURATE TO: ± 1.2 psi
- Auto ON, upon air pressure sensing
- Large tilted LCD display with backlight and 90 second auto OFF
- Multi-scale gauge

- Die-cast aluminum unit with rubber protective sleeve
- · Lightweight handle and trigger
- Wire sheathed hose on flex area of hose to eliminate kinking
- .5% Accuracy
- Brand may vary



Ascot No.	Mfg. No.	Description
477-11235	11.0723ASC5	Digital Inflator: 20" Hose w/ Clip-On Chuck
477-11237	11.0723ASC7	Digital Inflator: 6' Hose w/ Clip-On Chuck
477-11239	_	Replacement 6' Hose w/ Clip-On Chuck for Digital Inflators
477-11240	_	Replacement 20" Hose w/ Clip-On Chuck for Digital Inflators





OSHA Regulations require that an inflator gauge must be equipped with a lock-on chuck and have a hose extension sufficiently long for the operator to stand clear of the possible trajectory of a multi-piece rim.

* This gauge provides more accurate air pressure readings which is essential with TPMS.





clear of the possible trajectory of a multi-piece rim.

DIGITAL INFLATOR

- Auto on/off operation
- MAX INFLATION: 174 PSI
- Accuracy exceeds EC Standards
- Multi-scale gauge
- Serial/batch numbered
- · Backlit digital display
- Wire sheathed hose eliminates kinking

- Impact absorbing bumpers
- · Rubber grip on chuck
- Tough die cast aluminium body
- 20" hose with hold-on chuck
- · Quick and easy to use
- · Includes certificate of calibration
- .5% Accuracy



MULTI-SCALE GAUGE:







Ascot No.	Mfg. No.	Description
477-10312	10.3012NA	Digital Inflator w/ 20" Hose and Hold-On Air Chuck

AUTOMATIC INFLATOR

- All the features of a wall mounted inflator in a portable hand held unit
- BUILT-IN OVERPRESSURE
 SETTING FUNCTION: OPS function
 that allows the tire to be inflated
 to a certain pressure then deflates
 automatically to a normal operating
 pressure, used to seat tires to rims
- · Auto on/off operation
- MAX INFLATION: 174 PSI
- Accuracy exceeds EC Standards
- Multi-scale gauge
- Serial/batch numbered
- · Backlit digital display

- Wire sheathed hose eliminates kinking
- Tough poly carbonate/ABS body
- Two programmable preset preset buttons
- Fast and safe
- 5' hose with lock-on chuck
- Built-in rechargeable lithium-ion battery
- Up to 15 hours of continuous use
- · Includes AC adapter for charging
- Includes certificate of calibration
- .5% Accuracy

Ascot No.	Mfg. No.	Description
477-11612	11.0612NA	Automatic Inflator - 5' Hose w/ Clip-On Air Chuck

ASCOT REBRAND COMING SOON!



477-10004

MK4 Heavy

Duty Hand-

Held Inflator



AIR PRESSURE GAUGES, INFLATOR GAUGES

MK4 HEAVY DUTY HAND-HELD INFLATOR

- NEW VIEWING WINDOW: Larger window gives 20% greater field of viewing
- LIGHTER WEIGHT: Gauge body weighs 2.035 lb., less work strain and easier for repetitive use
- BIOMORPHIC SHAPE:
 Ergonomic, easier to
 use and less prone to
 damage when dropped
- NEW CLEAR LITHOGRAPHIC DESIGN: Fast and accurate reading of results

- NEW VALVE MECHANISM:
 Simplified 2-stage mechanism design prevents user having to "push" against
 - having to "push" against full line pressure on deflate preventing fatigue
- NEW PISTON & SEAL DESIGN: New design, less drag, reduced friction & less movement inertia means no internal corrosion, no sticking and no skewing of accuracy
- MAXIMUM INFLATION PRESSURE: 160 PSI
- 1-2% Accuracy

Ascot No.	Mfg. No.	Description
477-10004	MK4	MK4 Heavy Duty Hand-Held Inflator

DIGITAL HAND-HELD TIRE INFLATOR

- INFLATION RANGE: 0-174 PSI
- ACCURACY: ± .2 PSI
- 6' Hose
- Lightweight shock resistant design
- High specification ceramic sensor
- Long life, easily replaceable battery
- Available in custom hose lengths and chuck styles
- 1-2% Accuracy

Ascot No.	Mfg. No.	Description
477-10001	Accura 1	Hand-Held Digital Tire Inflator: 6' Hose

The state of the s

DIGITAL INFLATOR GAUGE

- Large, clear, easy to read LCD display with backlight
- RELIABLE ACCURACY: ± 1 psi up to 60 psi, then 2 psi up to 150 psi (with individual testing and certification)
- Easy and cost effective to use
- Low and simple maintenance
- Suitable for all applications including tire shop environments
- Powered by PCL inflation technology and experience
- 6' hose w/ clip-on chuck
- 1-2% Accuracy

Ascot No.	Mfg. No.	Description
477-10008	DT108	Digital Inflator Gauge





OSHA Regulations require that an inflator gauge must be equipped with a lock-on chuck and have a hose extension sufficiently long for the operator to stand clear of the possible trajectory of a multi-piece rim.







- Quick coupler connects directly to the inflator
- Slide valve allows air supply to be turned on/off
- Includes all hoses and connection
- USA hoses

Ascot No.	Mfg. No.	Description
477-11623	11.0623NA	4-Way Inflator Kit - 25ft Hoses
477-11625	11.0625NA	4-Way Inflator Kit - 10ft Hoses

4-WAY ACCESSORY BLOCK

- Lightweight aluminum manifold splits air lines into 4 seperate lines
- Slide valve turns air on/ off to start inflation
- (4) 1/4" universal quick couplers allow for any type fitting
- 3' whip hose
- USA hoses
- Made in Taiwan

Ascot No.	Mfg. No.	Description
477-11624	N/A	4-Way Accessory Block

6-IN-1 AIR LINE MANIFOLD KIT

- · Lightweight aluminum manifold
- 1/4" air inlet
- (6) 1/4" outlets
- (3) 1/4" aluminum plugs
- · Made in Taiwan

Ascot No.	Mfg. No.	Description
477-47732	N/A	6-in-1 Air Line Manifold Kit





OSHA Regulations require that an inflator gauge must be equipped with a lock-on chuck and have a hose extension sufficiently long for the operator to stand clear of the possible trajectory of a multi-piece rim.

Safety Inflator Gauge with Ball Foot (Clip-On)

Chuck

Air Line Inflator Gauge



AIR PRESSURE GAUGES, INFLATOR GAUGES

AIR LINE INFLATORS

Ascot No.	Description
	AIR LINE INFLATOR GAUGES
477-00001	12" Hose w/ Dual Foot Chuck
477-00011	12" Hose w/ Tapered Chuck
477-00111	12" Hose w/ Lock-On Chuck
477-01111	12" Hose w/ No Chuck
477-11111	12" Hose w/ Lock-On Chuck & Bleeder Valve
	SAFETY INFLATOR GAUGES
477-00002	3' Hose w/ Ball Foot (Clip-On) Chuck
477-00003	3' Hose w/ Straight Lock-On Chuck
477-00004	6' Hose w/ Ball Foot (Clip-On) Chuck
477-00005	6' Hose w/ Straight Lock-On Chuck
477-00006	6' Hose Assembly
477-00007	3' Hose Assembly
477-00008	9' Hose w/ Ball Foot (Clip-On) Chuck
477-00009	9' Hose w/ Straight Lock-On Chuck
477-00010	12' Hose w/ Ball Foot (Clip-On) Chuck
477-00012	12' Hose w/ Straight Lock-On Chuck
477-00014	6' Hose w/ No Chuck
477-00015	15' Hose w/ Straight Lock-On Chuck
477-00020	20' Hose w/ Straight Lock-On Chuck
477-00033	3' Hose w/ Euro-Style Chuck
477-00066	6' Hose w/ Euro-Style Chuck
477-00099	9' Hose w/ Euro-Style Chuck
477-00112	3' Hose w/ No Chuck
477-00113	3' Hose w/ Sleeve Chuck
477-00115	6' Hose w/ Black Epoxy Lock-On Chuck
477-00116	6' Hose w/ European Air Chuck
477-00117	3' Hose w/ European Air Chuck
477-00118	9' Hose w/ No Chuck
477-00144	12' Hose w/ Euro-Style Chuck
477-01112	12' Hose w/ No Chuck





LARGE BORE AIR LINE INFLATOR GAUGES

- Large Bore inflation unit with in-line gauge
- Equipped with AC-B12 large bore chuck
- Gauge is calibrated 10-140

PSI in 2 lb. increments

- · Available in hose lengths of 6', 9', 12' & 24'
- USA hoses

Ascot No.	Description	
477-01006	6' Hose with AC-B12 Large Bore Chuck	
477-01009	9' Hose with AC-B12 Large Bore Chuck	
477-01012	12' Hose with AC-B12 Large Bore Chuck	
477-01025	25' Hose with AC-B12 Large Bore Chuck	
		Ir





OSHA Regulations require that an inflator gauge must be equipped with a lock-on chuck and have a hose extension sufficiently long for the operator to stand clear of the possible trajectory of a multi-piece rim.



AIR CHUCKS & ACCESSORIES





Ascot No.	Mfg. No.	Description
478-00305	5565	Ball Foot Air Chuck: 1/4" FPT Fitting (Normally Closed)
478-00315	5567	Ball Foot Air Chuck & Clip: 1/4" FPT (Normally Closed)
478-00325	5567-FT	Ball Foot Air Chuck & Clip: 1/4" FPT (Normally Open)
478-05451	N/A	Heavy Duty Clip-On Ball Foot Air Chuck: Alligator (Normally Closed)



EUROPEAN STYLE CLIP-ON CHUCKS

• These chucks feature the popular European-style clip-on design

Ascot No.	Mfg. No.	Description
478-02985	5570	Clip-On Air Chuck: European Style (Closed)
478-02995	5570-FT	Clip-On Air Chuck: European Style (Open)
478-00001	AC-1	Euro-Style Air Chuck: 1/4" Hose Barb (Open)



LOCK-ON AIR CHUCK

Ascot No.	Mfg. No.	Description
478-00340	5560	Lock-On Chuck: 1/4" FPT Fitting (Normally Closed)



DUAL FOOT AIR CHUCKS

Ascot No.	Mfg. No.	Description
478-00335	6566	Dual Foot Chuck: 1/4" FPT, Plated Finish (Normally Closed)
478-01330	6568-FT	Dual Foot Chuck: 1/4" FPT, 6" Long, Lock-On Threads (Normally Open)
478-01335	6566-FT	Dual Foot Chuck: 1/4" FPT, Plated Finish (Normally Open)
478-01350	6568T	Dual Foot Black Epoxy Straight-On/Angled (Normally Closed)
478-01352	6568TL	Dual Foot Black Chuck: 14" (Normally Closed)
478-03300	6568	Dual Foot Chuck: 1/4"FPT, 6" Long, Lock-On Threads
478-03301	6569	Dual Foot Chuck w/ Straight-On Chuck: 1/4" FPT
478-03330	6568L	Straight-on/Angle Normally Closed Chuck w/ Lock-On Feature: 14" Length
478-03370	6596	180° Dual Foot Air Chuck w/ Lock-On Feature

AIR CHUCKS & ACCESSORIES

478-00377

478-06585

EXTENDED REACH FOR DUAL WHEELS

478-00328

478-00322

LARGE BORE AIR CHUCKS

Ascot No.	Mfg. No.	Description
478-00377	AC-B11	Long Lock-On Large Bore Air Chuck
478-00328	AC-B10	Short Lock-On Large Bore Air Chuck
478-04660	AC-B12	Large Bore Clip-On Air Chuck
478-06585	6585-LB	Large Bore Dual Foot Air Chuck - Right Angle
478-00322	6587-LB	Large Bore Dual Foot Air Chuck



- Extended reach for dual wheels
- Easy on/off application
- Steel pins for increased service life
- Automatic locking design
- Improves seal on flow through caps
- 22" overall length
- Made in Taiwan






Ascot No. Mfg. No. Description

478-32072 3207I-L2 Truck Lock-On Extension Chuck

www.ascotsupply.com

478-04660

plasteel







RECYCLABLE



EASY APPLICATION



SCRATCHLESSINSTALLATION



TECHNICIAN APPROVED

AVAILABLE IN: MC FN AW LAW EN T P



PROUDLY AVAILABLE FROM:

ASCOT

SERIES

APPLICATIONS

TOYOTA: All since

1990; **INFINITI:** All since 1990; **ISUZU:** All since 1997; **MAZDA:** All

1990; LEXUS: All since

1990; HONDA: All since

1989; ACURA: All since

1990; NISSAN: All since

since 1990; **DAEWOO:** All since 1999

(FN SERIES):



LEAD, ZINC & STEEL WHEEL WEIGHTS

"FN" SERIES COATED LEAD WHEEL WEIGHTS

• "FN" SERIES: Designed for the thicker flange alloy wheels now being used on many Japanese vehicles



488-23030



NOTE: FNS = FN = ALCFN

Ascot No.	Mfg. No.	Weight	Ascot No.	Mfg. No.	Weight
"FN	" SERIES: LE	AD	"FN	" SERIES: LE	AD
488-23010	FN010	10.0 G	488-23035	FN035	35.0 G
488-23015	FN015	15.0 G	488-23040	FN040	40.0 G
488-23020	FN020	20.0 G	488-23045	FN045	45.0 G
488-23025	FN025	25.0 G	488-23050	FN050	50.0 G
488-23030	FN030	30.0 G	488-23055	FN055	55.0 G
			488-23060	FN060	60.0 G

QUANTITY: 25 per box

"MC" SERIES COATED LEAD WHEEL WEIGHTS

• "MC" SERIES: "MC" is an economical alternative to OEM quality coated weights • Coated weights should be used on all vehicles having alloy wheels



NOTE: MCS = MCN = ALCMC

Ascot No.	Mfg. No.	Weight		
"MC" SERIES: LEAD				
488-19025	MC025N	0.25 oz.		
488-19050	MC050N	0.50 oz.		
488-19075	MC075N	0.75 oz.		
488-19100	MC100N	1.00 oz.		
488-19125	MC125N	1.25 oz.		
488-19150	MC150N	1.50 oz.		

QUANTITY: 25 per box



APPLICATIONS (MC SERIES):

FORD: All from1985; CHRYSLER: All from 1990 to 1997; some models changed to LHS in 1998;

GM: Increasingly used starting in 1988; as of 2000 only C5 Corvette remains AWS

Ascot No.	Mfg. No.	Weight			
"Mo	"MCN" SERIES: LEAD				
488-19175	MC175N	1.75 oz.			
488-19200	MC200N	2.00 oz.			
488-19225	MC225N	2.25 oz.			
488-19250	MC250N	2.50 oz.			
488-19275	MC275N	2.75 oz.			
488-19300	MC300N	3.00 oz.			

"FN" SERIES STEEL WHEEL WEIGHTS



PLOMBCO PLASTEEL



FN

APPLICATIONS (FN SERIES):

TOYOTA: All since 1990; LEXUS: All since 1990; HONDA: All since 1989; ACURA: All since 1990; NISSAN: All since 1990; INFINITI: All since 1990; ISUZU: All since 1997; MAZDA: All since 1990; DAEWOO: All since 1999

Ascot No. (For Perfect FN Series)	Perfect FN Series No.	Ascot No. (For Plombco Plasteel FN Series)	Plombco Plasteel FN Series No.	Weight
	"F	N" SERIES: STEEL		
488-33010	FN010FE	488-53010	FNPS-10	10 G
488-33015	FN015FE	488-53015	FNPS-15	15 G
488-33020	FN020FE	488-53020	FNPS-20	20 G
488-33025	FN025FE	488-53025	FNPS-25	25 G
488-33030	FN030FE	488-53030	FNPS-30	30 G
488-33035	FN035FE	488-53035	FNPS-35	35 G
488-33040	FN040FE	488-53040	FNPS-40	40 G

QUANTITY: 25 per box

"MC" SERIES STEEL WHEEL WEIGHTS





APPLICATIONS (MC SERIES):

STEEL

FORD: All from 1985; CHRYSLER: All from 1990 to 1997; some models changed to LHS in 1998; GM: Increasingly used

in 1998; **GM:** Increasingly used starting in 1988; as of 2000 only C5 Corvette remains AWS

Ascot No. (For Perfect MC Series)	Perfect MC Series No.	ASCOT NO. (For Plombco Plasteel MC Series)	Plombco Plasteel MC Series No.	Weight
	″M	C" SERIES: STEEL		
488-29025	MC025FE	488-56025	MCPS-0.25	0.25 oz.
488-29050	MC050FE	488-56050	MCPS-0.50	0.50 oz.
488-29075	MC075FE	488-56075	MCPS-0.75	0.75 oz.
488-29100	MC100FE	488-56100	MCPS-1.00	1.00 oz.
488-29125	MC125FE	488-56125	MCPS-1.25	1.25 oz.
488-29150	MC150FE	488-56150	MCPS-1.50	1.50 oz.
488-29175	MC175FE	488-56175	MCPS-1.75	1.75 oz.
488-29200	MC200FE	488-56200	MCPS-2.00	2.00 oz.
488-29225	MC225FE	488-56225	MCPS-2.25	2.25 oz.
488-29250	MC250FE	488-56250	MCPS-2.50	2.50 oz.
_	_	488-56275	MCPS-2.75	2.75 oz.
_	_	488-56300	MCPS-3.00	3.00 oz.

QUANTITY: 25 per box



LEAD, ZINC & STEEL WHEEL WEIGHTS

"P SERIES" STEEL WHEEL WEIGHTS



QUANTITY: 25 per box

PLOMBCO PLASTEEL

Ascot No. (For Perfect P Series)	Perfect P Series No.	Ascot No. (For Plombco Plasteel P Series)	Plombco Plasteel P Series No.	Weight
		P" SERIES: STEEL		
488-13025	P025FE	488-55025	PPS-0.25	0.25 oz.
488-13050	P050FE	488-55050	PPS-0.50	0.50 oz.
488-13075	P075FE	488-55075	PPS-0.75	0.75 oz.
488-13100	P100FE	488-55100	PPS-1.00	1.00 oz.
488-13125	P125FE	488-55125	PPS-1.25	1.25 oz.
488-13150	P150FE	488-55150	PPS-1.50	1.50 oz.
488-13175	P175FE	488-55175	PPS-1.75	1.75 oz.
488-13200	P200FE	488-55200	PPS-2.00	2.0 oz.
488-13225	P225FE	-	-	-
488-13250	P250FE	-	-	-



APPLICATIONS (P SERIES):

STANDARD PASSENGER CAR with 13" to 15" steel wheels

"P" SERIES UNCOATED LEAD WHEEL WEIGHTS FOR **PASSENGER CAR STEEL WHEELS**

• "P" SERIES: For use on all passenger car rims with 13"-15" steel wheels • "P" series replaces the two piece (steel wheel) design commonly found on vehicles manufactured in Europe • Designed with "dovetail" clip to insure double retention of the clip to the wheel **STANDARD**

• Clips are plated and batch salt spray tested to assure PASSENGER CAR compliance to demanding OEM specifications • USE

RIM GAUGE NUMBER RGP1 TO VERIFY CORRECT **APPLICATION** • Available in coated & uncoated



APPLICATIONS (P SERIES):

with 13" to 15" steel wheels





Ascot No.	Mfg. No.	Weight			
"P	"P" SERIES: LEAD				
487-12025	P025	0.25 oz.			
487-12050	P050	0.50 oz.			
487-12075	P075	0.75 oz.			
487-12100	P100	1.00 oz.			
487-12125	P125	1.25 oz.			
487-12150	P150	1.50 oz.			

Ascot No.	Mfg. No.	Weight			
"Р	"P" SERIES: LEAD				
487-12175	P175	1.75 oz.			
487-12200	P200	2.00 oz.			
487-12225	P225	2.25 oz.			
487-12250	P250	2.50 oz.			
487-12275	P275	2.75 oz.			
487-12300	P300	3.00 07.			

QUANTITY: 25 per box

MC SERIES UNCOATED LEAD **CLIP-ON WHEEL WEIGHTS**



Ascot No.	Mfg. No.	Weight			
"Mo	"MC" SERIES: LEAD				
487-28175	MC175	1.75 oz.			
487-28200	MC200	2.00 oz.			
487-28225	MC225	2.25 oz.			
487-28250	MC250	2.50 oz.			
487-28275	MC275	2.75 oz.			
487-28300	MC300	3.00 oz.			


SERIES

D)

SERIES

QUANTITY: 50 per box

P SERIES UNCOATED LEAD **CLIP-ON WHEEL WEIGHTS**



P150

1.50 oz.

Ascot No.	Mfg. No.	Weight			
"P	"P" SERIES: LEAD				
487-35175	P175	1.75 oz.			
487-35200	P200	2.00 oz.			
487-35225	P225	2.25 oz.			
487-35250	P250	2.50 oz.			
487-35275	P275	2.75 oz.			
487-35300	P300	3.00 oz.			

QUANTITY: 50 per box

487-35150

QUANTITY: 25 per box

T SERIES COATED LEAD CLIP-ON WHEEL WEIGHTS



	T	
3	SERIES	
280		

Weight

Ascot No.	Mfg. No.	Weight		
"T" SERIES: LEAD				
489-18025	Tc025	0.25 oz.		
489-18050	Tc050	0.50 oz.		
489-18075	Tc075	0.75 oz.		
489-18100	Tc100	1.00 oz.		
489-18125	Tc125	1.25 oz.		
489-18150	Tc150	1.5 oz.		

I SERIES. ELAD				
489-18175 Tc175		1.75 oz.		
489-18200	Tc200	2.00 oz.		
489-18225	Tc225	2.25 oz.		
489-18250	Tc250	2.50 oz.		
489-18275	Tc275	2.75 oz.		
489-18300	Tc300	3.00 oz.		

QUANTITY: 25 per box



LEAD, ZINC & STEEL WHEEL WEIGHTS





486-05323



486-09462

STEEL, LEAD & ZINC WHEEL **WEIGHT SAMPLE KITS**

- FREE to Ascot Members
- · Sampling of wheel weights in a display kit to allow salesmen
- to show customers the actual product that is available
- Steel display is made in China
- · Lead & zinc displays are made in Thailand



Ascot No.	Mfg. No.	Description
486-05323	LWWDB	Lead Clip-On Wheel Weight Display Kit
486-09462	ZWWDB	Zinc Clip-On Wheel Weight Display Kit
486-00234	SAWWDB	Steel Adhesive Wheel Weight Display Kit

FN SERIES COATED LEAD CLIP-ON WHEEL WEIGHTS





IMPORT ZINC COATED CLIP-ON WHEEL WEIGHTS

Ascot No.	Mfg. No.	Weight		
"FN" SERIES: LEAD				
488-43005	FNc005	5 grams		
488-43010	FNc010	10 grams		
488-43015	FNc015	15 grams		
488-43020	FNc020	20 grams		
488-43025	FNc025	25 grams		

Ascot No.	Ascot No. Mfg. No.				
"	"FN" SERIES: LEAD				
488-43030	FNc030	30 grams			
488-43035	FNc035	35 grams			
488-43040	FNc040	40 grams			
488-43045	FNc045	45 grams			
488-43050	FNc050	50 grams			

QUANTITY: 25 per box

Ascot No.	Mfg. No.	Weight		
"FN" SERIES: LEAD				
488-43030	FNc030	30 grams		
488-43035	FNc035	35 grams		
488-43040	FNc040	40 grams		
488-43045	FNc045	45 grams		
488-43050	FNc050	50 grams		

MC SERIES COATED LEAD **CLIP-ON WHEEL WEIGHTS**



Mfg. No.

"MC" SERIES: LEAD

MCc175

Weight

1.75 oz.

Ascot No.

488-49175

Ascot No.	Mfg. No.	Weight		
"MC" SERIES: LEAD				
488-49025	MCc025	0.25 oz.		
488-49050	MCc050	0.50 oz.		
488-49075	MCc075	0.75 oz.		
488-49100	MCc100	1.00 oz.		
488-49125	MCc125	1.25 oz.		
488-49150	MCc150	1.50 oz.		

488-49050	MCc050	0.50 oz.	488-49200	MCc200	2.00 oz.
488-49075	MCc075	0.75 oz.	488-49225	MCc225	2.25 oz.
488-49100	MCc100	1.00 oz.	488-49250	MCc250	2.50 oz.
488-49125	MCc125	1.25 oz.	488-49275	MCc275	2.75 oz.
488-49150	MCc150	1.50 oz.	488-49300	MCc300	3.00 oz.
MANTITY 25 may have					

QUANTITY: 25 per box

Ascot No.	Mfg. No.	Weight	Ascot No.	Mfg. No.	Weight
REG IN	IPORT ZINC (OATED	FNIM	PORT ZINC C	OATED
488-81025	P025Z	.25 Oz.	488-84010	FNZ010	10 Gram
488-81050	P050Z	.50 Oz.	488-84015	FNZ015	15 Gram
488-81075	P075Z	.75 Oz.	488-84020	FNZ020	20 Gram
488-81100	P100Z	1.00 Oz.	488-84025	FNZ025	25 Gram
488-81125	P125Z	1.25 Oz.	488-84030	FNZ030	30 Gram
488-81150	P150Z	1.50 Oz.	488-84035	FNZ035	35 Gram
488-81175	P175Z	1.75 Oz.	488-84040	FNZ040	40 Gram
488-81200	P200Z	2.00 Oz.	488-84045	FNZ045	45 Gram
488-81225	P225Z	2.25 Oz.	488-84050	FNZ050	50 Gram
488-81250	P250Z	2.50 Oz.	T IMP	ORT ZINC CO	DATED
488-81275	P275Z	2.75 Oz.	488-86025	TZ025	.25 Oz.
488-81300	P300Z	3.00 Oz.	488-86050	TZ050	.50 Oz.
MC IM	PORT ZINC C	OATED	488-86075 TZ075 .75 C		.75 Oz.
488-83025	MC025Z	.25 Oz.	488-86100	TZ100	1.00 Oz.
488-83050	MC050Z	.50 Oz.	488-86125	TZ125	1.25 Oz.
488-83075	MC075Z	.75 Oz.	488-86150	TZ150	1.50 Oz.
488-83100	MC100Z	1.00 Oz.	488-86175	TZ175	1.75 Oz.
488-83125	MC125Z	1.25 Oz.	488-86200	TZ200	2.00 Oz.
488-83150	MC150Z	1.50 Oz.	488-86225	TZ225	2.25 Oz.
488-83175	MC175Z	1.75 Oz.	488-86250	TZ250	2.50 Oz.
488-83200	MC200Z	2.00 Oz.	488-86275	TZ275	2.75 Oz.
488-83225	MC225Z	2.25 Oz.	488-86300	TZ300	3.00 Oz.
488-83250	MC250Z	2.50 Oz.			
488-83275	MC275Z	2.75 Oz.			
488-83300	MC300Z	3.00 Oz.			


www.ascotsupply.com



LEAD, ZINC & STEEL WHEEL WEIGHTS



- wheel weights • Fits most
- popular wheel balancers
- · Single and double roll racks available
- Heavy duty steel wire construction
- · Compatible with most adhesive wheel weight rolls



Ascot No.	Mfg. No.	Description
486-31283	WWRR-1	Single Roll Wheel Weight Wire Hanger
486-31284	WWRR-2	Double Roll Wheel Weight Wire Hanger

METAL WHEEL WEIGHT RACK

- · All-metal construction
- 8 shelves


Ascot No.

486-31280

Mfg. No.

MFR

- · Includes dividers
- 64 weight locations
- Square tube to support the rack
- 52"H x 27-1/2"W x 8"D



Description

Metal Wheel Weight Rack

486-31280 Metal Wheel Weight Rack

4-SLOT WHEEL WEIGHT ROLL STAND CONVERSION KIT

- Convert a 4-slot wheel weight stand into a 6-slot wheel weight stand



ADHESIVE WHI WEIGHT ROLL S All-metal construct Accommodates the Floor mount Easy to assemble Adapter for smaller rolls	STANDS tion		
	486-31282 4-Slot Adhesive Wheel Weight Roll Stand		486-31281 3-Slot Adhesive Wheel Weight Roll Stand
ALL-METAL CONSTRUCTION	3		5

Ascot No.	Mfg. No.	Description
486-31281	WWR-3	3-Slot Adhesive Wheel Weight Roll Stand
486-31282	WWR-4	4-Slot Adhesive Wheel Weight Roll Stand



ADHESIVE WHEEL WEIGHTS

ASCOT RIM GAUGE

 Convenient and economical gauge that guides you to the correct wheel weight application Helpful with alloy wheels and thinner high strength steel Wheels that have numerous new rim configurations

Ascot No.	Mfg. No.	Description
486-75011	ARGP1	Ascot Rim Gauge For Passenger Cars

PERFECT QUIK-STIK™ SEGMENTED ADHESIVE STYLE WHEEL WEIGHTS

- · Only pre-cut, pre-taped weight
- · No cutting, no pre-contouring and no waste
- Each segment is stamped with the actual weight in ounces and grams

Ascot No.	Mfg. No.	Description
484-00112 CL12 Lead Adhesive Wheel Weight: 12 oz. (8 Strips 484-10720 100720 Lead Adhesive Wheel Weight: 3 oz. (60 Strips		Lead Adhesive Wheel Weight: 6 oz. (30 Strips per Box)
		Lead Adhesive Wheel Weight: 12 oz. (8 Strips per Box)
		Lead Adhesive Wheel Weight: 3 oz. (60 Strips per Box)
		Lead Adhesive Wheel Weight: 3 oz. (30 Strips per Box)
484-13360	200624	Lead Adhesive Wheel Weight: 3 oz. (52 Strips per Box)
484-30360	300360	Lead Adhesive Wheel Weight: 6 oz. (30 Strips per Box)

PERFECT QUIK-STIK™ SEGMENTED ADHESIVE STYLE STEEL WHEEL WEIGHTS

- Only pre-cut, pre-taped weight
- No cutting, no precontouring and no waste
- Each segment is stamped with the actual weight in ounces and grams

Ascot No.	Mfg. No.	Description
484-20576	200576FE	1/4 oz. Steel Adhesive Wheel Weight: 3 oz. (48 Strips per Box)
484-30224	300224FE	1/2 oz. Steel Adhesive Wheel Weight: 4 oz. (28 Strips per Box)
484-31360	300360ST	Steel Adhesive Wheel Weight: 6 oz. Strips (30 Strips per Box)
484-22576	200576FEBLK	1/4 oz. Black Steel Adhesive Wheel Weight: 3 oz. (48 Strips per Box)
484-32224	300224FEBLK	1/2 oz. Black Steel Adhesive Wheel Weight: 4 oz. (28 Strips per Box)

STEEL SEGMENTED ADHESIVE STYLE WHEEL WEIGHTS

- · Pre-cut weights
- No cutting, no precontouring and no waste
- Each segment is stamped with the actual weight in ounces
- US white "quick" tape

Ascot No.	Mfg. No.	Description
484-16001	1184	1 oz. Steel Adhesive Wheel Weights: 1 oz. Strips, 4 Segments (18 Strips per Box)
484-17026	14308	1/4 oz. Steel Adhesive Wheel Weights with Plastic Powder Coating: 1/4 oz. Strips, 8 Segments (30 Strips per Box)
484-17127	12187	1/2 oz. Steel Adhesive Wheel Weights: 1/2 oz. Strips, 7 Segments (18 Strips per Box)
484-37026	14308B	1/4 oz. Black Steel Adhesive Wheel Weights with Black Powder Coating: 1/4 oz. Strips, 8 Segments (30 Strips per Box)
484-67026	24308B	1/2 oz. Black Steel Adhesive Wheel Weight: 3.5 oz. Strip (18 Strips per Box)
484-77026	34308B	1 oz. Black Steel Adhesive Wheel Weight: 4 oz. Strip (18 Strips per Box)

486-75011 Ascot Rim Gauge STEEL WHEEL GAUGE 484-20576 V4 oz. Steel Adhesive Wheel Weight 484-30224 1/2 oz. Steel Adhesive Wheel Weight 484-16001 1 oz. Steel Adhesive Wheel Weight 484-32224 V2 Oz. Black Steel Adhesive Wheel Weight 484-17026 1/4 oz. Steel Adhesive Wheel Weight 484-17127 V2 oz. Steel Adhesive Wheel Weight 484-27026 1/4 oz. Steel Adhesive Wheel Weight

484-37026 V4 oz. Steel Adhesive Wheel Weight

www.ascotsupply.com



ADHESIVE WHEEL WEIGHTS





PLOMBCO STEEL ADHESIVE WHEEL WEIGHTS

- · Only pre-cut, pre-taped weight
- No cutting, no pre-contouring and no waste
- Each segment is stamped with the actual weight in ounces and grams

Ascot No.	Mfg. No.	Description
484-28408	408FE-28	Steel Adhesive Wheel Weight: 4 oz. (28 Strips per Box)
484-28428	VL408FEB-28	Value Line Black Steel Adhesive Wheel Weight: 4 oz. (28 Strips per Box)
484-31234	312Fe-30	Steel Adhesive Wheel Weight: 3 oz. (30 Strips per Box)
484-40848	408Fe-48	408Fe-48 Steel Adhesive Wheel Weight: 4 oz. (48 Strips/Box)
484-50615	506Fe-15	Steel Adhesive Wheel Weight: 6 oz. (15 Strips per Box)
484-52312	312FE-52	Steel Adhesive Wheel Weight: 3 oz. (52 Strips per Box)

STEEL ADHESIVE WHEEL WEIGHTS

Ascot No.	Mfg. No.	Description
484-10100	FSF101C	1/4 oz. Adhesive Wheel Weight: 3 oz. (48 Strips per Box)
484-10101	FSF101B	1/4 oz. Black Steel Adhesive Wheel Weight: 3 oz. (48 Strips per Box)
484-10102	FSF101CP	1/4 oz. Adhesive Wheel Weight: 3 oz. (48 Strips per Box) - Paper Backing
484-10200	FSF102C	1/2 oz. Adhesive Wheel Weight: 3 oz. (48 Strips per Box)
484-10201	FSF102B	1/2 oz. Black Steel Adhesive Wheel Weight: 3 oz. (48 Strips per Box)
484-10300	FSF103C	1 oz. Adhesive Wheel Weight: 4 oz. (36 Strips per Box)
484-10301	FSF103B	1 oz. Black Steel Adhesive Wheel Weight: 4 oz. (36 Strips per Box)
484-10400	FSF104C	2 oz. Adhesive Wheel Weight: 6 oz. (18 Strips per Box)



ADHESIVE WHEEL WEIGHTS

PLOMBCO STEEL ADHESIVE WHEEL WEIGHT ROLLS

- · Only pre-cut, pre-taped weight
- No cutting, no pre-contouring and no waste
- Each segment is stamped with the actual weight in ounces and grams

Ascot No.	Mfg. No.	Description	
484-35320	320Fe	Steel Adhesive Wheel Weight Roll: 20 lb., .25 oz. Segments	
484-35420	320Fe-CW	Steel Adhesive Wheel Weight Roll: .25 oz Segments, Cold Weather Adhesive	
484-42010	420Fe	Steel Adhesive Wheel Weight Roll: 20 lb., .50 oz. Segments	

PERFECT STEEL ADHESIVE WHEEL WEIGHT ROLLS

- FAMILIAR DESIGN: Features all of the same standard steel QuikStik characteristics
- Low profile height for tighter clearance applications
- 3-year aftermarket proven powder coating
- All-Weather[™] white tape with instant stick
- Only use the amount of weight you need each time you balance
- · No cutting and no measuring
- Rolled weights are more efficient and help reduce waste

Ascot No.	Mfg. No.	Description	
484-21576	200576FER	0.25 oz. (704 Segments)	
484-21624	200624STR	.25 oz. (1280 Segments)	
484-32360	300360STR	.5 oz. (640 Segments)	
484-23576 NEW!	200576FERBLK	0.25 Oz. (704 Segments) - Black	
484-32224 NEW!	300224FER	0.50 Oz. (640 Segments)	
484-33224 NEW!	300224FERBLK	0.50 Oz. (640 Segments) - Black	

STEEL ADHESIVE WHEEL WEIGHT ROLLS

- Oversized white paper tape
- · Easy to peel
- · Easy to tear by hand
- Available in grey steel or black steel
- 3 rolls per case

Ascot No.	Mfg. No.	Description
484-51500	AVL315FeB	Black Steel Adhesive Roll: 1/4 oz. Segments (960/roll)
484-51501	AVL315FeS	Grey Steel Adhesive Roll: 1/4 oz. Segments (960/roll)
484-61500	AVL414FeB	Black Steel Adhesive Roll: 1/2 oz. Segments (480/roll)
484-61501	AVL415FeS	Grey Steel Adhesive Roll: 1/2 oz. Segments (480/roll)
484-71500	AVL515FeB	Black Steel Adhesive Roll: 1 oz. Segmants (230/roll)
484-71501	AVL515Fe5	Steel Adhesive Roll: 1 oz. Segmants (230/roll)

STEEL ADHESIVE WHEEL WEIGHT ROLLS

- Simply use the amount of weight you need each time you balance
- Convenient pull and rip design
- · No cutting and no measuring
- Easy to Peel

- Rolled weights are more efficient and help reduce waste
- Plastic coated
- US white "quick" tape

Ascot No.	Mfg. No.	Description
484-47026	145KG	5kg Steel Adhesive Wheel Weight Roll: 1/4 oz. Segments (700 Segments per Roll)



www.ascotsupply.com

484-47026

5kg Steel Adhesive Wheel Weight Roll (1/4 oz., 700 Segments)





COUNTERACT BALANCING BEADS

• Perfect balance - perfect wear • Clean, trouble free balancing micro-beads provide continuous self-adjusting balance • No clumping • Just open the outside package and throw the inside bag into the tire • Method allows the use of an air blaster to seat the tire on the rim without contaminating the seating area • Air blaster pressure inside the tire will collapse the bag containing Counteract Balancing Beads or the package will break open and release its contents soon after driving • Available in application sizes from half ton vehicles to heavy trucks • All packaging is color coded to tire size on application chart

























Ascot No.	MFG. NO.	Description	Qty./Case
451-00203	3 oz. BP	3 oz. Bag in Bag	96
451-00204	4 oz. B	4 oz. Bag in Bag	92
451-00205	5 oz. B	5 oz. Bag in Bag	76
451-00206	6 oz. B	6 oz. Bag in Bag	64
451-00208	8 oz. B	8 oz. Bag in Bag	52
451-00210	10 oz. B	10 oz. Bag in Bag	40
451-00212	12 oz. B	12 oz. Bag in Bag	36
451-00214	14 oz. B	14 oz. Bag in Bag	32
451-00216	16 oz. B	16 oz. Bag in Bag	28

COUNTERACT INJECTOR PUMP

- · All-new design is constructed from the highest quality of materials and designed specifically for its purpose
- Allows for a more efficient installation of Counteract Balancing Beads into a tire through the valve stem
- Holds 20 oz. of Counteract Balancing Beads at a time, allowing for quick, easy, and safe injection of the product
- · No need to break the tire bead
- · Quick injection
- Allows the user to add small amounts to "fine-tune a balance"

Ascot No.	Mfg. No.	Description
451-00014	CBB-IP	Counteract Injector Pump





ECO BALANCE BALANCING BEADS

- Eco-friendly complete wheel assembly internal balancing agent
- · Increase tire life with even tread wear
- · Lower tire operating temperatures
- TPMS Compatible
- Reduce maintenance with easy installation throw-in-bag



Ascot No.	Mfg. No.	Description	Qty./Case
451-01203	3 oz. BP-EB	3 oz. Bag in Bag	96
451-01204	4 oz. B-EB	4 oz. Bag in Bag	92
451-01206	6 oz. B-EB	6 oz. Bag in Bag	64
451-01208	8 oz. B-EB	8 oz. Bag in Bag	52
451-01210	10 oz. B-EB	10 oz. Bag in Bag	40
451-01212	12 oz. B-EB	12 oz. Bag in Bag	36
451-01214	14 oz. B-EB	14 oz. Bag in Bag	32
451-01216	16 oz. B-EB	16 oz. Bag in Bag	28

16oz 454g

ECO BALANCE XL BALANCING BEADS

- Eco-friendly balancing beads
- Extra large beads for extreme balancing conditions
- · Convenient, pre-measured bags
- Sizes range from 3 oz. up to 20 oz.
- Contains throw in bag and valve cap
- Improve fuel economy, increase tire life & reduce vibrations



Ascot No.	Mfg. No.	Description	Qty./Case
451-00618	ECOXL18LB	18 lb. Bucket	N/A





MAGNUM+ BALANCING COMPOUND

- An advanced technology dry tire balancing compound, with superior tire balancing properties
- Formulated from specially-processed multiple-density materials
- Provides continuous and lasting tire balancing for standard, low-profile and wide-base medium truck tires and heavy duty light truck tires
- No more time-consuming and expensive mechanical balancing, perfect self-adjusting balance in all your tires, less vehicle wear and tear, easier maintenance and less driver fatigue

Ascot No.	Mfg. No.	QTY./CASE
451-00100	LTP100	36
451-00150	LTP150	36
451-00200	LTP200	24
451-00250	MTP250	24
451-00300	MTP300	20
451-00400	MTP400	12
451-00500	MTP500	12



EQUAL FLEXX DROP-IN BAGS

- IMI EQUAL FLEXX™ is an adaptive, internal wheel-end balancing solution that reduces fuel and tire costs by reducing vibration from the wheel end
- Developed in partnership with the foremost experts in vibration analysis and testing, its soft, dry particles are engineered to continuously balance tires, creating a smoother ride and more even tire wear for the life of the tire
- FLEXX will never damage the tire casing, wheel or TPMS units.
- It does not void tire manufacturer warranties
- 2x more absorption power, up to 15% better performance, easiest to use

Ascot No.	Mfg. No.	Description	Qty./Case
451-32016	EQFXWC32	16 Oz. EQUAL FLEXX Drop-In Bag - 32 Bags - W Pkgs.	32
451-40004	EQFXEC40	4 Oz. EQUAL FLEXX Drop-In Bag - 40 Bags - E Pkgs.	40
451-40006	EQFXDC40	6 Oz. EQUAL FLEXX Drop-In Bag - 40 Bags - D Pkgs.	40
451-40008	EQFXCC40	8 Oz. EQUAL FLEXX Drop-In Bag - 40 Bags - C Pkgs.	40
451-40010	EQFXBC40	10 Oz. EQUAL FLEXX Drop-In Bag - 40 Bags - B Pkgs.	40
451-40012	EQFXAC40	12 Oz. EQUAL FLEXX Drop-In Bag - 40 Bags - A Pkgs.	40
451-40016	EQFXFC40	3 Oz. EQUAL FLEXX Drop-In Bag - 40 Bags - F Pkgs.	40

INTRODUCING THE NEW





WHEEL DEALER REWARDS
ADVANTAGE

Download our new app for quick Counteract calculations for any vehicle. Plus, access the Wheel Advantage Dealer Rewards Program, rewarding dealers with redeemable points for Counteract products and merchandise.

What's In Store?

Our innovative program offers you the chance to earn valuable reward points that seamlessly translate into a treasure trove of Counteract Merchandise.

Collect QR Code vouchers found in full cases of Counteract Balancing Beads*, scan and trade them for some fabulous rewards.



Case of Beads (3oz to 20oz)
REDEMPTION VALUE

10.000 Points



Mounting Lube - 4x8lb REDEMPTION VALUE 8,000 Points



Injection Pump REDEMPTION VALUE 7,000 Points



Scan to odd download the app

For a list of all rewards and more details, download the Counteract Balancing app

*Please note that participation in the Wheel Advantage Dealer Rewards Program is at the discretion of individual distributors. As such, not all distributors may choose to participate in the program. Consequently, Counteract products distributed through non-participating distributors will not include the Wheel Advantage Reward QR Code Vouchers.







PREMIUM HEAVY DUTY PROFESSIONAL WHEEL WEIGHT HAMMER

- · Heavy duty construction
- · Black coated handles with red highlight
- Designed for use on coated wheel weights
- · Will not mark alloy wheels
- · Replaceable plastic head available
- · Made in TW

Ascot No.	Mfg. No.	Description
486-33581	3358-B	Premium Heavy Duty Professional Wheel Weight Hammer
486-33584	335804	Replacement Head

HEAVY DUTY WHEEL WEIGHT HAMMER

- · Heavy-duty construction
- · Designed for use on coated wheel weights
- · Will not mark alloy wheels
- · Replaceable plastic head available
- Made in TW

Ascot No.	Mfg. No.	Description
486-33580	3358	Heavy Duty Wheel Weight Hammer
486-33584	335804	Replacement Head

ECONOMY CHROME WHEEL WEIGHT HAMMER

- · The industry standard for passenger car wheel weight tools
- Made in TW

Ascot No.	Mfg. No.	Description
486-00011	P-1	Economy Chrome Wheel Weight Hammer

PREMIUM FIBERGLASS WHEEL WEIGHT HAMMER

- Used to easily install and remove all types of steel and zinc clip-on wheel weights
- Standard with large replaceable hook for prying
- Fiberglass shaft for added durability
- The hook is made from cold rolled steel
- · Slip-resistant, ergonomic grip reduces arm strain & fatigue
- The striking face has a nonmarring, surface protective medium-hard replaceable tip
- Replacement hooks and caps available
- MADE IN THE USA

Ascot No.	Mfg. No.	Description
486-11000	P110	Premium Fiberglass Wheel Weight Hammer
486-11006	P110-6	Replacement Tip for P110-T Premium Truck Wheel Weight Hammer



www.ascotsupply.com

Replacement Tip



486-00233

486-00044

Wheel Weight

Removal Tool

482-09011 Rim Width Caliper

Heavy Duty

Adhesive

Coated Wheel Weight Hammer



486-00133 Replacement

Head

EURO-STYLE WHEEL WEIGHT HAMMER

- Heavy commercial duty design
- Coated handles for comfort
- Nickel-plated vanadium

Ascot No.	Mfg. No.	Description
486-00222	P-2C	Euro-Style Wheel Weight Hammer

SOFT HEAD WHEEL WEIGHT HAMMER

- · Protects valuable wheels from damage
- Features replaceable plastic head

	Ascot No.	Mfg. No.	Description
	486-00233	P-3B	Soft Head, Soft Claw Wheel Weight Hammer
ľ	486-00133	P-3H	Replacement Head for P-3B Wheel Weight Hammer

HEAVY DUTY ADHESIVE WHEEL WEIGHT REMOVAL TOOL

- · Light weight and easy to use
- Easy and quick to remove stick-on wheel weights without damaging rims
- The plastic cover of the jaws can protect the alloy rims from damaging or scratching
- Adjustable jaws for different types and sizes of wheel weights
- Replacement plastic tips available separately
- · Made in TW





Ascot No.	Mfg. No.	Description
486-00044	P4	Heavy Duty Adhesive Wheel Weight Removal Tool
486-00144	P4R	Replacement Tips for P4 (2-Pack)

RIM WIDTH CALIPER

- Measures wheel width in inches
- For use with all COATS automotive balancers
- Equivalent to COATS 309011

Ascot No.	Mfg. No.	Description
482-09011	8309011	Rim Width Caliper



486-71512

Red Heavy Duty

Adhesive Wheel

Weight Scraper

- 10.4" Length

486-71510 Red Heavy Duty Adhesive Wheel

Weight Scraper

RED HEAVY DUTY ADHESIVE WHEEL WEIGHT SCRAPER

- 265mm long (large) made for gently removing adhesive wheel weights with minimal damage. Additional applications; removing decals, emblems, and body molding without scratching or damaging metal, glass, or paint
- Lightweight, high-impact resistant nylon plastic material for maximum durability, resistant to deforming over time, and helps avoid scratching while removing tire wheel weights
- or other stubborn material
- Sturdy design for a prolonged lifespan while in the field. A comfortable and baffle grip provides the user more control and absorbs vibration from consistent hammer blows, allowing for more precision work
- Solvent-resistant and the blade is able to be re-sharpened.
- Adaptable to multiplesized wheels

Ascot No.	Mfg. No.	Description
486-71512	AS-002	Red Heavy Duty Adhesive Wheel Weight Scraper - 10.4" Length

HEAVY DUTY ADHESIVE WHEEL WEIGHT SCRAPERS

- Knobbed handle to prevent hand from slipping while removing wheel weights
- · Made of high impact plastic
- For use with stick-on wheel weights



486-71511
Black Heavy Duty
Adhesive Wheel
Weight Scraper

Ascot No.	Mfg. No.	Description
486-71510	N/A	Red Heavy Duty Adhesive Wheel Weight Scraper
486-71511	N/A	Black Heavy Duty Adhesive Wheel Weight Scraper



GT FORCE TWO-IN-ONE WHEEL WEIGHT APPLICATION AND REMOVAL TOOL

- Eliminates finger injury by eliminating the need for a hammer
- One tool for both installation and removal
- Replaceable heads available
- No more damaging expensive wheels with a hammer





Ascot No.	Mfg. No.	Description
486-48301	GTF-01	GT Force Two-In-One Wheel Weight Application And Removal Tool





483-40301 SoftGrip Quick Nut 40 x 3 with Handles

483-40401 SoftGrip Quick Nut

483-40801

483-40091

Light Truck Cone Kit 40mm

SoftGrip Quick Nut

40 x 8 with Handles

40 x 4 with Handles



WHEEL BALANCING TOOLS & ACCESSORIES









483-40806 Steel ProGrip QuickNut 40 x 8 with Handles and Pressure Cup

SOFT GRIP QUICK NUT - 40 X 8

- · Improved design, essential wheel balancer tooling
- · New ergonomic design with soft-touch handle
- · New metal alloy threaded jaws last longer
- Larger bearing surface allows for higher torque
- · Pressure ring is always attached to the guick nut (a must for quick plate/flange plate use)
- · Optimized glide prevents fast wear of the thread shaft
- Redesigned, heavy duty pressure cup
- Improved quick action mechanism prevents opening under load
- Lower housing height for shorter shafts and larger profile wheels... always grabs the thread
- Lighter weight, easier to handle due to lower housing height

Ascot No.	Mfg. No.	Description
483-40800	HW125 408 000	Soft Grip Quick Nut - 40 x 8

STEEL PROGRIP QUICKNUT WITH HANDLES AND PRESSURE CUP

- · Essential wheel balancer tooling
- Clamping device speeds wheel mounting process on balancers
- Heavy duty steel design solution for Road Force balancers

Ascot No.	Mfg. No.	Description
483-40806	HW124 408 006	Steel ProGrip QuickNut 40 x 8 with Handles and Pressure Cup

SOFTGRIP QUICKNUTS WITH HANDLES

- Essential wheel balancer tooling
- Upgraded threaded jaws with bigger bearing surface allows higher torque pressure
- Softgrip clamping device will not open under load
- New alloy metal jaws provides longer life for threaded jaws
- · Heavier duty pressure cup
- · Torque ring is ever present - removal not required for use with pressure cup
- Lower overall housing height enables use with quick or flange plates on shorter shafts

Ascot No.	Mfg. No.	Description
483-40301	HW125 403 001	SoftGrip Quick Nut 40 x 3 with Handles
483-40401	HW125 404 001	SoftGrip Quick Nut 40 x 4 with Handles
483-40801	HW125 408 001	SoftGrip Quick Nut 40 x 8 with Handles

LIGHT TRUCK CONE KIT 40MM

- Covers hub ranges 120mm-174mm
- · Kit includes a cone and distance spacer
- Works on all balancer makes and models with 40mm shaft

Ascot No.	Mfg. No.	Description
483-40091	HW150 400 091	Light Truck Cone Kit 40mm

www.ascotsupply.com





PRESSURE CUP FOR SOFT GRIP QUICKNUTS

- Must be used with rubber ring (HW190 008 005)
- Works with all Soft Grip QuickNuts (Not standard QuickNuts)
- Rigid, heavy duty design prevents flex during balancer spin
- · Long lasting, hard plastic composition
- · Snap connects easily to Soft Grip QuickNut

Ascot No.	Mfg. No.	Description
483-08065	HW190 008 065	Pressure Cup for Soft Grip QuickNuts



Pressure Cup for Soft Grip QuickNuts

483-08065

PROGRIP PRESSURE CUP

- Pressure Cup for all ProGrip Quicknuts 40mm, 38mm, 36mm, 28mm
- HW143 403 003, HW143 403 006, HW143 383 003, HW143 383 006, HW143 363 003, HW143 363 006, HW143 283 003, HW143 283 006, HW143 404 003, HW143 404 006, HW143 285 006, HW143 405 006, HW140 403 033, HW140 404 033

Ascot No.	Mfg. No.	Description
483-08002	HW190 008 002	ProGrip Pressure Cup



483-08002 ProGrip Pressure Cup

4.5 IN. RUBBER RING FOR HUNTER QUICK RELEASE NUT

- For use with TMRWB1753531 pressure cup
- To prevent the marring of wheels
- Rubber ring for Hunter Quick Release Nut
- Replaces OEM Hunter #106-82-2

Ascot No.	Mfg. No.	Description
483-16822	WB106822	4.5 in. rubber ring for Hunter Quick Release Nut



6 IN. RUBBER RING FOR HUNTER QUICK RELEASE NUT

- Replaces Hunter 106-157-2
- For Use On All Hunter Wheel Balancers
- To Prevent Marring Of The Wheel During Wheel Balancing Service When Using A Pressure Cup
- For Use With Hunter Steel Wing Nuts And Quick Nuts
- For Use With TMRWB1753921 Pressure Cup



Ascot No.	Mfg. No.	Description
483-16572	WB1061572	6 in. rubber ring for Hunter Quick Release Nut

483-16822 4.5 in. Rubber Ring for Hunter Quick Release Nut





483-16572 6 in. Rubber Ring for Hunter Quick Release Nut







RUBBER COVER FOR 5" PRESSURE CUP

• Provides rubberized protection between wheel rim and pressure cup

Ascot No.	Mfg. No.	Description
483-08005	HW190 008 005	Rubber Cover for 5" Pressure Cup



483-08027Pressure Ring for all ProGrip QuickNuts

PRESSURE RING FOR ALL PROGRIP QUICKNUTS

- Pressure Ring must be present on ProGrip QuickNuts when using Quick or Flange Plates
- Without the pressure ring, the clamping device does not provide enough torque pressure to press rim on cones/collets evenly and consistently elicits inaccurate balancing results

Ascot No.	Mfg. No.	Description
483-08027	HW190 008 027	Pressure Ring for all ProGrip QuickNuts



TOYOTA PRECISION COLLET

- Precision-designed, application-specific solution for balancing Toyota Truck wheels
- Problem-solving precision collet for Toyota Tundra, Sequoia, Tacoma, 4Runner, FJ as well as Lexus SUV applications and more

Ascot No.	Mfg. No.	Description
483-40062	HW160 400 062	Toyota Precision Collet



483-40060Ford
Precision
Collet

FORD PRECISION COLLET

- Precision-designed, application-specific solution for balancing Ford light truck and SUV applications
- Problem-solving precision collet for Ford F150, Expedition and Lincoln Navigator applications

Ascot No.	Mfg. No.	Description
483-40060	HW160 400 060	Ford Precision Collet



WHEEL BALANCING TOOLS & ACCESSORIES



PROCOLLET KIT 40MM

- Two-sided, low taper collets
- Standard cone upgrade
- Low taper provides improved centering at wheel hub for more accurate balancing results
- · Clad wheel Problem Solver

Ascot No.	Mfg. No.	Description
483-40110	HW150 400 110	ProCollet Kit 40mm



483-40110ProCollet Kit 40mm

PRO CENTERING KIT VII

- OE precision collets and dual sided, low taper collets for improved centering
- PROBLEM SOLVER FOR FORD TRUCK APPLICATIONS: F-150, Expedition, Navigator
- PROBLEM SOLVER FOR TOYOTA TRUCK APPLICATIONS:
 Tundra Tacoma Soqueia

Tundra, Tacoma, Sequoia, 4Runner, FJ Cruiser

- Clad wheel problem solver
- No wheel hub interference (clad wheels)
- For best results, use with a lug adapter system (quick plates/flange plates)



Ascot No.	Mfg. No.	Description
483-40132	HW150 400 132	Pro Centering Kit VII

NORTH AMERICAN FLANGE PLATE KIT 40MM

- · Replicates vehicle wheel lug mount on the balancer
- Provides consistent, even pressure when mounting wheel on cones/collets for precision balancing results

Ascot No.	Mfg. No.	Description
483-99409	HW200 299 409	North American Flange Plate Kit 40mm



Kit 40mm







RUBBER JACK PADS FOR TESLA VEHICLES

- Lifting jack pads for Tesla models
- Set of four in convenient carrying case
- · Protect the vehicle, battery and paint from damage
- · Can be used with floor jack or 2-post lifts
- Top piece fits into designated factory lift points

Ascot No.	Mfg. No.	Description
309-00404	TJP4	Tesla Jack Pads - Set of 4 with case



SET OF 4 RUBBER JACK PADS FOR TESLA MODEL Y VEHICLES

- Lifting jack pads for 2023 2024 Tesla Model Y vehicles manufactured in the Texas plant
- Set of four in convenient carrying case
- · Protect the vehicle, battery and paint from damage
- Can be used with floor jack or 2-post lifts
- Top piece fits into designated factory lift points



Ascot No.	Mfg. No.	Description
309-00405	TJP4-Y	Rubber Jack Pads for Tesla Model Y Vehicles - Set of 4



SI Supplifing:

RUBBER LIFT PAD (4" X 4")

- RUBBER PAD DIMENSIONS: 4" x 4"
- · Kit of four rubber pads
- Replacement pads for Challenger CL9 and CL10 lifts

Ascot No.	Mfg. No.	Description
309-00009	JOK090	Rubber Lift Pad - 4" x 4"

RUBBER LIFT PAD (3.25" X 4")

- RUBBER PAD DIMENSIONS: 3.25" x 4"
- · Kit of four rubber pads
- Replacement pads for Rotary SPO10, SPO12 lifts

Ascot No.	Mfg. No.	Description
309-00022	JOK22D	Rubber Lift Pad - 3.25" x 4"

RUBBER LIFT PAD (6.25" ROUND SLIP ON)

- RUBBER PAD DIMENSIONS: 6.25" Round Slip On
- · Kit of four rubber pads
- Replacement pads for ALM Lifts

Ascot No.	Mfg. No.	Description
309-00006	JOK06M	Rubber Lift Pad - 6.25" Round Slip On

RUBBER LIFT PAD (5.25" ROUND)

- RUBBER PAD DIMENSIONS: 5.25" round
- · Kit of four rubber pads
- Replacement pads for Challenger CL10, Quality lifts

Ascot No.	Mfg. No.	Description
309-00014	JOK140	Rubber Lift Pad - 5.25" Round

RUBBER LIFT PAD (5" ROUND)

- RUBBER PAD DIMENSIONS: 5" round
- · Kit of four rubber pads
- Replacement pads for Nussbaum lifts

Ascot No.	Mfg. No.	Description
309-00003	JOK03M	Rubber Lift Pad - 5" Round

MISC. AUTO/FLEET SERVICE PRODUCTS







Rubber Lift Pad (6.25" Round Slip On)



309-0003Rubber Lift Pad (5" Round)











309-00005 Rubber Lift Pad (4" x 5")

RUBBER LIFT PAD (4" X 5")

- RUBBER PAD DIMENSIONS: 4" x 5"
- Kit of four rubber pads
- Replacement pads for Ammco, Ben Pearson lifts

Ascot No.	Mfg. No.	Description
309-00005	JOK05M	Rubber Lift Pad - 4" x 5"



RUBBER LIFT PAD (5" X 5")

- RUBBER PAD DIMENSIONS: $5" \times 5"$
- · Kit of four rubber pads
- Replacement pads for Forward, Worth, American, Gemini, Grand, Tuxedo, Eagle, Whip lifts

Ascot No.	Mfg. No.	Description
309-00007	JOK07M	Rubber Lift Pad - 5" x 5"



RUBBER BLOCK 1.5"

- RUBBER BLOCK DIMENSIONS: 6" x 4"
- · Kit of four 1.5" rubber blocks
- Spacer blocks for Rotary Airjacks and all Mid-Rise pad lifts

Ascot No.	Mfg. No.	Description
309-00011	JORB-1	Rubber Block 1.5"



RUBBER BLOCK 3"

- RUBBER BLOCK DIMENSIONS: $6" \times 4"$
- Kit of four 3" rubber blocks
- Spacer blocks for Rotary Airjacks and all Mid-Rise pad lifts

Ascot No.	Mfg. No.	Description
309-00013	JORB-3	Rubber Block 3"





Tire Cart


Flat-Free

Replacement Tires/Wheels

TIRE DOLLY W/ CASTERS

- · 300 lb. capacity
- Ideal for moving tires around or for tire storage
- INCLUDES: (4) swivel, nonmarking and smooth 3" casters, (1) equipped with brake
- Unique built-in compartment stackable design for space saving storage
- **SIZE:** 25.2" x 25.2" x 4.33"











TIRE CART

- Easy to maneuver, even with a full load of tires
- Can handle tires up to 35" in diameter
- Allows you to move tires 12" to 35" in size
- All you have to do is to push down on the pedal, slide the cart under the stack of tires and release the pedal - the frame lines up the tire on its own

Ascot No.	Mfg. No.	Description
703-00810	MTC	Tire Cart - 8 to 10 Tire Capacity, 35" Diameter Max
703-00812	MTC-GC	Gas Cylinder for MTC Tire Cart

TIRE CART REPLACEMENT TIRES/WHEELS

- · Flat-free foam design
- Industrial inner & outer wheel bearings
- · Sold as a pair of two
- SIZE: 10" x 3-1/2"

Ascot No.	Mfg. No.	Description
703-00818	PU1005ASC	Tire Cart Replacement Tires/Wheels





DUNK TANKS

- Heavy duty plastic tire and tube test tank
- Features pyramid type ribs for extra support to prevent bowing
- Handles passenger tire sizes to wide oval and light duty truck tires



Ascot No.	Mfg. No.	Description
322-19822	2400-10	Passenger Car
322-02444	2400-44	SUV/Light Truck

5-LITER OIL DRAIN PAN FOR BUSES, TRAILERS & TRUCKS

- Catches oil from hubs after removing cap
- Fits rims on buses, trailers and large trucks
- · Prevents oil mess during wheel repair
- Side opening design for easy dumping of oil collection
- · Made of polypropylene for durability





322-90045

Truck & Trailer Wheel Pan

Ascot No.	Mfg. No.	Description
322-90045	FS9004-5L	Truck & Trailer Wheel Pan

72" TIRE DISPLAY ON CASTERS

- · Provides an excellent compromise between strength and lightness
- Equipped with casters that let you move it quickly and easily
- Allows you to store 16 tires with an outside diameter of up to 31 inches



Ascot No.	Mfg. No.	Description
751-00072	MTD-72	72" Tire Display on Casters, 16-tire capacity



B'LASTER SILICONE LUBE

- Teflon™ fluoropolymer enhances performance
- Long-lasting lubrication
- Won't accumulate dust & dirt
- **QUANTITY:** 12 per case

Ascot No.	Mfg. No.	Description
328-00016	16-SL	B'laster Silicone Lube, 11 oz.





328-00016B'laster Silicone Lubricant, 11 oz.

B'LASTER DRY LUBRICANT

- Teflon™ fluoropolymer helps reduce friction & wear
- Enhance performance
- Protect surfaces
- **QUANTITY:** 12 per case

Ascot No.	Mfg. No.	Description
328-00116	16-TDL	B'laster Dry Lubricant, 9.3 oz.





328-00116 B'laster Dry Lubricant, 9.3 oz.



FULL BORE HAND CLEANER

• Rids hands of dirt and grease while leaving the skin soft and chap free • Solvent free • Economical • Contains skin moisturizers • Clean fragrance • Never irritates or burns open wounds • Rinses clean • Keeps your sink clean • Keeps your pipes clean • Will not separate during hot months • Long shelf life • Neutral pH • Meets American Clean Waters Act







ASCOT NO.	MFG. NO.	DESCRIPTION
ULTRA FLOW		
395-00101	TS1GAL	Ultra Flow, 1 Gallon
395-00103	TS1Gal-W4P	Ultra Flow 1 Gallon w/ Pump
395-00102	TS1GAL-FT	Ultra Flow, 1 Gallon Flat Top
	ULTRA FLOV	V DISPENSERS
395-00104	Plastic Pump	Plastic Pump
395-00125	TS125-D	Stainless Steel Wall Mount Dispenser
395-00126	TS125-FT-D	Stainless Steel Wall Mount Dispenser (Fits Flat Top)
395-06402	EG-dispenser	Dispenser for Extreme Green 64 oz. Tub
	SUPE	R GRIT
395-40000	TS4000	Super Grit, 4 Gallon
395-06400	TS6400	Super Grit, 64 oz.
	EXTREM	ME GREEN
395-00400	MG-HS-4GAL	Extreme Green, 4 Gallon
395-06401	MG-HS-640Z	Extreme Green, 64 oz.





395-06400

395-06401

329-18685 1/4" FPT **Radiator Filler**

319-01023 10" Curved Jaw Locking Pliers



MISC. AUTO/FLEET SERVICE PRODUCTS

313-01219

8-in-1 Drain Plug Wrench

319-01024

1/4" FPT RADIATOR FILLER

- · Radiator faucet with heavy duty rubber nozzle
- 90° rubber spout
- · Easy operation with lever control
- · Spring-loaded lever-operated valve
- · For water, anti-freeze, windshield washing fluid, etc.
- 1/4" FPT female inlet

Ascot No.	Mfg. No.	Description
329-18685	3281-RF	1/4" FPT Radiator Filler

8-IN-1 DRAIN PLUG WRENCH W/ MAGNET


- Sizes: Hex 12, 13, 14, 15, 16, 17, 18, 19mm
- · 16 different socket sizes to fit most oil drain transfer case and differential plugs
- Heavy duty magnet on handle to hold drain plugs or nuts
- · Offset head design

Ascot No.	Mfg. No.	Description
313-01219	ASC1219	8-in-1 Drain Plug Wrench w/ Magnet

LOCKING JAW PLIERS

- · Curved jaw puts tremendous pressure on four points of any style nut or bolt head; includes convenient wire cutter
- · Ideal for tightening, clamping, twisting and turning
- · Turn screw to adjust pressure and fit work; stays adjusted for repetitive use
- · Guarded release trigger quickly unlocks and protects from accidental release

•	Constructed of high-grade heat-
	treated alloy steel for maximum
	toughness and durability
	6 1 1 1



Ascot No.	Mfg. No.	Description
319-01023	AS102L3	10" Curved Jaw Locking Pliers
319-01024	AS102L3S	10" Straight Jaw Locking Pliers

8-PIECE PROFESSIONAL SCREWDRIVER SET

• Includes 5 flat tip and 3 Phillips tip drivers **SLOTTED:** 3/8" x 8", 5/16" x 6", 1/4" x 4", 3/16" x 3", 1/4" x 1-1/2"

PHILLIPS: #2 Phillips x 4", #1 Phillips x 3", #2 Phillips x 1-1/2"

Hardened chrome vanadium shafts

- · Hex bolsters for extra turning power
- · Vapor blasted magnetic tips
- Packaged in molded plastic tray for storage



Ascot No.	Mfg. No.	Description
319-19800	19800	8-Piece Professional Screwdriver Set









426-29150 Milwaukee Tool Dead Blow Hammer

MILWAUKEE TOOL 28 OZ. DEAD BLOW HAMMER

- · Provides maximum impact and the most durable handle
- · Delivers the highest impact with minimal effort when swinging
- · Steel reinforced handle core
- · Durable handle is also resistant to

peeling when exposed to solvents

- · Precision balanced design, paired with the overmold handle and anti-slip grip offers more control
- · Lifetime guarantee

Ascot No.	Mfg. No.	Description
426-29150	48-22-9150	Milwaukee Tool 28 Oz. Dead Blow Hammer

GASKET SCRAPERS

- · Removes pieces of old gasket, sealant and hardened oil or carbon deposits
- 1" wide forged alloy steel blade with chisel edge
- · Can be re-sharpened
- Rugged molded plastic handle and steel shank
- 9-3/4" & 12" overall lengths available

Ascot No.	Mfg. No.	Description
319-02080	AS2080	Gasket Scraper - Overall Length - 9-3/4"
319-02081	AS2081	Long Gasket Scraper - Overall Length - 12"

319-02080 Gasket Scraper 9-3/4"

319-02081 Gasket Scraper 12'

PROFESSIONAL 4 PC. PRY BAR SET

- · Chrome vanadium steel shafts
- · Injection molded handle
- · Black oxide finish resists corrosion
- Curved blades
- Includes 1/4" x 8", 3/8" x 12", 7/16" x 18" & 7/16" x 24" pry bars
- Includes handy storage tray

Ascot No.	Mfg. No.	Description
319-76403	AS-876404	Professional 4 Pc. Pry Bar Set

1/2" DRIVE 24" BREAKER BAR

- 24" breaker bar allows user to break free stubborn bolts or stuck fasteners
- 180° swivel head allows for multiple angles of use
- · Heavy duty chrome vanadium steel construction
- · Spring loaded ball bearing retains sockets
- · Smoothly contoured, knurled handle for a comfortable grip
- Similar to SK Tools 41654
- · Made in Taiwan

Ascot No.	Mfg. No.	Description
168-01224	NS-F4243RD	1/2" Drive 24" Breaker Bar

319-76403

Professional 4 Pc. Pry Bar Set

168-01224

1/2" Drive 24" Breaker Bar

COMING SOON!

UNIVERSAL CHROME WRENCH EXTENDER

- · Works with almost any wrench to increase leverage or gain access to hard-to-reach fasteners
- Handle offers comfort and control
- · Polished, chrome plated CR-V steel
- · Overall length: 15"
- Made in Taiwan

Ascot No.	Mfg. No.	Description
313-00385	NS-WE385	Universal Chrome Wrench Extender

313-00385

Universal Chrome Wrench Extender

> **COMING SOON! FALL 2024**



WRENCHES & TOOLS









11 PC. SAE LONG COMBINATION OPEN END WRENCH SET

- Open-end grip provides 25% more torque
- Offset box end
- Comfortable I-beam handle design
- Chrome plated for rust protection

Ascot No.	Mfg. No.	Description
313-09411	AS9411	11 Pc. SAE Long Combination Open End Wrench Set

11 PC. METRIC LONG COMBINATION OPEN END WRENCH SET

- Open-end grip provides 25% more torque
- · Offset box end
- Comfortable I-beam handle design
- Chrome plated for rust protection
- Convenient storage pouch

Convenient storage pouch

 Fractional sizes: ¼", 5/16", 11/32", 3/8", 7/16", ½", 9/16",

· Similar to Milwaukee 48-22-9411

5/8", 11/16", 3/4", 7/8"

- Metric sizes: 8mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm
- · Similar to Milwaukee 48-22-9415

Ascot No.	Mfg. No.	Description
313-09511	AS9511	11 Pc. Metric Long Combination Open End Wrench Set

15 PC. SAE LONG COMBINATION OPEN END WRENCH SET

- Open-end grip provides 25% more torque
- Offset box end
- Comfortable I-beam handle design
- Chrome plated for rust protection
- · Convenient storage pouch
- Fractional sizes: 1/4", 9/32", 5/16", 7/8", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 15/16", 1"
- Similar to Milwaukee 48-22-9511

Ascot No.	Mfg. No.	Description
313-09415	AS9415	15 Pc. SAE Long Combination Open End Wrench Set

15 PC. METRIC LONG COMBINATION OPEN END WRENCH SET

- Open-end grip provides 25% more torque
- · Offset box end
- Comfortable I-beam handle design
- Chrome plated for rust protection
- · Convenient storage pouch
- Metric sizes: 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm
- Similar to Milwaukee 48-22-9515

Ascot No.	Mfg. No.	Description
313-09515	AS9515	15 Pc. Metric Long Combination Open End Wrench Set



MECHANIC'S GLOVES

RPG NITRILE MICRO-DIAMOND GLOVES

- Textured finish
- For industrial and automotive applications
- Powder-free
- THICKNESS: 6 mil Not made from natural rubber latex
- QUANTITY: 100 per box, 10 boxes per case

Ascot No.	Mfg. No.	Description
396-00301	32806BK240R2	Micro Diamond Black Nitrile Glove (Small)
396-00303	32806BK240R4	Micro Diamond Black Nitrile Glove (Large)
396-00304	32806BK240R5	Micro Diamond Black Nitrile Glove (XL)
396-00401	328060R240R2	Micro Diamond Orange Nitrile Glove (Small)
396-00402	328060R240R3	Micro Diamond Orange Nitrile Glove (Medium)
396-00403	32806OR240R4	Micro Diamond Orange Nitrile Glove (Large)
396-00404	32806OR240R5	Micro Diamond Orange Nitrile Glove (XL)

NITRILE GLOVES

- Powder-free disposable nitrile gloves
- 4.5 mil
- Suitable for automotive and industrial applications
- QUANTITY: 100 per box, 10 boxes per case

Ascot No.	Mfg. No.	Description
396-00803	BLK-L	Black Nitrile Gloves (L)
396-00804	BLK-XL	Black Nitrile Gloves (XL)
396-00805	BLK-XXL	Black Nitrile Gloves (XXL)

ASCOT BLACK POLYESTER WORK GLOVES

- Palm coated with nitrile offers good protection from liquids, oil & grease
- Excellent dexterity
- Ergonomic design for a comfortable fit
- 13-gauge polyester liner provides outstanding fit, feel & comfort to reduce hand fatigue
- Machine washable
- 12 per bag



Ascot No.	Mfg. No.	Description
396-50317 N/A		Black Polyester Work Gloves (Textured Palm)
396-50318	N/A	Black Polyester Work Gloves (Smooth Palm)
396-50319	N/A	Black Polyester Work Gloves (Smooth Palm Medium/Large)
396-50320	N/A	Black Polyester Work Gloves (Textured Palm Medium/Large)





MECHANIC'S GLOVES



AME MAG-BEAR 25' MAGNETIC RETRACTABLE BARRIER

- Enhanced Safety: Our 25ft Belt with printed "Caution Do Not Enter" Warning, in a vibrant yellow color, ensures the utmost safety by effectively restricting access to hazardous areas
- Durable Protection: The sturdy ABS protective case, featuring a striking black and yellow design, provides long-lasting protection for your equipment
- Ultimate Portability: Designed with portability in mind, this system can be easily moved and set up wherever needed, making it an indispensable tool for technicians on the go
- Technician Safety First: Prioritizing technician safety, our system helps safeguard them while servicing equipment, preventing unauthorized access and potential accidents
- Effortless Installation: With a magnetic mounting system, this product can be quickly and securely installed, saving you valuable time and effort
- Magnetic Strength: Equipped with six super strong magnets on the back and two on the belt end, this system boasts an exceptional magnetic force, ensuring it stays securely in place
- Reliable Security: Count on our super-strong magnets to maintain a dependable and robust barrier, effectively preventing unauthorized access and enhancing overall security

Ascot No.	Mfg. No.	Description
396-95055	95055	Mag-Bear 25' Magnetic Retractable Barrier

RPG MECHANIC'S GLOVES

- Black synthetic leather palm with small patches
- Features blue spandex on back, neoprene on knuckle, 4cm wide elastic, hook & loop

Ascot No.	Description
396-10011	RPG Mechanic's Gloves

DOUBLE PALM LEATHER GLOVES

Ascot No.	Mfg. No.	Description
396-55220	7533	Double Palm Leather Gloves (12 Pairs per Pkg.)

SAFETY GLASSES-CLEAR LENS

- 12 pcs. per inner box
- 300 pcs. per case
- Clear lens
- · Anti-scratch & anti-fog coating
- Lightweight, unisex protective eyewear

- High wraparound coverage
- · Comfortable, contoured fit
- · Designed for indoor or outdoor use
- Polycarbonate lenses absorb 99.9% UVA and UVB
- ANSI Z87.1 CE EN 166

Ascot No.	Mfg. No.	Description
396-00901	SG-2 CLEAR	Safety Glasses-Clear Lens

SAFETY GLASSES-SMOKE LENS

- 12 pcs. per inner box
- 300 pcs. per case
- Smoke lens
- Anti-scratch & anti-fog coating
- Lightweight, unisex protective eyewear ANSI Z87.1 CE EN 166
- Comfortable, contoured fit
- Designed for indoor or outdoor use
- · Polycarbonate lenses absorb 99.9% UVA and UVB
- High wraparound coverage

Ascot No.	Mfg. No.	Description	
396-00902	SG-2 SMOKE	Safety Glasses-Smoke Lens	

312-39001 LED Rechargeable Head Light



TIRE REPAIR TOOLS & ACCESSORIES



COB RECHARGEABLE WORK LIGHT W/ USB CABLE

- 400LM brightness
- Dimming Switch
- Features a hook on lamp head and base with magnet for hands-free operation
- WORKING TIME: Approx. 2.5 hrs.
- CHARGING TIME: Approx. 4 hrs.
- 8W COB LED



Ascot No.	Mfg. No.	Description
312-03007	TWL3007E	COB Rechargeable Work Light w/ USB Cable



LED RECHARGEABLE PEN LIGHT

- Aluminum pen light with laser and UV light
- Top UV light, wavelength: 365NM
- Side 5W COB Floodlight: 450 lumen
- Tail light: 3W spotlight white LED 140 lumen & red laser light
- Power Source: rechargeable Li-ion battery
- Includes: 50 cm USB-C cable
- Charging time: 3 hours
- Run time: COB 2.5 h, white spotlight: 2.5 hours
- 120° rotating metal clip with strong magnet
- Dimming switch with battery indication



Ascot No.	Mfg. No.	Description
312-07179	CP-R179	LED Rechargeable Pen Light

LED RECHARGABLE HEADLIGHT

- Material: :ABS+Silicone
- LED: COB +3W led
- Battery:1200mAh Li-poly Battery(can be replaced)
- Function: COB high-COB low-3W led high-3W led low-COB flashing
- Press sensor switch, sensing function.

- Brightness: COB:200 lumen, 3W led:120 lumen
- USB Type-C cable (Included)
- Charging time: 3-4hours
- Working time: 3-8hours
- · Waterproof & shockproof



Ascot No.	Mfg. No.	Description
312-39001	CP-H001	LED Rechargeable Head Light





XLIGHT TIRE SERVICE LED WORK LIGHT

- CONVENIENT: Designed for hands-free lighting during tire service and other work applications
- 14" adjustable spring-tube for optimum light positioning within tight spaces
- BRIGHTNESS: 2-stage compact high-power LED light provides 125 & 250 lumen output
- Multiple high-power magnets on the handle and light head grip strongly to most metal surfaces
- RECHARGEABLE BATTERIES: Lithium-ion rechargeable battery

- Redesigned handle allows for 25% larger clamping diameter compared with original XLIGHT 14-921
- CLAMP-ON HANDLE:
 Clamp-on handle quickly and easily "grips" over the bead of the tire
- Compatible with all passenger, light truck and commercial truck tires
- Compatible with all tire spreaders

Ascot No.	Mfg. No.	Description
312-14923	14-923	XLight Tire Service LED Work Light



LED WORK LIGHT ASSEMBLY

- LED worklamp for tire spreaders
- · Directional spotlight for increased visability
- 8W COB LED will provide 650 Lumens, 750 Lux at 1M
- Stays cool to the touch
- · Adjustable, flexible gooseneck
- · Includes mounting bracket

Ascot No.	Mfg. No.	Description
312-08473	TR8473	LED Work Light Assembly



HAWK BILL TIRE REPAIR KNIFE

• High carbon steel, hawk bill notch, glaze finish, round burnt finish handle (riveted)

Ascot No.	Mfg. No.	Description
531-60570	X751N	2" Hawk Bill Notch Repair Knife

ROUND POINT FLEXIBLE REPAIR KNIFE

 High carbon steel, round point skiver, glaze finish, round burnt finish handle (riveted)

Ascot No.	Mfg. No.	Description
531-75150	X2RF	4" Round Point Flexible Tire Repair Knife

TAPER POINT FLEXIBLE REPAIR KNIFE

• High carbon steel, taper point, glaze finish, round burnt finish handle (riveted)

Ascot No.	Mfg. No.	Description
531-75190	X2T	4" Taper Point Flexible Tire Repair Knife

OTHER KNIVES

Ascot No.	Mfg. No.	Description
531-60300	60300	4" x 1" Curved Notch Repair Knife
531-75220	75220	3/8" Curved Point Shoe Knife
531-75310	X3N	4-7/8" Round Point Skiving Knife

RAZOR BLADE SCRAPER W/ OFFSET HEAD

- Strong, solid handle ideal for stripping paint, caulk, labels, overspray, gasket material, urethane and glue
- No sharpening needed, just replace the blade
- Protective cover keeps blade sharp and prevents cuts
- Includes one standard single edge blade

Ascot No.	Mfg. No.	Description
537-05246	AS-5246	Razor Blade Scraper W/ Offset Head

ASCOT RAZOR BLADES

- 100 blades per box
- Great for paint prep, glass scraping and cutting rubber
- Fits all window scrapers and box cutters
- Each blade is protected in wax paper
- High-grade long-lasting high carbon steel edge

Ascot No.	Mfg. No.	Description
537-72967	RB-100	Ascot Razor Blades







AEROSOL PRE-BUFF CLEANER

- Non-flammable
- Prepares rubber for easy tire repairs
- Removes contaminants
- Dries fast & leaves no residue
- 14 oz. per can
- **QUANTITY:** 12 cans per case

Ascot No.	Mfg. No.	Description
505-71216	N/A	Aerosol Pre-Buff Cleaner - Non-Flammable

QUART CEMENT CAN W/ WOODEN HANDLED BRUSH

- Can capacity: 1 qt
- Air-tight design keeps cement clean and usable
- Brush-in-cap design prevents evaporation and contamination
- Similar to Rema 6020

Ascot No.	Mfg. No.	Description
532-07460	7460	Quart Cement Can W/ Wooden Handled Brush
532-74601	74601	Wooden Handled Brush For Quart Cement Can
532-74602	74602	Aluminum Quart Cement Can

QUART CEMENT DISPENSER WITH PLASTIC HANDLE BRUSH

- Refillable can designed for tire repair cements
- Screw-on brush-top to prevent leakage
- Large horsehair brush to carry more cement to the repair zone
- Stout, long-lasting varnished can for heavy duty handling
- Easy to clean
- Allows users to use their cements from a bulk source

Ascot No.	Mfg. No.	Description
532-14381	14-381	Quart Cement Dispenser with Plastic Handle Brush

CARBIDE CUTTING TOOLS

Made In USA

Ascot No.	Mfg. No.	Description
533-00003	CB3	1/8" (3mm) Pointed End
533-00010	CB10	3/8"(10mm) Pointed End
533-00012	CB12	1/2" (12mm) Pointed End
533-00045	CB4.5	1/8" (4.5mm) Pointed End
533-01120	BU12B	1/2" Ball Burr
533-01140	BU14R	1/4" Router Burr (3" Overall Length)
533-01141	BU14T	1/4" Taper Burr
533-01180	BU18R	1/8" Router Burr
533-01181	BU18T	1/8" Taper Burr
533-01182	BU18TL	1/8" Taper Burr (3" Overall Length)
533-01316	BU316N	3/16" Taper Burr
533-01381	BU38T	3/8" Taper Burr
533-01516	BU516NR	5/16" Long Taper Burr
533-01716	BU716N	7/16" Long Taper Burr
533-01732	BU732N	7/32" Long Taper Burr



BUFFING STONES FOR STEEL - BELTED TIRES

· Please specify white or brown color when ordering

Ascot No.	Mfg. No.	Description
534-80005	A-5	Small Cone 3/4" Stone Diameter
534-80001	A-1	Large Cone 3/4" Stone Diameter
534-80011	A-1B	Large Cone 3/4" Stone Diameter (Brown)
534-80015	A-15	Pencil Point 1/4" Stone Diameter
534-80057	'57	Carborundum Stone - 14"
534-80115	A-15B	Pencil Point 1/4" Stone Diameter (Brown)
534-80036	A-36	Stone Disc 1-3/4" Diameter
534-80136	A-36B	Stone Disc 1-3/4" Diameter (Brown)
534-80037	A-37	Stone Disc 1-1/4" Diameter
534-80137	A-37B	Stone Disc 1-1/4" Diameter (Brown)

SERIAL NUMBER REMOVAL TOOL

Ascot No.	Mfg. No.	Description
531-95001	TTHB-1	Serial Number Remover Tool
531-95002	RRB-1	12-Pack Replacement Blades

PROFESSIONAL STITCHERS

 Corrugated ball bearing stitcher with hardened steel wheel and varnished wooden handle

Ascot No.	Mfg. No.	Description	
536-00001	CS-1 1-1/2" x 1/16" Corrugated Stitcher		
536-02040	MRO2040	2" x 2" Flat Roller	
536-02890	MRO2890	2" x 1/16" Corrugated Stitcher	
536-02910	MRO2910	2" x 1/4" Corrugated Stitcher	
536-06500	MRO6500	2" x 2" Porcupine Roller	

ECONOMY BALL-BEARING STITCHERS

- WHEEL DIAMETER: 1-1/2"
- HANDLE LENGTH: 5"
- Serrated wheel
- OVERALL LENGTH: 7-1/2"
- · Varnished wood handle

Ascot No.	Mfg. No.	Description
536-01121	VT-1121A	Economy Ball-Bearing Stitcher - 1.5" x 1/16"
536-01122	VT-1121B	Economy Ball-Bearing Stitcher - 1.5" x 1/8"

GOOSENECK STITCHER

- Ideal repair tool for trucks, cars and motorcycles
- Durable and ergonomic handle

Ascot No.	Mfg. No.	Description
536-00101	NS-TS01	Gooseneck Stitcher - 1.5" x 1/8"







536-06500 2" x 2" Porcupine Roller



www.ascotsupply.com

▲WARNING: For more information go to www.P65Warnings.ca.gov.





COLOR CODED TIRE INJURY MEASURING TOOL

- Color-coded injury measuring tool made of the highest quality materials and designed to make tire repair jobs easier and faster
- Measures the size of the injury allowing for proper
- sized tire repairs
- Heavy duty screwdrivertype handle
- Made in Taiwan
- Similar to Tech TRT105
- Made in China

Ascot No.	Mfg. No.	Description
537-00083	PHT-083A	Color Coded Tire Injury Measuring Tool

TIRE PROBE AWL

 Used to inspect injuries in tires and to remove small stones and debris

Ascot No.	Mfg. No.	Description
537-00001	AWI -1	Black Handle Awl

BLACK HANDLED TIRE DENAILER

- Recessed tip to allow nails or other puncturing objects to be pushed back through the tire
- MADE IN THE USA

Ascot No.	Mfg. No.	Blade Length	Recess Depth	Point Diameter	Overall Length
537-00353	353	7"	1/8"	5/16"	6-1/2"

INNER LINER SCRAPER

- This tool is a must for professional tire repairs
- Eliminates power buffing on many tire repairs
- Scraper removes material that might contaminate buffing wheels, ensuring a better repair every time

Ascot No.	Mfg. No.	Description
537-00004	S-4	Black Handle Inner Liner Scraper

TIRE REPAIR TOOL POUCH

- Durable nylon pouch
- Valve core tool
- 3-color tread depth gauge
- White crayon
- 5-50 psi pencil gauge
- Ink pen

Ascot No.	Mfg. No.	Description
736-10004	TTP	Tire Repair Tool Pouch

RPG AIR POWERED TIRE REPAIR VACUUM



- • Quick change from blow to vacuum function
- Kit includes: Plastic body gun, dust bag, 2 extension tubes, shop brush, flat tube, tiny tube



Ascot No.	Mfg. No.	Description	
537-00003	VBG2	RPG Air Powered Tire Repair Vacuum	



FLARED CONTOUR/PRECISION CONTOUR WHEELS

- · Redesigned to most effectively use their "SSG" tooth armorings
- · Working faces of the wheels are at an angle to the shaft, which makes it easy to clear the hand-piece for working inside and outside of casings
- Wide and nearly flat working face radius produces the ideal texture over a wider contact area for a more even textured surface

Ascot No.	Mfg. No.	Description
538-10200	RH102	1-3/4" Flared Cup - 230 SSG
538-10700	RH107	2-1/2" Flared Cup x 1" x 3/8" w/ 170 SSG
538-10900	RH109	2-1/2" Flared Cup x 1" x 3/8" w/ 230 SSG
538-11100	RH111	2-1/2" Flared Cup x 1" x 3/8" w/ 390 SSG
538-11200	RH112	3" Flared Cup x 1-1/4" x 3/8" w/ 170 SSG
538-11400	RH114	3" Flared Cup x 1-1/4" x 3/8" w/ 230 SSG
538-11600	RH116	3" Flared Cup x 1-1/4" x 3/8" w/ 390 SSG
538-11800	RH118	3-1/2" Contour Wheel x 3/8" w/ 170 SSG
538-12000	RH120	3-1/2" Contour Wheel x 3/8" w/ 230 SSG
538-12200	RH122	3-1/2" Contour Wheel x 3/8" w/ 390 SSG
538-12900	RH129	4" Cup x 1-1/2" x 3/4" w/ 390 SSG
538-14000	RH140	1/4" x 3/8-24 Mini Patch Prep Wheel w/ 170 SSG

"MINI-CUP" FLARED CONTOUR WHEELS

· Innerliner buffer

· Available in grit or "SSG" coating

Ascot No.	Mfg. No.	Description
538-13000	RH130	2" Black Mini Cup w/ #60 Grit
538-13017	RH130-170	2" Mini Cup x 3/4" x 3/8" w/ 170 SSG
538-13023	RH130-230	2" Mini Cup x 3/4" x 3/8" w/ 230 SSG

POLYPLUGS FOR FLARED CONTOUR WHEELS

· Made for flared contour wheels and are reusable • Make the wheels run true, protect them from damage and provide a flywheel effect for better control

Ascot No.	Mfg. No.	Description
538-15100	RH151	Polyplug Insert 3/8" ID for 2" Cup"
538-15200	RH152	Polyplug Insert 3/8" ID for 2-1/2" Cup
538-15400	RH154	Polyplug Insert 3/8" ID for 3" Cup

RETREADING SIDEWALL WHEELS

- Designed for shoulder and sidewall preparation
- Used on manual or automatic sidewall buffers
- Fast and effective removal of oxidized rubber
- · Used with or without traditional wire brushes
- Excellent durability, reducing cost per buff
- · Provides a uniform texture maximizing rubber-to-rubber bond

Ascot No.	Mfg. No.	Description
538-70800	RH708	6" x 1" x 1-1/2" Donut Wheel, coarse (SSG 390)

3" EXTREME FLARED CONTOUR WHEEL

- Rapid repair removal
- Coarse texturizing
- Heavy buffing without heat or loading
- · Extremely long wear-life
- section repair, Post-rasp texturing of low spots along edge of crown (skiving station), Clean-up of sidewall repairs (final inspection)

· Applications: Repair removal,

2710101110	Extremely long wear me		
Ascot No.	Mfg. No.	Description	
538-11601	RH116X	3" Extreme Flared Contour Wheel	











538-70800













• APPLICATIONS: For skiving and texturing of larger exterior section repairs

Ascot No.	Mfg. No.	Description
538-30000	RH300	2" Buzzout x 1/4" x 3/8"-24b.o. w/ 230 SSG
538-30200	RH302	2" Buzzout x 1/4" x 3/8"-24b.o. w/ 390 SSG
538-30600	RH306	2" Buzzout x 3/8" x 3/8"-24b.o. w/ 390 SSG

SMALL AND MEDIUM BALLS

- Medium balls for skiving/ texturing of larger exterior section repairs
- Small balls for skiving/texturing of medium exterior section repairs

Ascot No.	Mfg. No.	Description
538-60100	RH601	1/2" x 1/4" Shank Ball w/ 330 SSG
538-60300	RH603	3/4" x 1/4" Shank Ball w/ 330 SSG

SMALL TAPERS

• APPLICATIONS: For small section repairs of tread and sidewall

Ascot No.	Mfg. No.	Description
538-61100	RH611	1/2" x 1/4" Shank Taper w/ 330 SSG

ROTOR SAWS

• APPLICATIONS: For small buzzout repairs of tread and sidewall

Ascot No.	Mfg. No.	Description
538-61900	RH619	1-3/8" x 1/8" x 1/4" Shank Saw w/ 330 SSG

NAIL HOLE REAMERS

• APPLICATIONS: For plug repairs on fabric tires only

Ascot No.	Mfg. No.	Description
538-62600	RH626	1/4" x 3" x 1/4" Shank NHR w/ 390 SSG & #23 Grit

539-10001 Buffing Wheel





BUFFING WHEEL

- APPLICATIONS: For use on tires or tubes
- 2-1/2" diameter • Coarse grit, round nose

Ascot No.	Mfg. No.	Description
539-10001	BC-1	2-1/2" Radius Cup Rasp

· Tungsten carbide





7" DIAGONAL CUTTING PLIERS

- XTREME LEVERAGE TECHNOLOGY (XLT™) increases performance and reduces hand fatigue
- Laser treated cutting edges perform better and last longer
- Precision-machined knife and anvil style cutting edges ensure perfect mating for superior performance and longevity
- Forged high carbon U.S. steel for maximum strength and durability is specially coated for ultimate rust prevention
- Blue comfort grips
- 100% MADE IN USA

Ascot No.	Mfg. No.	Description
319-00337	337	7" Diagonal Cutting Pliers

7.75" CURVED DIAGONAL CUTTING PLIERS

- Curved diagonal for maximum pulling leverage
- Perfectly mated cutter, heat treated to hold its edge
- Polished high carbon drop forged steel
- · Blue comfort grips

Ascot No.	Mfg. No.	Description
319-00447	447	7.75" Curved Diagonal Cutting Pliers

8" CUTTING PLIER WITH END CUTTER

- Perfectly mated cutter, scientifically heat treated to hold its edge
- Polished high carbon drop forged steel
- · Blue comfort grips

Ascot No.	Mfg. No.	Description
319-00358	358	8" Cutting Plier with End Cutter







7" DIAGONAL CUTTING PLIERS

- Laser treated cutting edges perform better and last longer
- Precision-machined knife and anvil style cutting edges ensure perfect mating for superior performance and longevity
- Forged high carbon steel for maximum strength and durability is specially coated for ultimate rust prevention
- · comfort grips
- MADE IN TAIWAN



Ascot No.	Mfg. No.	Description
319-01337	A337	7" Diagonal Cutting Pliers

7.75" CURVED DIAGONAL CUTTING PLIERS

- Curved diagonal for maximum pulling leverage
- Perfectly mated cutter, heat treated to hold its edge
- Polished high carbon drop forged steel
- comfort grips
- MADE IN TAIWAN

COMING SOON! Fall 2024

Ascot No.	Mfg. No.	Description
319-01447	A447	7.75" Curved Diagonal Cutting Pliers



8" CUTTING PLIER WITH END CUTTER

- Perfectly mated cutter, scientifically heat treated to hold its edge
- Polished high carbon drop forged steel
- comfort grips
- MADE IN TAIWAN

COMING SOON! Fall 2024

ASCOL NO.	MIG. NO.	Description
319-01358	A358	8" Cutting Plier with End Cutter



TIRE LABELS

- 2-1/2" x 6" label for easy identification of new, used and retreaded tires
- QUANTITY: Packed 500 per roll

Ascot No.	Mfg. No.	Description
601-00101	TL-101	Tire Labels New-Used-Retread

601-00101 Tire Labels

MISCELLANEOUS TIRE REPAIR TOOLS

Ascot No.	Mfg. No.	Description
537-90002	SEPG	Plastic Pistol Grip Handle - Short
537-90003	OETT	Plastic T-Handle
537-90006	TST	Chrome Plated T-Handle with 3" Replaceable Needle
537-90009	SPPG	Plastic Pistol Grip Handle Spiral Probe
537-90019	TSPRB	Chrome Plated T-Handle Spiral Probe
537-90035	WRN35	Replacement Needle: 3-1/2"

Ascot No.	Mfg. No.	Description	
537-90045	WRN45	Replacement Needle: 4-1/2"	
537-90116	TST	Metal T-Handle Insertion Tool	
537-90119	PRBR	Replacement Spiral Probe	
537-90135	AWRN35	Replacement Needle: 3-1/2"	
537-90150	P150	Heavy Duty Screwdriver-Type Handle Barbed Rasp	
537-90155	AWRN55	Replacement Needle: 5-1/2"	

Ascot No.	Mfg. No.	Description
537-90200	TSBRP	Chrome Plated T-Handle with Barbed Rasp
537-90201	PPG	Plastic Pistol Grip Handle Barbed Rasp
537-92119	ATSPRB	Metal T-Handle Spiral Probe for Auto/Lt Truck





TIRE REPAIR CHEMICALS

- Fast drying
- Wide brush for easy application

Ascot No.	Mfg. No.	Description
501-90018	ASV8	Clear Chemical Vulcanizing Cement, 8 oz. (24 per case)
501-90032	ASV32	Clear Chemical Vulcanizing Cement, Quart (6 per case)
501-90008	ASV8BL	Blue Chemical Vulcanizing Cement, 8 oz. (24 per case)
504-90011	ABSG	Black Bead Sealer, Gallon (4 per case)
504-90032	ABS32	Black Bead Sealer, Quart (6 per case)
504-90005	ABS5G	Black Bead Sealer, 5-Gallon
504-90016	ARS16BK	Black Inner Liner Sealer, 16 oz. (12 per case)
505-90032	ABU32	Inner Liner Cleaner, Quart (12 per case)

504-90005 Black Bead Sealer, 5-Gallon





504-90011 Black Bead Sealer, Gallon

MITT

SEALER



501-90032

Clear Chemical Vulcanizing Cement, Quart



BEAD SEALER



501-90008

Blue Chemical Vulcanizing Cement, 8 oz.



504-90016

Black Inner Liner Sealer, 16 oz.



PUSH THROUGH PATCH/PLUG

- One-piece molded rubber patch/ plug unit with a metal quill that protects the stem from damage during insertion
- APPLICATIONS: For tread area of bias and radial passenger and truck tires

Ascot No.	Mfg. No.	Description
587-01150	QS50R	1/8" Quill Patch Plug (48 per Box)
587-01151	QSR1	1/4" Quill Patch Plug (24 per Box)
587-01152	QSR2	1/4" Quill Patch Plug (48 per Box)



LEAD WIRE PULL THROUGH PATCH/PLUG

- Easiest and most popular method to fill a nail-hole and apply a patch in one simple step
- Lead-wire guides the rubber stem through injury
- Stem coated with self vulcanizing material and patch features Versacure bonding gum
- **APPLICATIONS:** For tread area of bias and radial passenger and truck tires

Ascot No.	Mfg. No.	Description
587-01303	M-3	1/8" Plug-N-Patch (48 per Box)
587-01306	M-6	1/4" Plug-N-Patch (24 per Box)
587-01309	M-9	3/8" Plug-N-Patch (24 per Box)



587-01303 Lead Wire Pull Through Patch/Plug



587-01309 Lead Wire Pull Through

Patch/Plug



BLUE WRAP PATCH PLUGS

- Grey cushion gum
- · Wrapped in blue poly
- **QUANTITY:** 24 per box, 63 boxes per case

Ascot No.	Mfg. No.	Description
587-01406	M6B	1/4" Plug-N-Patch: Grey Cushion Gum, Blue Wrap (24 per Box, 63 Boxes per Case)
587-01409	М9В	3/8" Plug-N-Patch: Grey Cushion Gum, Blue Wrap (24 per Box, 63 Boxes per Case)





M9B Patch/Plug

WIRE PULLER

Ascot No.	Mfg. No.	Description
468-01120	VT-1120L	7-1/4" Wire Puller



468-01120 Wire Puller









TUBE REPAIRS

- Feather edge, soft gum repairs
- For use with all types of tubes
- · Repair using chemical vulcanizing cement

Ascot No.	Mfg. No.	Description
541-90020	ARB20	Large Round Tube Repair: 3-1/8" (20 per box)
541-90030	ARB30	Medium Round Tube Repair: 2-1/8" (30 per box)
541-90040	ARB40	Small Round Tube Repair: 1-9/16" (40 per box)
541-90101	ARB100-1000	Small Round Tube Repair: 1-9/16" (1000 per box)

UNIVERSAL RADIAL/BIAS REPAIRS

- For use on private passenger and light truck tires up to 1/4" injuries
- Rubber reinforced soft gum
- · Repair using chemical vulcanizing cement

Ascot No.	Mfg. No.	Description	
550-90000	AWR0	Small Round Universal Radial/Bias Repair: 1-9/16" (35 per box)	
550-90002	ASQ2	Medium Square Universal Radial/Bias Repair: 2-1/8", Grey Gum/Red Plastic (40 per box)	
550-90004	AWR4	Medium Round Universal Radial/Bias Repair: 2-1/8" (30 per box)	
550-90005	AWR5	Large Round Universal Radial/Bias Repair: 3-1/8" (18 per box)	
550-90008	AWR8	Medium Square Universal Radial/Bias Repair: 2-1/4" (25 per box)	
550-90009	AWR9	Large Square Universal Radial/Bias Repair: 2-3/4" (15 per box)	
550-90011	ASQ1T	Small Square Universal Radial/Bias Repair: 1-3/4", Grey Gum/Red Plastic (100 per tub)	
550-90012	ASQ2T	Medium Square Universal Radial/Bias Repair: 2-1/8", Grey Gum/Red Plastic (80 per tub)	
550-90014	AWR4T	Medium Round Universal Radial/Bias Repair: 2-1/8" (100 per tub)	
550-90015	AWR5T	Large Round Universal Radial/Bias Repair: 3-1/8" (50 per tub)	
550-90017	AWR7T	Small Square Universal Radial/Bias Repair: 1-3/4", Black Gum/Blue Plastic (100 per tub)	
550-90018	AWR8T	Medium Square Universal Radial/Bias Repair: 2-1/4", Black Gum/Blue Plastic (50 per tub)	
550-90019	AWR9T	Large Square Universal Radial/Bias Repair: 2-3/4", Black Gum/Blue Plastic (50 per tub)	
550-90031	ASQ3T	Large Square Universal Radial/Bias Repair: 2-1/4", Grey Gum/Red Plastic (50 per tub)	
550-90114	AWR4-1000	Medium Round Universal Radial/Bias Repair: 2-1/8" (1000 per box)	
550-90200	AWR0T	Small Round Universal Radial/Bias Repair: 1-9/16" (200 per tub)	
550-90550	AWR5-500	Large Round Universal Radial/Bias Repair: 3-1/8" (500 per box)	
550-91000	AWR0-1000	Small Round Universal Radial/Bias Repair: 1-9/16" (1000 per box)	
550-92100	ASQ2-1000	Medium Square Universal Radial/Bias Repair: 2-1/8", Grey Gum/Red Plastic (1000 per box)	



541-90040

Small Round

Tube Repair

550-90000 Small Round Universal Radial/Bias Repair



550-90004 Medium Round Universal Radial/Bias Repair



550-90005 Large Round Universal Radial/Bias Repair



550-90017 Small Square Universal Radial/Bias Repair Black Gum/ Blue Plastic

550-90011Small Square
Universal Radial/
Bias Repair, Grey
Gum/Red Plastic





BIAS HEAVY DUTY UNITS

- ASB series is a cord reinforced soft gum repair
- ACB series is a cord reinforced repair with hard blue gum
- Repair with chemical vulcanizing cement

Ascot No.	Mfg. No.	Description
564-90012	ASB2	Bias Heavy Duty: 2-7/8" (20 per box)
564-90013	ASB3	Bias Heavy Duty: 4-5/8" (10 per box)
564-90014	ASB4	Bias Heavy Duty: 5-3/8" (10 per box)
564-90022	ACB2HD	Bias Heavy Duty: 2-7/8" (20 per box)
564-90111	ACB1HD	Bias Heavy Duty: 2-1/2" (20 per box)



564-90111Bias Heavy Duty (2-1/2")



564-90012Bias Heavy Duty Unit (2-7/8")



564-90013Bias Heavy Duty Unit (4-5/8")



564-90014Bias Heavy Duty Unit (5-3/8")





576-90010Radial Heavy
Duty Truck Unit
(2-1/8" x 3")



Radial Heavy Duty Truck Unit (2-1/8" x 3")



RADIAL HEAVY DUTY TRUCK UNITS

- ACX series is a cord reinforced hard blue gum repair (For radial repairs only)
- ASX series is a cord reinforced soft gum repair (For radial tires only)

Ascot No.	Mfg. No.	Description
576-90010	ACX10	Radial Heavy Duty: 2-1/8" x 3" (20 per box)
576-90012	ACX12	Radial Heavy Duty: 2-3/4" x 4-1/2" (10 per box)
576-90014	ACX14	Radial Heavy Duty: 3-3/8" x 5-1/8" (10 per box)
576-90020	ACX20	Radial Heavy Duty: 3-1/8" x 4-7/8" (10 per box)
576-90040	ACX40	Radial Heavy Duty: 3-7/8" x 7-5/8" (10 per box)
576-90110	ASX10	Radial Heavy Duty: 2-1/8" x 3" (20 per box)
576-90111	ASX10-300	Radial Heavy Duty: 2-1/8" x 3" (300 per box)
576-90112	ASX12	Radial Heavy Duty: 2-3/4" x 4-1/2" (10 per box)
576-90114	ASX14	Radial Heavy Duty: 3-3/8" x 5-1/8" (10 per box)
576-90120	ASX20	Radial Heavy Duty: 3-1/8" x 4-7/8" (10 per box)

STRAND TIRE REPAIR

- Excellent emergency repair when a full service repair facility is unavailable
- Produced using butyl rubber and 100% saturated cord
- Excellent for golf carts, lawn mowers and ATV's
- MADE IN THE USA
- **QUANTITY:** 10 packets per box

Ascot No.	Mfg. No.	Description
571-90410	VRI410	4" Orange, 12 Strand Tire Repair (10 Packets per Box)
571-90705	VRI705	7" Black, 5 Strand Tire Repair (10 Packets per Box)

518-90060 Tubeless Tire Insert Kit



TUBELESS TIRE INSERT KIT

- For use on the wheel
- Designed for emergency repairs
- Fast and easy application
- Made in the USA by Western States/Elgi

TUBELESS TIRE INSERT KIT CONTAINS:

- 1 HD chrome T-Handle slot eye inserter w/replaceable needle
- inserter w/ replaceable needle

 1 HD chrome T-Handle spiral probe w/ replaceable probe
- 60 brown string inserts
- 1 plug lubricant
- 1 razor knife

Ascot No.	Mfg. No.	Description
518-90060	ATS60K	Tubeless Tire Insert Kit



HEAVY DUTY 4" AUTOMOTIVE REPAIR INSERT KIT

• For use on the wheel • Everything needed to make temporary, emergency repairs to most flat tires caused by nails or other objects up to 1/4" • 518-90130 KIT INCLUDES: (30) 4" temporary inserts, metal t-handle insertion tool, metal t-handle probe, lubricant, cutting blade, Allen wrench and instructions • 518-90160 KIT INCLUDES: (60) 4" temporary inserts, metal t-handle insertion tool, metal t-handle probe, lubricant, cutting blade, Allen wrench and instructions • Blow molded case for easy storage



518-90160

Ascot No.	Mfg. No.	Description
518-90160	ATR60K-HD	Heavy Duty 4" Automotive Repair Insert Kit - 60 Repairs

*Product Case Color May Vary

HEAVY DUTY 8" AUTOMOTIVE REPAIR INSERT KIT

- For use on the wheel
- Everything needed to make temporary, emergency repairs to most flat tires caused by nails or other objects up to 1/4" KIT INCLUDES: (30) 8" temporary inserts, metal t-handle insertion tool, metal t-handle probe, lubricant, cutting blade, Allen wrench and instructions Blow molded case for easy storage

*Product Case Color May Vary



518-90030

Ascot No.	Mfg. No.	Description
518-90030	ATS30K-HD	Heavy Duty 8" Automotive Repair Insert Kit - 30 Repairs

BROWN, 12 STRAND TIRE REPAIR INSERT W/ BLUE PAPER BACKING

- 8" brown Made in the USA Extended shelf life
- No leaks 3rd party testing • EPA approved
- Durable cord body
- 100% butyl saturation
- 6 repairs per packet
- 5 packets per box



571-91964



571-91968

Ascot No.	Mfg. No.	Description
571-91964	ATS1964	4" Brown, 12 Strand Tire Repair Insert w/ Blue Paper Backing
571-91968	ATS1968	8" Brown, 12 Strand Tire Repair Insert w/ Blue Paper Backing



Ascot Supply Corp. does not recommend "temporary" tire repairs. All repairs should perform the function of filling or replacing the injured section as recommended by the RMA and other industry associations.

TIRE REPAIR CABINETS





719-00018

*Actual product appearance may vary

HEAVY DUTY TIRE REPAIR CABINET

Features sliding storage drawers with rollers.

- SIZE: 19.6" x 10" x 26"
- 2 shelves inside (3 storage levels)
- 2 tool hook sets on two inside doors
- 2 sliding storage drawers with rollers
- Switch-to-open handle
- Optional shelf available
- WEIGHT: 36 lbs.



Ascot No.	Mfg. No.	Description
719-12001	TBG-WC12001	Heavy Duty Tire Repair Cabinet
719-12011	TBG-WC12001-01	Optional Shelf for Tire Repair Cabinet

18-DRAWER METAL STORAGE CABINET

- CABINET SIZE: 33-3/4" (W) x 11-3/4" (D) x 10-3/4" (H)
- DRAWER SIZE: 4-7/8" (W) x 11-1/4" (D) x 2-3/4" (H)
- Modular drawer design for efficiency and organization
- Heavy-duty, welded steel construction provides strength and stability
- Drawers feature stoppers to prevent accidental pulling or spilling
- Full-width handles and easy glide runners
- Shipped fully assembled and ready to use
- WEIGHT: 45 lbs.



Ascot No.	Mfg. No.	Description
719-00018	18D	18-Drawer Metal Storage Cabinet

32-BIN METAL STORAGE CABINET

- CABINET SIZE: 33-3/4" (W) x 8-1/2" (D) x 19-1/4" (H)
- BIN SIZE: 4" (W) x 8-3/8" (D) x 4-1/2" (H)
- Keeps your tools and accessories organized and accessible
- Heavy-duty, welded steel construction provides strength and stability
- Hemmed bin fronts for retaining parts
- Mounting holes located in the top and bottom
- Shipped fully assembled and ready to use
- WEIGHT: 37 lbs.

Ascot No.	Mfg. No.	Description
719-00032	32B	32-Bin Metal Storage Cabinet



TIRE SPREADERS

1750LB CAPACITY HEAVY DUTY WORK BENCH

- 1750 lb. capacity Heavy duty steel construction
- Equipped with easyto-use leveling feet
- Bolts together for quick assembly
- Sliding storage drawer
- Blue powder coated finish
- Dimensions: 63" x 27" x 34", 124 Lbs



Ascot No.	Mfg. No.	Description	
721-63001	TWB63001	1600 Lb. Capacity Heavy Duty Work Bench w/ Leveling Feet	



ADJUSTABLE CENTER-POST TIRE SPREADER

- Easy to use, durable
- Adjustable from 0" to 10"

Ascot No.	Mfg. No.	Description
605-08028	N/A	Adjustable Tire Spreader 0" to 10"

MANUAL TIRE SPREADER

- · Lightweight and easy to use
- Special locking pin for safety
- Made from durable materials
- Locks both beads open for easy tire inspection and repair

Ascot No.	Mfg. No.	Description
605-14191	MS-1	Manual Tire Spreader

TIRE SPREADER

- Designed for quick spreading of tire beads
- Improves ease of tire repair by opening up inner tire
- Compatible with an impact gun or torque wrench
- · Ideal for mobile service
- **DIMENSIONS:** 19" x 3" x 11"

Ascot No.	Mfg. No.	Description
605-00101	GTS-01	Tire Spreader







TIRE SPREADERS





603-00825 Automatic Truck Tire Spreader

FLOOR MOUNT ADJUSTABLE TIRE SPREADER

- Provides easy access for repairing passenger and light truck tires
- The adjustable tire spreader can accommodate all tires from garden service through light truck
- The Tire Spreader has a foot-control swivel, tilts, and is equipped with a tool tray and a floor stand base-plate



Ascot No.	Mfg. No.	Description
604-01275	BJ-275B	Floor Mount Adjustable Tire Spreader

AIR OPERATED TIRE SPREADER

- For passenger/RV/light truck tires
- Wide platform gives stable work surface
- Adjustable light



Ascot No.	Mfg. No.	Description	
603-00275	BJ-S275	Air Operated Tire Spreader	

PARTS & ACCESSORIES

Ascot No.	Mfg. No.	Description
603-43700	437	Working Light for Air Operated Tire Spreader

AUTOMATIC TRUCK TIRE SPREADER

- Air lift allows operator to lift without lifting the tire/wheel
- Heavy gauge steel construction
- Work light included
- Air regulator/lubricator included



Ascot No.	Mfg. No.	Description
603-00825	BJ-S825	Automatic Truck Tire Spreader

PARTS & ACCESSORIES

Ascot No.	Mfg. No.	Description
603-82502	650	Air Regulator for Automatic Truck Tire Spreader
603-82517	BJ- S825-17	Spreader Control Valve For Automatic Truck Spreader

441-00220

Manual Tire

Changer



TIRE CHANGERS

MANUAL TIRE CHANGER

- Applications: For changing small tires and wheels
- Includes: Everything needed to change 4" to 16.5" tires including rim
- Rim clamp mechanism
- 2 center posts (for open or hub type wheels and bearing type wheels)
- Can be mounted on a bench, tire stand, or tire changer

Ascot No.	Mfg. No.	Description	
441-00220	CH-22	TSI Manual Tire Changer	
			CH-SS THE CHANGE



MANUAL TIRE CHANGER

- Small tire changing system for lawn & garden, ATV and other small tires/wheels
- Not for passenger tires
- Adjustable to accomodate multiple tire/wheel sizes
- High quality, energy saving & environmentally friendly
- Portable and equipped with professional accessories
- Can be operated easily without the use of power or pneumatic supplies
- Works for an impressive range of tires
- Great for family and commercial garages, racing teams, emergencies and any time a convenient changer is required

9		
	441-0 Manua Chang	al Tire

Ascot No.	Mfg. No.	Description
441-00202	B I=CO2	Manual Tiro Ch





AUTEL BT608 WIRELESS BATTERY AND SYSTEM ANALYZER

- Battery life cycle management with intelligent battery diagnostics to reduce misdiagnosis, diagnose low capacity batteries and reduce charge & retest for discharged batteries
- Largest vehicle coverage: 53 vehicle makes
- 5.5-inch touchscreen complete with graphic instruction for battery position and testing
- · Guided replacement procedure with prompted memory resets. Auto battery registration after replacement
- Built-in thermal printer to print health reports
- Includes Bluetooth VCI unit, clamp cables and thermal paper roll



Ascot No.	Mfg. No.	Description
342-00608	BT608	Autel Wireless Battery and System Analyzer



ALPHABETICAL INDEX

// A		// B (CONT.)		// F (CONT.)	
Air Chucks - Ball Foot	158	Brake Thickness Gauges	145	Floor Jacks - 3.5-Ton	64
Air Chucks - Dual Foot	158	Breaker Bars	189	Floor Jacks - 4-Ton	66
Air Chucks - European Style	158	Brushes		Floor Jacks - Ascot	
Air Chucks - Large Bore	159	Buffing Stones	197	Floor Jacks - Replacement Parts	58
Air Chucks - Lock-On	158	Buffing Wheels	200	Floor Mats	76
Air Chucks - Lock-On Extension	159	Buzzout Wheels		Foam Kneeling Pad	
Air Drill Parts & Accessories	32				
Air Drills	32	// C		// G	
Air Gauge	104	Cabinets	47,210	Gasket Scrapers	189
Air Hose Reels	16	Cabinets - Tire Changers	105	Gauge Checking Stations	153
Air Hoses - Coupled	16	Calcium Chloride Pump	94	Gauge Counter Displays	149
Air Hoses - Hunter Replacement	105	Carbide Cutting Tools	196	Gloves - Double Palm	192
Air Hoses -Coats Replacement	105	Cement Cans & Brushes	196	Gloves - Mechanic	192
Air Hoses Blue Recoil	17	Centering Kits	179	Gloves - Nitrile Micro Diamond	19
Air Line Inflators	157	Centering Sleeve Install/Removal	55	Gloves - Polyester Work	19
Air Line Inflators - Large Bore	157	Centering Sleeves	55	Grinding Discs - Green Zirconia	115
Air Tanks - Portable	17	Chemical Vulcanizing Cements	204	Grip-Max Inserts	103
Air Tool Lubricants	38	Chuck Adapters	37	Grommets - Replacement	129
Air Wedge Bag Kit	88	Clamps - 2 Ear	21		
Air/Hydraulic Pumps	96	Clamps - Pinch	21	// H	
Anti-Seize Compounds	147	Cleaner - Pre-Buff	196	Hammers - Dead Blow	189
// -		Cleaner Tool Kits	85	Hand Cleaners	186
// B		Collets	178,179	Handle Protectors	89
Balancing Beads - Counteract	168	Contour Wheels	199	Hose Barbs	20
Balancing Beads - Eco	169	Couplers	18,19	Hub Cleaners - Hub Buddy Tool	8
Balancing Compound - Magnum+	170	Cut Off Tools	32	Hub Cleaners - Hub Pro XL	8;
Balancing Compound - Equal Flexx	170	Cut Off Wheels	116	Hose Cutters	16
Batteries - Lithium	36	Cutters - High Speed	26	Hose Splicers	20
Battery & System Analyzer	214	// =		Hub Cap Pullers	87
Bead Breakers	90,92,93	// D		Hub Centering Nuts	54
Bead Breaking Hammers	93	Demount Tools	91	Hub Grinders	8
Bead Buster - Liquid	111	Die Grinders - Mini Angle	26,32	Hydraulic Coupler Dust Cover	70
Bead Holders	89	Drain Pans	184	Hydraulic Couplers	70
Bead Keepers	89	Drop Center Tool	87	Hydraulic Hoses	70
Bead Lifting Tools	104	Dual Wheel Separator	96	Hydraulic Jack Oil	108
Bead Seaters - Bead Bazookas	101	Duckheads	103	// 1	
Bead Seaters - Bead Bazooka Parts & Acc.	101	Dunk Tanks	184	//1	
Bead Seaters - Cheetah	99			Impact Socket Sets	48-5
Bead Seaters - Cheetah Parts & Acc	100	// E		Impact Sockets	
Bead Seaters - RPG		Emergency Triangle Kit		Impact Sockets - Combination	
Bead Seaters - RPG Parts & Acc		Equal Flexx		Impact Wrench Parts & Accs.	28,37
Bead Seaters - Viper	100	Eraser Pads	31	Impact Wrenches - 1" Drive	
Blow Gun Kit		// =		Impact Wrenches - 1" Drive D-Handle	
Bottle Jacks - 20-Ton		// F		Impact Wrenches - 1/2" Drive	
Bottle Jacks - 30-Ton		Filters/Regulators/Lubricators		Inflation Cages	
Bottle Jacks - Ascot		Flange Plate Kit		Injector Pump	
Bottle Jacks - Replacement Parts		Floor Dispenser Rack		Inner Liner Scraper	
Brake Rotor Securing Tool	73	Floor Jacks - 2-Ton	64	Inner Rim Cleaners	8



ALPHABETICAL INDEX (CONT.)

// J		// P (CONT.)		// S (CONT.)	
Jack Block	69	Pliers - Cutting	201,202	Socket Drivers	73,134
Jack Pads - Tesla	180	Pliers - Locking Jaw	187	Socket Extensions - Flip	73,134
Jack Plates	72	Plugs	18,19	Sockets - Flank Bite	80
Jack Stands - 10-Ton	67	Power Brushes	117	Sockets - Twist	80
Jack Stands - 22-Ton	60	Power Crimped Wheels	116	Spare Tire Tools Set	74
Jack Stands - 3, 6, 12-Ton	63,67	Pressure Cups		Spray Bottles	112
Jack Stands - High Reach	61	Pressure Rings		Sprayers	112,113
Jack Stands - Transmission	62	Pry Bar Set	189	Steering Wheel Covers	
Jack Stands - Underhoist	62	Pry Bars		Stitchers	197
Jacks - Axle	66			Strip-Brite Pads	115
Jacks - Trac Tire		// Q		Stud Alignment Tools	70
Jacks - Truck	60	Quick Nuts	176	Stud Cleaning Tools	83
Jacks - Truck Replacement Parts				Stud Hub Brush Kit	
		// R		Stud Installers & Removers	56
// K		Radiator Fillers	187	Super Slick'em	
Key Tags	77	Rams		Surface Conditioning Discs	
Knives - Repair		Ratchet Tool Kits		5 <u></u>	
		Razor Blade Scraper		// T	
// L		Razor Blades		Tap & Die Set	55
Leak Detectors	108	Reamers		Tapers	
Lift Pads - Rubber		Repair Insert Kits		Thread Checker Set	
Lights - COB Rechargeable		Repairs - Bias Heavy Duty		Tire & Tube Mounting Compounds	
Lights - Head		Repairs - Radial Heavy Duty		Tire Bags	
Lights - Pen		Repairs - Radial/Bias		Tire Branders Letters & Numbers	
Lights - Work		Repairs - Strand Tire		Tire Buffer Accessories	
Locking Lug Keys & Sockets		Replacement Handles		Tire Buffers - High Speed	
Lube Buckets		Rib Nuts		Tire Buffers - Low Speed	
Lubricants		Rim Flange Clamp		Tire Buffers - Low Speed Cordless	
Lug Nut Adapters		Rim Gauges		Tire Cage Inflator Stand	
Lug Nut Cover Wrench		Rim Kote		Tire Carts	
Lug Nut Pullers		Rim Rust Retardant		Tire Changers	
Lug Nut Removers		Rim Width Caliper		Tire Changing System	
Lug Nuts		Rotor Saws		Tire Denailer	
Lug Off Kits	56			Tire Displays	
		Rubber BlocksRubber Covers	178	Tire Dollies	
// M		Rubber Rings		Tire Flat Repair Kit	
Mag Tool Replacement Insert Kit	88	Rubbel Killigo		Tire Gauges - Adjustable Field Service	
Mag-Bear		// S		Tire Gauges - Automotive	
Manifold Kits		Safety Glasses	192	Tire Gauges - Calibration	
Mount Demount Heads		Screwdriver Sets		Tire Gauges - Digital Passenger	
Flourit Demount riedds	102,103	Sealers - Bead		Tire Gauges - Digital Pocket	
// 0		Sealers - Inner Liner		Tire Gauges - Digital Truck	
O-Rings	02	Seat Covers		Tire Gauges - Dual Foot	
O Kings	32	Serial Number Removal Tools		Tire Gauges - Dual Poot	
// P					
	1 47	Shank Balls		Tire Gauges - Master	
Paint Sticks		Skirt Nuts		Tire Gauges - Pocket Truck	
Patch Plugs		Skirt Nuts		Tire Gauges - Truck Service	
Penetrants	108	Slick	IIZ	Tire Inflator Kits - 4 Way	156



ALPHABETICAL INDEX (CONT.)

// T	(CONT.)

Tire Inflators - Automatic ______ 154 Tire Inflators - Digital ______ 153-155 Tire Inflators - Hand Held _______ 155 Tire Injury Measuring Tools_______198 Tire Insert - Tubeless ______208 Tire Labels _______77,203 Tire Mounting Paste______109,110 Tire Paint - Black____ Tire Press - Portable 93 Tire Pressure Value Sticker 125 Tire Probes, Rasps & Needles 198,203 Tire Regrooving Tools & Accessories ______ 114 Tire Sealant ______111 Tire Spreader ______211,212 Tire Swabs _______104 Tire Valves - Passenger ______ 138 Tire Valves - Truck & Specialty ______ 136 Tool Pouch - Tire Repair_______198 Torque Chart ______45 Torque Limiting Extensions ______ 44,45 Torque Sockets ______ 44,45,47 Torque Tools 133 Torque Wrench Extensions 43 Torque Wrenches - 1" Drive Preset ______42 Torque Wrenches - 1/2" Drive ______41 Torque Wrenches - 1/4" Drive ______ 41 Torque Wrenches - Flex Hinge _____43 Torque Wrenches - Preset Valve Nut _____ 43,133 Torque Wrenches - Split Beam _____40 Torque Wrenches - Sqaure Drives ______43 Torque Wrenches - Wheel Sets ______39 TPMS - Diagnostic Tool ______121 TPMS - Maxi Wifi Tool _______121,122 TPMS Accessory Kits _____ 125.135 TPMS Band______134 TPMS Mechanical Tool Kit_____ 134 TPMS Sensors - Ascot By Autel ______ 122 TPMS Sensors - EZ GO ______ 126 TPMS Sensors - EZ Sensor Bundle 127 TPMS Sensors - Metal ______122,124 TPMS Sensors - Rubber ______ 122-124 TPMS Sensors - Tesla______124 TPMS Sensors - Universal ______124 Tread Depth Gauges ______ 145,146 Tread Depth Measurement Tool_____121 Vacuum - Tire Repair ______ 198

Valve & Core Tools______ 140-142,144

// V

Valve Breaker Tools	90
Valve Caps	
Valve Cores	130
Valve Extensions - Air Flexx	
Valve Inserts	126
Valve Stem Insertion & Removal Tools	139
Valve Stem Removal Tools	9
Valve Stem Replacement Kits	133
Valve Stem Wrenches	143
Valve Stems	130-132

// W	
Water Adapter Set	94
Wheel Attaching Hardware	
Wheel Bolt Measuring Tools	
Wheel Chocks	
Wheel Lock Removal Kits	
Wheel Nut Indicators	
Wheel Protector Sockets	
Wheel Protectors	86
Wheel Stud Alignment Sets	55
Wheel Stud Service Kit	56
Wheel Weight Adhesive Removal Tools	31
Wheel Weight Application & Removal Tools	174
Wheel Weight Hammers	_173,174
Wheel Weight Rack	164
Wheel Weight Roll Stand - Conversion Kits	164
Wheel Weight Roll Stands	164
Wheel Weight Roll Wire Hangers	164
Wheel Weight Sample Kits	163
Wheel Weight Scrapers	175
Wheel Weights - FN, Lead	_161,163
Wheel Weights - Lead Adhesive	165
Wheel Weights - MC, Lead	
Wheel Weights - MC, Lead Uncoated	162
Wheel Weights - P, Lead Uncoated	162
Wheel Weights - P, Steel	
Wheel Weights - Steel Adhesive	165-167
Wheel Weights - T, Lead	162
Wheel Weights - Zinc Import	163
Wire Pullers	205
Wire Wheels	116
Work Bench - Heavy Duty	
Work Ticket Holders	78
Wrench Extenders	
Wrenches - Drain Plug	
Wrenches - Open End Combination	190

www.ascotsupply.com



NUMERIC INDEX

107-00125	17	131-61579	18	157-03253	31	163-10280	52	165-30481	53
107-69102		131-62523		157-03254		163-10281		165-30482	
111-30002	14	133-01855		157-10874		163-10282		166-04026	
111-35201		133-61471		157-10875		163-10300		166-04033	
111-35203		133-61563		157-48520		163-10401		166-04191	
111-35301		133-61568		157-48522		163-11032		166-04323	
111-35401		133-61569		158-01871		163-15260		167-01012	
111-35403		135-10605	19,70	158-02873	26	163-22219		167-01015	73,134
111-37600	14	135-10606		158-03873	26	163-28492	80	167-12050	
112-00162	14	135-10607	19,70	158-10871	23	163-28494		167-12051	51
112-00352	14	135-11606	19,70	158-10873	22	163-28496	80	167-12110	52,134
112-00376	14	135-12606	19,70	158-11871	23	163-28498	80	167-12179	52
112-01352	14	136-71404	20	158-11873	22	163-28917	80	167-12460	
112-01354	14	136-71406	20	158-40922	33	163-28919	80	167-12461	52
113-01352	14	136-71408	20	158-45922	35	163-28921	80	167-12490	52
113-01354		136-71440	20	163-00440	47	164-02024		167-12910	52
114-03352		136-71604	20	163-01018	52	164-02026	52	167-12911	52
114-03354	15	136-71606	20	163-01019	52	164-02033	52	167-12912	52
114-13354	15	136-71806	20	163-01021	52	164-02038	52	167-18195	52
114-75202	15	136-71808	20	163-01022	52	164-02110	48	167-21215	52
114-75400	15	136-72404	20	163-01024	52	164-02181	49	167-21225	52
117-00935	15	137-11420	16	163-01026	52	164-02235	53	167-22225	52
117-05702	15	153-02235	28	163-01032	52	164-02241	53	168-00058	43,133
117-11481	15	153-02312	27	163-01033	52	164-20301	52	168-00250	40
121-01225	16	153-12260	28	163-01034	52	165-03021	53	168-00251	40
121-01250		153-22235	28	163-01036	52	165-03026		168-00425	41
121-03825	16	153-22360	29	163-01048	52	165-03030	53	168-00475	45
121-03851	16	153-22362	29	163-01150	48	165-03033	53	168-00600	40
121-14700	16	153-23120	27	163-01151	48	165-03035	53	168-00601	40
123-13825	17	153-42235	28	163-01152	48	165-03041	53	168-00652	41
123-14012	17	153-76920	34	163-01153	49	165-03042	53	168-00916	43,133
123-14025	17	153-76922	34	163-02668	48	165-03046	53	168-01224	189
123-38050	17	153-77412	30	163-02669	48	165-03052	53	168-01475	
123-38125	17	153-77482	30	163-02849	80	165-03056	53	168-02024	45
125-00760	16	155-02856	24	163-05153	49	165-03060	53	168-02880	44
126-00761	16	155-12856	25	163-10143	52	165-03110	49	168-04994	44
127-86871	105	155-17782	24	163-10170	52	165-03119		168-12065	
127-86872		155-17786		163-10171		165-03190		168-12080	
128-00006		155-26464		163-10172		165-03197		168-12100	
131-01750		155-77826		163-10174		165-03321		168-12120	
131-61523		155-86722		163-10183		165-03323		168-12140	
131-61526		155-86920		163-10190		165-30302		168-12250	
131-61527		155-86922		163-10191		165-30361		168-12410	
131-61529		156-28566		163-10210		165-30380		168-12412	44
131-61531	19	157-00874		163-10211		165-30381		168-12414	44
131-61538	18	157-00875		163-10222	52	165-30401	53	168-12450	44
131-61539		157-01035		163-10223		165-30402		168-12465	
131-61573		157-01327		163-10241		165-30410	53	168-12480	
131-61578	18	157-03252	31	163-10271	52	165-30420	53	168-13000	39



168-16000	39	175-18713	23	302-61401	58	316-01315	21	395-00101	186
168-21780		175-23104		302-61402		316-01518	21	395-00102	
168-21910		175-28713		302-61403		316-01720	21	395-00103	
168-21980		175-52122		302-61404		316-01922	21	395-00104	
168-22212	44	175-82651	37	302-63030	63	316-02023	21	395-00125	186
168-22214	44	175-83071	37	302-63060	63	316-91098	21	395-00126	186
168-22610	44	175-94791	37	302-63120	63	318-04120	70	395-00400	186
168-47501	42	176-18406	25	302-91503	60	318-04960	70	395-06400	186
168-47502	42	181-00016	38	302-91504	60	318-10518	96	395-06401	186
168-60011	43	181-00080	38	302-91505	60	318-11518	96	395-06402	186
168-60012	43	181-00085	38	309-00003	181	318-13000		395-13124	106
168-60025	43	181-00404	38	309-00005	182	318-13120		395-40000	186
168-61019		181-00406		309-00006	181	318-13154	71	396-00003	75
168-80246		301-05620	65	309-00007	182	318-13155	71	396-00102	75
168-96509		301-05621	65	309-00009		318-15905		396-00301	191
169-01002		301-05630	65	309-00011		319-00012		396-00302	
169-01003		301-14460		309-00013	182	319-00033		396-00303	
169-01005	53	301-14461	68	309-00014	181	319-00337	201	396-00304	191
169-01020	53	301-20220		309-00022		319-00358	201	396-00357	78
169-01234	50	301-20221	59	309-00404		319-00447	201	396-00401	
169-02006		301-20222		309-00405		319-01023		396-00402	
169-02010		301-20224		309-10925	108	319-01024		396-00403	
169-02013		301-20225		309-12121		319-01337		396-00404	
169-02030		301-20226		309-14464		319-01358		396-00405	
169-03006		301-20227		309-14465		319-01447		396-00803	
169-03010		301-20228		309-14472		319-02080		396-00804	
169-03013		301-20229		309-18181		319-02081		396-00805	
169-03020		301-20255		309-48501		319-03732		396-00901	
169-13413		302-00200		309-48511		319-19800		396-00902	
169-20100		302-02811		312-03007		319-46464		396-10011	
172-55721		302-02812		312-07179		319-72521		396-15300	
173-00018		302-05601		312-08473		319-76403		396-50317	
173-00019		302-05602		312-14923		319-96090		396-50318	
173-00020		302-05605		312-39001		319-96091		396-50319	
173-00022		302-05613		313-00058		319-96092		396-50320	
173-00023		302-05614		313-00158		319-96093		396-55220	
173-00024		302-05622		313-00385		319-96094		396-95055	
173-00025		302-19150		313-00916		319-96095		399-74980	
173-00026		302-19156		313-01219		322-02444		399-98313	
173-00027		302-20147		313-01916		322-19822		399-98893	
175-00041		302-28112		313-09411		322-90045		399-99302	
175-00042		302-35002		313-09415	190	328-00016		399-99323	
175-00061		302-40000		313-09511	190	328-00116	185	399-99391	
175-00062		302-45035		313-09515		329-18685		399-99392	
175-00066		302-51005		316-00058		342-00608		399-99415	
175-00142		302-55200		316-00102		345-11812		399-99429	
175-00162		302-56502		316-00911		345-11835		399-99432	
175-00873		302-60129		316-01098		345-11850		399-99433	
175-11035	52	302-61301	58	316-01113		371-03321	62	399-99479	//



401-02840	81	402-43358	85	431-00055	111	444-17985	104	451-02640	111
401-02841		402-46300		432-02000	109	444-22019		451-32016	
402-00013	83	402-46340	85	432-02005	109	444-23614	104	451-40004	170
402-00022	83	402-46350	85	432-02008	109	444-59408	103	451-40006	170
402-00113	83	402-72100	87	432-02014	109	444-70201	88	451-40008	170
402-00114	83	404-67300	55	432-02028	109	444-70202	88	451-40010	170
402-00116	83	407-03000	69	432-02029	109	444-70204	88	451-40012	170
402-00122	83	408-00116	108	432-02035	109	444-81354	104	451-40016	170
402-00128	83	411-03218	145	432-02046	109	444-82961	103	452-00001	113
402-00222	85	411-65201	145	432-02067	109	444-82963	103	452-00011	113
402-00322	85	411-71000	73	432-02088		444-99719	104	452-00012	113
402-01283	82	417-12612	115	432-02146	110	448-00010	89	452-00014	113
402-01322	83	417-12613	115	432-02167	110	448-01101	89	452-00100	113
402-02312	51	417-12614	115	432-12046	109	448-01102	89	452-00101	113
402-03016	87	417-12615	115	432-12067	109	448-12320	91	452-00102	
402-03116	87	417-12617	115	432-57270	112	448-12894	89	452-00103	113
402-06002	87	417-12618	115	432-57304	112	448-22320	91	452-00104	113
402-11000	86	417-12619	115	432-57305	112	448-22894	89	452-00105	113
402-16000	86	417-12704	116	432-57355	112	448-32320	91	452-00106	113
402-17000	86	417-12705	116	433-01950	110	448-32894	89	452-00107	113
402-20015	86	417-13003	115	433-01957	110	448-93500	92	452-00108	113
402-20021	86	417-13004	115	433-01958	110	451-00014	168	452-00109	113
402-20030	86	417-13005	115	433-02020	110	451-00036	111	452-00112	113
402-20033	86	417-13006	115	433-02022	110	451-00100	170	452-00114	113
402-20078	86	417-13007	115	433-02023	110	451-00150	170	452-00201	113
402-20114	86	417-16210	115	433-10231	108	451-00200	170	452-00202	113
402-20233	86	417-16211	115	433-10232	108	451-00203	168	452-00203	113
402-20333	86	417-39120	115	433-25430	108	451-00204	168	452-00204	113
402-20408	91	417-39121	115	433-25431		451-00205	168	452-00205	113
402-28301	82	417-39122	115	434-02110	110	451-00206	168	452-00206	113
402-28302	82	417-39202	116	434-02120		451-00208	168	452-00207	
402-28305	82	417-39203		435-06001		451-00210	168	452-00209	
402-28306		421-03842	90	435-06002	108	451-00212		452-00211	
402-28307	82	421-12904		435-06008	108	451-00214		452-00212	
402-28308		421-71750		437-00001	104	451-00216		452-00213	
402-28309		422-10165		437-00002		451-00250	170	452-00214	
402-28310	82	422-11000	92	437-00003	104	451-00300	170	452-00215	113
402-28316		422-11010		437-13014	104	451-00400			
402-31568		422-11025		441-00202		451-00500		452-00217	
402-32610	84	422-11076		441-00220		451-00618			
402-32613	84	422-94549	96	444-01220		451-00640	111	452-00219	
402-32615	84	426-29150		444-01221		451-01203		452-00220	
402-32616		427-01322		444-01222		451-01204		452-00221	
402-37330		429-10005		444-01223		451-01206		452-00222	
402-37335		429-10010		444-01224		451-01208		452-00223	
402-37340		429-32344		444-01225		451-01210		452-00224	
402-43351		429-35832		444-01226		451-01212		452-00226	
402-43352		431-00001		444-01228		451-01214		452-00401	
402-43357	85	431-00005	111	444-01230	102	451-01216	169	452-00402	114



452-00403	114	452-01100	114	461-01414	138	468-01000	137	469-01820	143
452-00404		452-01101		461-01418		468-01120		469-03333	
452-00405		452-01102		461-20326		468-01765		469-08288	
452-00406		452-01103		461-20327		468-02222		469-10110	
452-00407		452-01104		461-20328		468-04191		469-10415	
452-00408		452-01105		461-20329		468-09002		469-10715	
452-00409		452-01106		461-20331		468-10015		469-11115	
452-00410		452-01107	114	461-30100	124	468-10046	129	469-11610	140
452-00411		452-01108	114	461-30326	122	468-17492	125	469-11710	140
452-00412	114	452-01109	114	461-30327	122	468-20055	130	469-11810	140
452-00413	114	452-02100	114	461-30328	123	468-20495	129	469-11910	140
452-00414	114	452-02101	114	461-30329	123	468-20595	129	469-15415	133
452-00415	114	452-02102	114	461-30331	123	468-59019	129	469-15535	133
452-00416		452-02103	114	461-33500	126	468-59021	129	469-17107	
452-00418		452-02104		461-33560		468-74920		469-17208	
452-00419		452-02105		461-33561	126	468-74921		469-17213	125
452-00420		452-02106		461-33562		469-00001		469-17216	
452-00421	114	452-02107	114	461-33700	126	469-00002	140	469-17218	125
452-00422	114	452-02108	114	461-41311	138	469-00003	140	469-17221	125
452-00423	114	452-02109	114	461-59357	126	469-00004	140	469-17222	125
452-00424	114	454-00190	145	461-59387	126	469-00005	140	469-17223	125
452-00425	114	454-00200	121	462-00416	138	469-00011	141	469-17224	125
452-00426	114	454-00209	145	462-11147	136	469-00012	140	469-17226	125
452-00501	114	454-00599		463-00500	136	469-00014	139	469-17228	125
452-00502	114	454-00712		463-00501		469-00018	143	469-17245	
452-00503		454-01420	146	463-00572		469-00020		469-17246	132
452-00504		454-01599		463-00573		469-00021		469-17272	
452-00505	114	454-03000	147	463-00575	136	469-00024	141	469-17275	125
452-00506	114	454-06763	146	463-02554	136	469-00040	139	469-17296	125
452-00507	114	454-11410	146	463-05434	136	469-00044	142	469-17311	125
452-00508	114	455-00003	114	463-05435	136	469-00123	144	469-17316	125
452-00509	114	455-00401	114	463-05444	136	469-00208	131	469-17317	125
452-00510	114	455-00402	114	464-00618	136	469-00443	141	469-17389	131
452-00511	114	455-00403	114	464-92837	94	469-00580	144	469-17392	132
452-00512	114	455-00404	114	468-00050	129	469-00607	140	469-17393	132
452-00513	114	455-00405	114	468-00075	137	469-00609	141	469-17395	132
452-00514	114	455-00406	114	468-00085	137	469-00610	144	469-17397	132
452-00515		459-80220		468-00105		469-00612		469-17398	
452-00516	114	459-80221	147	468-00107	129	469-00619	141	469-17420	
452-00517	114	459-80257	147	468-00145	137	469-00673	142	469-17538	131
452-00518		459-80258	147	468-00149	129	469-00850		469-17539	125
452-00519		459-80271	147	468-00185	137	469-00925	130	469-17539	132
452-00520	114	461-00412	138	468-00202	129	469-00950	130	469-20007	135
452-00521		461-00413	138	468-00203	136	469-00992		469-20009	135
452-00522		461-00414	138	468-00207	129	469-01115		469-20013	135
452-00523	114	461-00415		468-00215	137	469-01124	139	469-20014	
452-00524	114	461-00600		468-00315	137	469-01426	134	469-20017	
452-00525		461-00800		468-00401		469-01638		469-20018	
452-00526	114	461-01413	138	468-00415	137	469-01690	140	469-20019	135



469-20020	135	473-00501	99	476-00941	149	477-00066	157	478-03370	158
469-20030		473-01104		476-01046		477-00099		478-04660	
469-20032		473-01106		476-03238		477-00111	157	478-05451	158
469-20035		473-01107		476-07285		477-00112		478-06585	
469-20036	135	473-01110	100	476-10100	151	477-00113	157	478-32072	159
469-20140	133	473-01113	100	476-10105	151	477-00115	157	479-36001	118
469-20279	124	473-01118	100	476-10115	151	477-00116	157	479-36002	118
469-20280	124	473-01230	100	476-10125	151	477-00117	157	479-36005	118
469-20281	124	473-01500	97	476-10130	151	477-00118	157	479-36006	118
469-20282	124	473-01502	98	476-10135	152	477-00144	157	479-36011	118
469-20283	124	473-01504	98	476-10140	151	477-01006	157	479-36013	118
469-20284	125	473-01506		476-10145	151	477-01009		479-36015	118
469-20598	135	473-01509	98	476-10150	151	477-01012	157	479-36111	118
469-21298		473-01510	98	476-10155	152	477-01025		479-36112	119
469-22011	91	473-01516	98	476-10160	151	477-01111	157	479-46001	119
469-22012	144	473-01518	98	476-10165	152	477-01112	157	479-46002	119
469-22481	135	473-02102	100	476-10185	152	477-10001	155	479-46005	119
469-22482	135	473-02103	100	476-10240	152	477-10004	155	479-46006	119
469-23430	144	473-02106	100	476-10255	152	477-10008	155	479-46011	119
469-25415	133	473-02107	100	476-10480	152	477-10312	154	482-09011	174
469-25535	133	473-02501		476-10500		477-11111	157	483-08002	
469-32011		473-02505	97	476-11135	152	477-11235		483-08005	
469-32855	144	473-02510	98	476-11148	152	477-11237	153	483-08027	
469-32856		473-02511	98	476-11155	152	477-11239		483-08065	
469-34000	130	473-02513	98	476-11165	152	477-11240	153	483-16572	177
469-50816	121	473-03102	100	476-11185	152	477-11612	154	483-16822	177
469-51632	142	473-03103	100	476-11250	152	477-11623	156	483-40060	178
469-51812	122	473-03104	100	476-15038	152	477-11624	156	483-40062	178
469-52000	144	473-03106	100	476-32380	150	477-11625	156	483-40091	176
469-60000	121	473-04103	100	476-32922	151	477-47732	156	483-40110	179
469-90660	133	473-05102	100	476-35020	153	478-00001	158	483-40132	179
469-91322	135	473-06813		476-35021	153	478-00305	158	483-40301	176
471-80007	92	473-12913	101	477-00001	157	478-00315	158	483-40401	176
471-80008	92	473-12914	101	477-00002	157	478-00322	159	483-40800	176
471-80010	92	473-12915	101	477-00003	157	478-00325	158	483-40801	176
471-80012	92	473-12916	101	477-00004	157	478-00328	159	483-40806	176
471-80017	92	473-12917	101	477-00005	157	478-00335	158	483-99409	179
471-80018	92	473-12919	101	477-00006	157	478-00340	158	484-00006	165
471-80110	92	473-12920	101	477-00007	157	478-00377	159	484-00112	165
471-80112	92	473-12923	101	477-00008	157	478-01330	158	484-10100	166
473-00010	99	473-12930	101	477-00009	157	478-01335	158	484-10101	166
473-00011	99	473-22181	101	477-00010	157	478-01350		484-10102	166
473-00013	99	475-15103		477-00011		478-01352		484-10200	
473-00103		475-30280		477-00012	157	478-02985	158	484-10201	
473-00106		475-30281		477-00014		478-02995		484-10300	166
473-00110	101	476-00165	149	477-00015	157	478-03300	158	484-10301	166
473-00207	99	476-00211	149	477-00020	157	478-03301	158	484-10400	166
473-00500	99	476-00255	149	477-00033	157	478-03330	158	484-10720	165



484-11360	165	486-31282	164	488-13025	162	488-33035	161	488-56250	161
484-13360		486-31283		488-13050		488-33040	161	488-56275	
484-16001		486-31284		488-13075		488-43005		488-56300	
484-17026		486-31285		488-13100		488-43010		488-81025	
484-17127	165	486-33580	173	488-13125	162	488-43015	163	488-81050	163
484-20576		486-33581	173	488-13150	162	488-43020	163	488-81075	163
484-21576	167	486-33584	173	488-13175		488-43025	163	488-81100	163
484-21624		486-48301	175	488-13200	162	488-43030	163	488-81125	163
484-22576		486-71510	175	488-13225		488-43035	163	488-81150	
484-23576	167	486-71511	175	488-13250		488-43040		488-81175	
484-28408		486-71512	175	488-19025		488-43045		488-81200	
484-28428		486-75011		488-19050		488-43050		488-81225	
484-30224		487-12025		488-19075		488-49025		488-81250	
484-30360		487-12050		488-19100		488-49050		488-81275	
484-31234		487-12075	162	488-19125	161	488-49075		488-81300	
484-31360		487-12100	162	488-19150	161	488-49100	163	488-83025	163
484-32224	165	487-12125	162	488-19175	161	488-49125	163	488-83050	163
484-32360	167	487-12150	162	488-19200	161	488-49150	163	488-83075	163
484-33224	167	487-12175	162	488-19225		488-49175	163	488-83100	163
484-35320		487-12200		488-19250		488-49200		488-83125	
484-35420		487-12225		488-19275		488-49225		488-83150	
484-37026		487-12250		488-19300		488-49250		488-83175	
484-40848		487-12275		488-23010		488-49275		488-83200	
484-42010		487-12300		488-23015		488-49300		488-83225	
484-47026		487-28025	162	488-23020	161	488-53010	161	488-83250	163
484-50615		487-28050	162	488-23025	161	488-53015		488-83275	163
484-51500	167	487-28075	162	488-23030	161	488-53020	161	488-83300	163
484-51501	167	487-28100	162	488-23035	161	488-53025	161	488-84010	163
484-52312	166	487-28125		488-23040	161	488-53030	161	488-84015	163
484-61500	167	487-28150	162	488-23045	161	488-53035	161	488-84020	163
484-61501		487-28175	162	488-23050		488-53040	161	488-84025	
484-67026		487-28200		488-23055		488-55025		488-84030	
484-71500		487-28225		488-23060		488-55050		488-84035	
484-71501		487-28250		488-29025		488-55075		488-84040	
484-77026	165	487-28275	162	488-29050	161	488-55100		488-84045	163
486-00011		487-28300	162	488-29075	161	488-55125	162	488-84050	163
486-00044	174	487-35025	162	488-29100	161	488-55150	162	488-86025	163
486-00133	174	487-35050	162	488-29125	161	488-55175	162	488-86050	163
486-00144	174	487-35075	162	488-29150		488-55200		488-86075	
486-00222	174	487-35100	162	488-29175	161	488-56025	161	488-86100	163
486-00233		487-35125		488-29200		488-56050		488-86125	
486-00234		487-35150		488-29225		488-56075		488-86150	
486-05323		487-35175		488-29250		488-56100		488-86175	
486-09462	163	487-35200		488-33010		488-56125	161	488-86200	
486-11000		487-35225		488-33015		488-56150		488-86225	
486-11006		487-35250		488-33020		488-56175		488-86250	
486-31280		487-35275		488-33025		488-56200		488-86275	
486-31281		487-35300		488-33030		488-56225		488-86300	



489-18025	162	491-11027	46	518-90060	208	535-14170	117	538-12000	199
489-18050		491-11028		518-90160		535-14171		538-12200	
489-18075		491-11029		531-60300		535-14172		538-12900	
489-18100		491-11030		531-60570		535-14173		538-13000	
489-18125		491-11031		531-75150		535-14174		538-13017	
489-18150		491-11032		531-75190		535-14175		538-13023	
489-18175		491-11033		531-75220		535-14177		538-14000	
489-18200		491-11034		531-75310		535-14180		538-15100	
489-18225		491-11035		531-95001	197	535-14181		538-15200	199
489-18250		491-11036	46	531-95002		535-14182		538-15400	199
489-18275	162	491-11038	46	532-07460	196	536-00001	197	538-30000	200
489-18300	162	491-11039	46	532-14381	196	536-00101	197	538-30200	200
491-00101	70	491-11133		532-74601	196	536-01121	197	538-30600	200
491-00133	54	491-19010	55	532-74602	196	536-01122	197	538-60100	200
491-01133	54	492-00502	51	533-00003	196	536-02040	197	538-60300	200
491-02006	55	492-02278	56	533-00010	196	536-02890	197	538-61100	200
491-02100		492-10134	56	533-00012		536-02910		538-61900	
491-02101	55	492-10158	56	533-00045		536-06500		538-62600	
491-02111	55	492-10180	56	533-01120	196	537-00001	198	538-70800	199
491-02301	54	492-10340	56	533-01140	196	537-00003	198	539-10001	200
491-02906	54	492-14916	56	533-01141	196	537-00004	198	541-90020	206
491-02919	54	492-15000	56	533-01180	196	537-00083	198	541-90030	206
491-02928	54	493-00801	147	533-01181	196	537-00353	198	541-90040	206
491-02939	54	493-91420	56	533-01182	196	537-05246	195	541-90101	206
491-11001	46	494-01010	147	533-01316	196	537-72967	195	550-90000	206
491-11002	46	494-08916	147	533-01381	196	537-90002	203	550-90002	206
491-11003	46	495-16004	45	533-01516	196	537-90003	203	550-90004	206
491-11004	46	495-16005	45	533-01716		537-90006	203	550-90005	206
491-11005	46	495-16006	45	533-01732	196	537-90009		550-90008	
491-11006		495-16007		534-80001	197	537-90019		550-90009	
491-11007		495-16008		534-80005		537-90035	203	550-90011	
491-11008		495-16009		534-80011		537-90045	203	550-90012	
491-11009	46	497-11800	110	534-80015		537-90116	203	550-90014	
491-11010		497-11801		534-80036		537-90119		550-90015	
491-11011		499-10180		534-80037		537-90135		550-90017	
491-11012		499-10200		534-80057		537-90150		550-90018	
491-11013		499-10340		534-80115		537-90155		550-90019	
491-11014		499-10341		534-80136		537-90200		550-90031	
	46	499-10660	56	534-80137	197	537-90201		550-90114	
491-11016		501-90008		535-00150		537-92119		550-90200	
491-11017		501-90018		535-14159		538-10200		550-90550	
491-11018		501-90032		535-14160		538-10700		550-91000	
491-11020		504-90005		535-14161		538-10900		550-92100	
491-11021		504-90011		535-14162		538-11100		564-90012	
491-11022		504-90016		535-14163		538-11200		564-90013	
491-11023		504-90032		535-14164		538-11400		564-90014	
491-11024		505-71216		535-14165		538-11600		564-90022	207
491-11025		505-90032		535-14168		538-11601		564-90111	207
491-11026	46	518-90030	209	535-14169	106	538-11800	199	571-90410	208



571-90705	208
571-91964	200
571-91968	209
576-90010	208
576-90012	
576-90014	
576-90020	
576-90040	
576-90110	
576-90111	
576-90112	
576-90114	200
576-90120	
587-01150	205
587-01151	
587-01152	
587-01303	
587-01306	
587-01309	
587-01406	
587-01409	
601-00101	207
603-00275	
603-00825	212
603-43700	212
603-82502	
603-82517	
604-01275	
605-00101	
605-08028	
605-14191	
632-00005	113
632-00010	113
632-00032	112
632-00922	112
632-00923	112
632-01002	
632-02400	112
632-10001	
703-00509	
703-00810	
703-00812	
703-00818	107
719-00018	
719-00032	
719-12001	
719-12011	
719-82222	
02222	

721-63001 _____ 211

736-10004	198
751-00072	184
844-16259	105
844-16572	105

Ascot Supply Corporation is not responsible for inadvertent typographical errors or omissions. Images included in this publication may appear different to the actual inventoried item.



PROUD PARTNERS FOR OVER 50 YEARS!

K Ken-Too

WHEREVER TIRES ARE CHANGED

ASAC Supply Corporation

VALVECAPPER® PRO

CAP AND CORE REMOVER / INSTALLER



TIRE INFLATION CAGES

KEN-TOOL OFFERS SIZES AND DESIGNS FOR ALL YOUR NEEDS.







1920

USA

TG11E

FIBERGLASS HANDLED WEDGE

T45ACTM TIRE IRON

T45AS TIRE IRON

T45A TIRE IRON

TIRE INFLATORS

PROGRAMMABLE HANDHELD
AUTOMATIC TIRE INFLATOR



AUTEL MAXIBAS

BT608 ---

GETGURRENT

BEST VALUE IN BATTERY & ELECTRICAL SYSTEM TESTERS

PROFESSIONAL & AFFORDABLE

- 50+ Vehicle Make Database
- AutoSCAN All Vehicle Systems Quickly Read & Erase Codes
- Perform Battery Registration & System Resets with Ease
- Accurate Battery Test Results Approved by BCI & SAE
- Print, Save as a PDF or Email Results



BMS RESET FUNCTIONALITY


A SYSTEM DETECTION

 BATTERY & ELECTRICAL SYSTEM DIAGNOSTICS

 FASTER VEHICLE ID: AUTOVIN & VINSCAN

> POWERED BY AUTEL DIAGNOSTICS















- · Measures Volts, Amps & Ohms
- Works with Multimeter Functions in BT608
- Troubleshoot Starters, Alternators & Key-Off Draw *BTAK Sold Separately



AUTEL ACADEMY TECHNICAL TRAINING

AUTEL



FEATURED PRODUCTS

Keep Vehicles Clean & Keep Customers Coming Back!

With over 30 years of refining the perfect products, the Slip-N-Grip® delivers unmatched quality and performance, providing the ultimate coverage for high traffic interior locations.

SEAT COVERS

FG-P9943-15

- 32" x 52"
- 0.5 mil
- 500/roll
- · Advanced Slip-N-Grip® technology
- · Disposable and recyclable



STEERING WHEEL COVERS

FB-P9943-33

- Elastic design is easy to apply
- · Double-band style
- Stretches to 24"

FLOOR DISPENSER RACK

FB-P9833-89

- 24" x 40" x 38"
- · Locking casters keep rack in place
- Lower tray provides extra storage

PLASTIC FLOORMATS FG-P9943-02

- 16.5" x 21" size perforated on a roll
- 2.0 mil for greater durability
- Waterproof
- One color custom imprinting available
- Recyclable



PRIME HEAVY DUTY TREATED FLOORMATS

M3274PE1980A

- Blue Foorprint design
- Durable coating for heavy foot traffic
- · Vibrant, full color prints
- Bright white treated paper



REPAIR ORDER **HOLDERS**

FB-P9933-02

- Clear
- 10.5" x 14.5"
- 25/Box



TIRE STORAGE BAGS

FG-P9943-29	Standard	0.8 mil	250/ro
FG-P9933-92	Large	0.8 mil	250/ro
FG-P9933-91	X-Large	1.25 mil	125/ro

- · White film hides the dirty tire
- Perforated rolls for easy storage and dispensing
- 3-layer construction for superior strength and durability
- Ideal for transport or storing of offseason tires



Customize with your brand for a professional look & to promote repeat business!

PLASTIC KEY TAGS

FB-P9933-23

- White
- 4 1/2" L x 3/4" W
- · Self-locking arrows no ring is needed
- 10 mil plastic vinyl
- Writeable surface
- 100ct packs 1,000/box



TIRE LABELS

FB-P9943-79

- Standard and custom designs available
- 3" x 6"
- 500/roll



PAPER KEY TAGS

FB-P9833-13

- 1 3/8"W x 2 3/4"H
- Easy to write on
- · Metal rings included
- 1,000/box





